The Gardening Catalogue 2025

FISKARS





Over 375 years of history are proof of our commitment to quality. Fiskars products are ingeniously functional, uniquely user-friendly, impressively long-lasting and aesthetically iconic.

The gardening catalogue



















6 Seasonal calendar

8 Plant, grow, harvest

Tips for seasonal planting, growing and harvesting

12 Outdoor cooking

Norden Outdoor cooking

18 Plant Care

Pruners Loppers Hedge Shears Tree pruners Scissors

52 Lawn Care

Rakes Grass Shears Weed Pullers Classic & Solid[™] Yard Tools Reel Mowers

72 Soil Care

Indoor Gardening Growing & Planting Harvesting Shovels, Spades & Forks QuikDrill" Soil Care Tools Nursery Tools

122 Yard Cleaning

128 Kids Tools

132 Fiskars QuikFit™

146 Wood Preparation

Axes
Wood Kindling tools
WoodXpert" Wood handling
tools
Saws
Other tools
Knives

176 Watering

Waterwheels Hoses Sprinklers Spray Nozzles Connectors Accessories Sets

217 Car Snow Tools

222 Snow Tools

228 Accessories

232 Hardware Tools

(see separate index on page 235)

277 Maintenance & Spare Parts

Please note! All the measurements portrayed in the catalogue are products in packaging measurements.

We belied happiness ground gro

eve that is yours to ow.

Yearly Calendar for gardening products



Tools for autumn

Fall is the time to enjoy the fruits and veggies of our labour and prepare for upcoming winter.







1<mark>062831</mark> Plus Garden Harvesting Basket



Right tools for every season





Designed for happy planting & harvesting

Nothing tastes better than freedom and independence. No wonder more and more people (especially, in urban areas) are growing their own vegetables and fruit – whether on the smallest balcony, in the seasonal garden or on their own expansive plot of land. We show how easy it is to supplement supermarket shopping with your own produce.

The balcony: For the minimalist

From classic planter boxes to vertical gardening or a potato tower – the balcony offers more space for culinary self-fulfilment than one might initially think. Nevertheless, vegetables, fruit, and herbs on the balcony should be one thing above all: robust and high-yielding.



WHAT GROWS ON A SOUTH-FACING BALCONY? Welcome to the sunny side of life

Welcome to the sunny side of life with the best conditions for a small, self-catering existence. From spring to autumn everything that grows in full sun can be sown and harvested on a south-facing balcony.

However, it can even get too hot for them. Therefore, it is best to provide shade, a sunshade is usually sufficient. Large planters, pots and boxes store water well, so that you don't have to water all the time.

SOUTH



Tomatoes
Strawberries
Rosemary
Courgettes
Bell peppers
Chillis
Peppermint
Chives
Beans
Cucumbers

NORTH



Rocket Spinach Ramsons Chard Kohlrabi Radishes Mache

WHAT GROWS ON A NORTH-FACING BALCONY? Imagine you live on the

Imagine you live on the Mediterranean. Then someone suddenly transports you to cold climates. You would die, just like plants and herbs from the Mediterranean. So with rosemary or oranges you don't even need to try it on the north balcony. Nevertheless, some things can grow there. It is best not to place the containers directly on the ground, but rather hang them on a railing or in a hanging basket. A bonus: here the plants are more likely to forgive you if you forget to water them.

The seasonal garden: For the part-time self-supporter



Among the top five favourite gardening activities, planting and cultivating fruit and vegetables sits far in the lead.

Many people dream of having their own garden, however few can make it a reality. This is why more and more hobby gardeners are renting a seasonal garden.

Here, as the name suggests, it is usually possible to rake, weed and harvest from March to November. Most plots are available in different sizes (from approx. 25 m² to 80 m²). Depending on space and taste, any fruit and vegetables can be planted.



CHOICE OF SUITABLE OPTIONS

Onions Potatoes Lettuce Carrots Sweetcorn Broccoli Parsley Gooseberries

Create a dance of colour with bulbs

The last day of winter easily becomes the first day of spring if you have planted early spring bulbs like snowdrops or galanthus in the autumn months. As spring progresses to summer you can enjoy gently nodding daffodils, vibrant tulips or majestic alliums that impress every year. With these planting tips, next spring is sure to be vibrant and colourful.

PLANTING TIPS FOR TULIP BULBS

- 1. Fill the planter to about three quarters with soil. Dig a small hole for the bulb.
- 2. Place the bulb in the soil. Rule of thumb: flower bulbs must be planted three times as deep as the bulb is tall.
- Cover the bulb loosely with soil. Only water a little, as the bulb won't develop well if too much liquid is added, or even rots.
- 4. All you need now is a little patience, and in no time you'll be able to enjoy the flowerage.

Planting time: September to December **Blooming period:** March to June





The XXL garden: For the all-rounder

No space problems, enough distance and sufficient light – we pay tribute to large gardens. Here you can let off steam and plant what you like all year round. Those who also try their hand at winter vegetables will not only save themselves a trip to the supermarket in the colder season, they'll also do something for their good conscience, as exotic, imported fruit and vegetables often have been transported long distances.

WHAT ARE TYPICAL WINTER VEGETABLES? Root vegetables: beetroot, parsnips, swede.


Root vegetables: beetroot, parsnips, swede.
Leafy vegetables: mache, endive, chicory.
Cabbage: Curly kale, white cabbage, red cabbage.

WILL MY VEGETABLES FREEZE TO DEATH IN WINTER? While some of us take out our winter

While some of us take out our winter socks at temperatures below 20 degrees, most winter-proof vegetables don't even mind a light blanket of snow. Lettuce leaves freeze in frost, but they also thaw quickly. Wait to harvest them, as they could become mushy.









Norden outdoor cooking tools features & benefits





Grill utensils

Solid, premium wood Oak and heat-treated birch wood are sourced from

responsibly managed forests.

Premium stainless steel for ultimate performance Premium stainless steel for durability and high temperature use.

Wood for non-stick cookware

All wooden grilling utensils are suitable for non-stick cookware surfaces.

Perfectly balanced Perfect balance for comfort

and control in use.





Grill cookware

Durable cast iron

Durable cast iron pot and plate are ideal for a wide variety of cooking styles.

Easy to clean

THERMIUM™ mineral treatment makes inner surface very easy to clean and care for.

6 High temperatures

Heatproof up to 270°C, not recommended for use with metal utensils.

Premium stainless steel

Premium stainless steel lid for lasting durability.

5 Stainless steel steaming basket

Multi-function cooking: use it as a grill basket for preparing delicate ingredients, as a steamer or as a colander.

6 Norden Grill Chef system

Use it with the Norden Grill Chef Pot for 1- or 2-layer steaming on your barbeque grill or indoor kitchen.

Convenient storing

All Grill Chef parts can be stored inside the grill





Cooking basket





Cooking plate































Norden outdoor cooking tools

Grill Chef po	ot				Art.no.	1066430	z	6 424002 016311
Height: 13,1cm	Length: 33,2cm	Width: 34cm	Weight: 5,86 kg	Retail box: 1	Oldart.no.	-	Ä	6 4 2 4 0 0 2 0 1 6 3 1 1







• Durable cast iron pot is ideal for a wide variety of cooking styles on the grill and indoors and for easy mixing

- Thermium™ mineral treatment makes inner surface very easy to clean and care for
- · Premium stainless steel lid
- · Part of the stackable Norden Grill Chef system
- · Suitable for induction, ceramic, gas and traditional hobs. Also for open fire and different grills


Grill Chef Steel basket/steamer						1066431	z	6 424002 016328
Height: 8,1cm	Length: 32cm	Width: 32,2cm	Weight: 1,05 kg	Retailbox: 1	Oldart.no.	-	/ <u>E</u> /	6 424002 016328





reddot winner 2024 best of the best





- Premium stainless steel for lasting durability
- · Use it with the Norden Grill Chef Pot for 1- or 2-layer steaming on your barbeque grill or indoor kitchen
- Part of the stackable Norden Grill Chef system


Grill Chef co	oking plate				Art.no.	1066432	z	6 424002 016335
Height: 4,3cm	Length: 32,2cm	Width: 32,2cm	Weight: 2,64 kg	Retailbox: 1	Oldart.no.	-		6 4 2 4 0 0 2 0 1 6 3 3 5







reddot winner 2024 best of the best



- makes cooking surface very easy to clean and care for
- · Bottom legs provide stability while cooking and serving
- Part of the stackable Norden Grill Chef system
- · Suitable for open fire and different grills

Grill Chef spatula					Art.no.	1066425	z	
Height: 3cm	Length: 44,4 cm	Width: 8,6cm	Weight: 0,39 kg	Retailbox: 1	Oldart.no.	-		6 4 2 4 0 0 2 0 1 6 2 6 7





- · Solid, premium stainless steel head is thinly shaped to easily flip
- · Serrated edge cuts ingredients
- · Convenient loop for hanging when not in use
- · Handle made of high-quality, heat-treated birch

reddot winner 2024 best of the best

Grill Chef to	ngs				Art.no.	1066426	Z	
Height: 3cm	Length: 44,4 cm	Width: 8,6cm	Weight: 0,38 kg	Retailbox: 1	Oldart.no.	-	Ä	6 424002 016274





- · Solid, premium stainless steel tongs have a non-twisting joint for precision
- Serration enables good grip
- · Convenient loop for hanging when not in use
- $\cdot \text{Handle made of high-quality, heat-treated birch} \\$



Grill Chef fo	rk				Art.no.	1066427	Z	
Height: 2,9 cm	Length: 45,2cm	Width: 8,7 cm	Weight: 0,31kg	Retailbox: 1	Oldart.no.	-	ΕA	6 424002 016281





- · Solid, premium stainless steel fork easily grabs large ingredients
- · Convenient loop for hanging when not in use
- · Handle made of high-quality, heat-treated birch



reddot winner 2024 best of the best

Grill Chef sp	oon wooder	1			Art.no.	1066428	Z	6 424002 016298
Height: 2,5 cm	Length: 43,2cm	Width: 7,7cm	Weight: 0,13 kg	Retailbox: 4	Oldart.no.	-	121	6 4 2 4 0 0 2 0 1 6 2 9 8









- · A beautiful piece for grilling, cooking and serving
- Made of solid, high-quality oak
 Natural variation in wood colour and grain makes each product unique
- · Perfectly balanced design
- · Safe for use with non-stick cookware













- A beautiful piece for grilling, cooking and serving Made of solid, high-quality oak
- · Natural variation in wood colour and grain makes each product unique
- · Perfectly balanced design
- ·Safe for use with non-stick cookware



reddot winner 2024 best of the best









reddot winner 2024 best of the best

- ${\boldsymbol \cdot} \, \mathsf{Spatula's} \, \mathsf{solid}, \mathsf{premium} \, \mathsf{stainless} \, \mathsf{steel} \, \mathsf{head} \, \mathsf{is} \, \mathsf{thinly} \, \mathsf{shaped} \, \mathsf{to}$ easily flip food
- · Spatula's serrated edge cuts ingredients
- · Tongs are made of premium stainless steel and have a non-twisting joint for precision

- Tongs serration enables good grip
 Convenient loop for hanging when not in use
 Handle made of high-quality, heat-treated birch

FISKARS® Norden

Pure Nordic

Grill chef cookware

Incorporate fresh, healthy outdoor cooking into your modern life. Norden Grill chef turns your outdoor grill into a complete kitchen, with versatile, stackable pieces that excel at cooking a wide variety of meals. You won't just prepare delicious food with Grill chef, you'll create adventures.

Pure Nordic cooking fiskars.com



Plant Care

Pruners p.24
Loppers p.36
Hedge Shears p.42
Tree Pruners p.45
Scissors p.48









Founded in 1649, Fiskars' iconic heritage of creating highly aesthetic, intuitive tools makes us proud to be a world-renowned expert in two-blade cutting and manual hand tools for gardening enthusiasts all over the world.

Design philosophy

We submerge ourselves in segmentation studies, immersive consumer interviews and usability research to find ingenious ways to continually improve our products. As a result, we've won many awards, including the prestigious RedDot Best of the Best Design Awards.

Innovation

We've developed hundreds of patents and technologies to-date, all designed to help our tools outperform the competition and feel like a natural extension of your body.

Durability & quality

In addition to using only the highest quality materials, all of our products must pass rigorous lab testing before they can be distributed.

Global leader

Already known as the world's #1 brand in scissors, our gardening tools are also top sellers in Europe, North America, Australia and the Middle East.

Commitment

If gardening is happiness, Fiskars is committed to providing tools to help you find 100% happiness in the garden.

Fiskars Pruners

Offer your customers a balance of products from each of our three ranges to ensure quality options for each and every consumer – no matter what motivates them.

X-series[™]

Exceptional performance.

Our top-of-the-line range of products combines the best of our technologies and ergonomics with the ultimate in durability, offering a best-in-class option that truly improves the perception – and experience – of the activity itself. Model IDs: P900

Plus

Adds something more.

Our mid-range offers the opportunity to trade-up casual users to reliable tools that are better equipped for rugged, everyday use. Improved durability and thoughtful, additional features allow these tools to offer a more enhanced user experience.

Model IDs: P500-700

Solid™

The solid choice.

Our base range offers quality, no-frills tools that will entice and introduce casual or new users to the brand.

Model IDs: P100-300







GUARANTEE 25 YEARS

X-series Pruners






MORE

Designed for easy and clean cutting, these pruners are ideal for quick snips on thinner branches, as well as heavy cuts on thicker branches

Blade coating

Silver PTFE coating for less friction

4 Grip





X-series[™] Pruners





Exceptional performance.

Combining best-in-class technologies, ergonomics and durability to provide an experience that exceeds expectations. Gardening will never be the same.


X-series [™] By	pass Pruner	,L(P961)			Art.no.	1057175	EAN	6 4 1 1 5 0 1
Height: 28,5 cm	Length: 4,4cm	Width: 9,5 cm	Weight: 0,25 kg	Retailbox: 4	Oldart.no.	-	Ä	6 411501











- $\cdot \ \mathsf{Fully} \ \mathsf{hardened}, \mathsf{precision}\text{-}\mathsf{ground} \ \mathsf{steel} \ \mathsf{blade} \ \mathsf{stays} \ \mathsf{sharp} \ \mathsf{longer}.$ ·Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming.
- Ergonomic FiberComp" handle with full SoftGrip" details for secure, comfortable grip.
- · Optimised for both medium and large hand sizes.
- · Spare part available: 1064258.

X-series [™] Anvil Pruner (P941)						1057174	z	
Height: 28,5 cm	Length: 4,4cm	Width: 9,5 cm	Weight: 0,25 kg	Retailbox: 4	Oldart.no.	-	12	6 4 1 1 5 0 1 1 1 1 2 2 7









- · PowerGear™ maximises leverage for 3x more power.
- · Anvil-style blade for cleaner cuts while pruning dead growth up to
- Fully hardened, precision-ground steel blade stays sharp longer.
- · Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming.
- · Ergonomic FiberComp" handle with full SoftGrip" details for
- secure, comfortable grip. · Spare part available: 1064259.

X-series [™] By	/pass Pruner	; M (P921)			Art.no.	1057173	Z	6 411501 111210
Height: 28,5 cm	Length: 4,4cm	Width: 9,5 cm	Weight: 0,25 kg	Retailbox: 4	Oldart.no.	-	E/	6 4 1 1 5 0 1 1 1 1 2 1 0









- · PowerGear™ maximises leverage for 3x more power.
- · Bypass blade for clean cuts on green, living growth up to Ø 24 mm. • Fully hardened, precision-ground steel blade stays sharp longer.
- · Low-friction blade coating resists rust and improves performance,
- resulting in smoother cuts and less gumming.
- Ergonomic FiberComp™ handle with full SoftGrip™ details for secure, comfortable grip.
- Optimised for both small and medium hand sizes.
- · Spare part available: 1064260

Plus Pruners






3 Blade coating

PTFE coating for less friction

4 Grip

SoftGrip™ for comfort and better grip





Plus Pruners



Adds something more.

Trusted performers with additional features that not only improve durability, but enhance the overall experience. Better tools, equipped for rugged, everyday use.

Plus [™] Bypass Pruner, metal (P751)						1057172	z	6 4 1 1 5 0 1 1 1 1 1 9 7
Height: 28,5 cm	Length: 2,5cm	Width: 9,5cm	Weight: 0,28 kg	Retailbox: 4	Oldart.no.	-	12	6 4 1 1 5 0 1 1 1 1 1 9 7





- ·Power-Lever[™] powers through tough stems and branches.
- · Bypass blade for clean cuts on green, living growth up to Ø 22 mm.
- $\cdot \text{Fully hardened, precision-ground steel blade stays sharp longer.} \\$ Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming.
 Ergonomic cast-aluminium handle with SoftGrip" details for
- secure, comfortable grip.

Plus [™] Anvil F		Art.no. 1057171	Z				
Height: 28,5 cm	Length: 2,5cm	Width: 9,5cm	Weight: 0,21kg	Retailbox: 4	Oldart.no	73	6 411501 111180





- Power-Lever powers through tough stems and branches.
- · Anvil-style blade for cleaner cuts while pruning dead growth up to
- Fully hardened, precision-ground steel blade stays sharp longer.

 Low-friction blade coating resists rust and improves performance,
- resulting in smoother cuts and less gumming.
- Ergonomic FiberComp handle with SoftGrip reduces fatigue and adds durability and comfort.

Plus [™] Bypas	21)	Art.no. 1057170	Z				
Height: 28,5 cm	Length: 2,5cm	Width: 9,5 cm	Weight: 0,20 kg	Retailbox: 4	Oldart.no	E/	6 4 1 1 5 0 1 1 1 1 1 7 3





- Power-Lever[™] powers through tough stems and branches.
- Bypass blade for clean cuts on green, living growth up to Ø 24 mm.
 Fully hardened, precision-ground steel blade stays sharp longer.
 Low-friction blade coating resists rust and improves performance,
- resulting in smoother cuts and less gumming.
- · Ergonomic FiberComp™ handle with full SoftGrip™ details for secure, comfortable grip.









- \bullet SmartFit" lever adjusts how wide the pruner opens for easy pruning of stems and branches.
- For clean cuts on green, living growth up to Ø24 mm.
- Fully hardened, precision-ground steel blade stays sharp longer.
- Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming.
- Ergonomic FiberComp" handle with full SoftGrip" detail for a secure, comfortable grip.
- · Easy-open lock protects blade during transport and storage.

Plus [™] Bypass Pruner, metal (P531)						1057168	z	
Height: 27,1cm	Length: 2,3cm	Width: 7,6cm	Weight: 0,27kg	Retailbox: 4	Oldart.no.	-	/ <u>/</u>	6 411501 111159





- · Fully hardened, precision-ground steel blade stays sharp longer.
- \bullet Bypass blade for clean cuts on green, living growth up to Ø 24 mm.
- Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming.
 Ergonomic cast aluminium handle with full SoftGrip* detail for a
- Ergonomic cast aluminium handle with full SoftGrip detail for a secure, comfortable grip.
- · Conveniently placed lock for quick, easy activation.

Plus [™] Bypass Pruner (P521)						1057167	z	
Height: 26,5 cm	Length: 2cm	Width: 7,6cm	Weight: 0,2kg	Retailbox: 4	Oldart.no.	-	<u> </u>	6"411501"111142"





- $\cdot \ \mathsf{Fully} \ \mathsf{hardened}, \mathsf{precision}\text{-}\mathsf{ground} \ \mathsf{steel} \ \mathsf{blade} \ \mathsf{stays} \ \mathsf{sharp} \ \mathsf{longer}.$
- Bypass blade for clean cuts on green, living growth up to Ø 24 mm.
- · Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming.
- Ergonomic Fiber Comp" handle with full Soft Grip" detail for a secure, comfortable grip.
- $\cdot \, \mathsf{Easy-open} \, \mathsf{lock} \, \mathsf{protects} \, \mathsf{blade} \, \mathsf{during} \, \mathsf{transport} \, \mathsf{and} \, \mathsf{storage}.$





Both blade and counter blade press into the wood to make clean cuts with less compression damage. In other words, the cutting blade bypasses the counter blade in a scissors-like fashion. This makes it possible to cut close to the stem, making bypass pruners ideal for cutting fresh wood.



The upper blade is forced through the wood with greater pressure as the anvil blade supports the branch, spreading pressure until the cut is complete. Anvil blades are ideal for cutting dry or dead wood.

Solid Pruners

The "solid choice."

Simple, effective and affordable with the quality Fiskars is known for. In short, these tools get the job done.





2 Blade capacity


ldeal for small branches

3 Blade coating

PTFE coating for less friction

4 Grip

Suitable for both left- & right-handed use with comfortable durable handles





Solid[™] Pruners



reddot winner 2021 best of the best

Solid [™] Anvil Pruner (P361)						1057165	z	6 4 1 1 5 0 1 1 1 1 1 2 8
Height: 26,5 cm	Length: 2cm	Width: 7,6 cm	Weight: 0,19 kg	Retailbox: 4	Oldart.no.	-	Ä	6 4 1 1 5 0 1 1 1 1 1 2 8





- · Fully hardened, precision-ground steel blade stays sharp longer. · Anvil-style blade for cleaner cuts while pruning dead growth up to
- $\cdot \, \text{Low-friction blade coating resists rust and improves performance,} \\$
- resulting in smoother cuts and less gumming.
 Light, yet sturdy, FiberComp" handle has full SoftGrip" detail for a secure, comfortable grip.
- · Easy-open lock protects blade during transport and storage.

Solid [™] Bypass Pruner (P341)						1057164	EAN	6411501 111111
Height: 26,5 cm	Length: 2cm	Width: 7,6cm	Weight: 0,19 kg	Retailbox: 4	Oldart.no.	-		6 4 1 1 5 0 1 1 1 1 1 1 1 1





- · Fully hardened, precision-ground steel blade stays sharp longer.
- \bullet Bypass blade for clean cuts on green, living growth up to Ø 20 mm.
- $\boldsymbol{\cdot} \text{Low-friction blade coating resists rust and improves performance,}$ resulting in smoother cuts and less gumming.

 Light, yet sturdy, FiberComp* handle has full SoftGrip* detail for a
- secure, comfortable grip.
- · Easy-open lock protects blade during transport and storage.

Solid [™] Bypass Pruner, metal (P331)						1057163	Z.	6 411501 111098
Height: 25,8 cm	Length: 2,3cm	Width: 7,6cm	Weight: 0,2kg	Retailbox: 4	Oldart.no.	-	<u> </u>	6 4 1 1 5 0 1 1 1 1 1 0 9 8





- $\cdot \text{Fully hardened, precision-ground steel blade stays sharp longer.} \\$
- \bullet Bypass blade for clean cuts on green, living growth up to Ø 20 mm.
- ·Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming.
- •Strong steel handle with SoftGrip for added comfort.
- · Easy-open lock protects blade during transport and storage.

Solid [™] Bypass Pruner (P321)						1057162	Z	6 411501 111081
Height: 26cm	Length: 2cm	Width: 7,6cm	Weight: 0,18 kg	Retailbox: 4	Oldart.no.	-		6 4 1 1 5 0 1 1 1 1 0 8 1





- •Fully hardened, precision-ground steel blade stays sharp longer. •Bypass blade for clean cuts on green, living growth up to \varnothing 20 mm.
- · Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming.
- · Light, yet sturdy, FiberComp™ handle with SoftGrip™ for added
- $\bullet {\sf Easy-open\,lock\,protects\,blade\,during\,transport\,and\,storage}.$

Solid [™] Bypass Pruner (P121)					Art.no.	1057160	Z	6 411501 111029
Height: 25,5cm Length: 2cm Width: 7,6cm Weight: 0,14kg Retailbox: 4					Oldart.no.	-		6 4 1 1 5 0 1 1 1 1 0 2 9





- Fully hardened, precision-ground steel blade stays sharp longer.
- · Bypass blade for clean cuts on green, living growth up to Ø 18 mm.
- · Low-friction blade coating resists rust and improves performance, $resulting \, in \, smoother \, cuts \, and \, less \, gumming.$
- Light, yet sturdy, FiberComp[™] handle.
- $\bullet {\sf Easy-open\,lock\,protects\,blade\,during\,transport\,and\,storage}.$

FISKARS

Prune trees & shrubs every spring to promote flowering, fruit development and renewal



Choose the right pruner



X-SERIES

- PowerGear[®] technology maximises leverage where you need it most, for 3x more cutting power
- Fully hardened, precision -ground steel blades stay sharp longer
- Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming
- Ergonomically designed FiberComp[®] handle fits the natural shape of your hand and has full SoftGrip[®] details for a secure, comfortable grip
- 25-year guarantee



PLUS'

- Power-Lever[™] technology powers through tough stems and branches
- SmartFit^{*} lever adjusts how wide the pruner opens for easier cuts
- Fully hardened, precision-ground steel blades stay sharp longer
- Ergonomically designed, FiberComp[®] or cast-aluminium handle fits the natural shape of your hand and has full SoftGrip[®] details for a secure, comfortable grip



SOLID°

- Ideal for easy cuts through stems and branches
- Fully hardened, precision-ground steel blade stays sharp longer
- Light, yet sturdy, FiberComp" handle has full SoftGrip" detail for a secure, comfortable grip
- Easy-open lock protects the blade during transport and storage



POWERSTEP*

- Allows for easy cuts through both thin and thick branches, using the same tool - without compromising on performance
- Thin branches are cut in one easy snip thicker branches in 2 or 3 gradual steps to reduce the force needed per stroke
- Mechanism automatically sets the applicable amount of strokes



FINGERLOOP

- Lightweight and strong FiberComp handles with SoftGrip for added comfort and safety
- Fingers are protected by the loop in the lower handle
- · Corrosion-resistant, stainless steel blades




PRO PRUNERS

- Professional-quality CrMoV blades
- Easy to maintain, with all parts being replaceable
- Lightweight with SoftGrip[®] and shock absorber
- Handles and lock accommodate both left- and right-handed users

Professional Pruners

These shears have been developed with professionals' needs in mind. Made of the best materials, all parts are replaceable for added convenience. The Pro Pruner features a traditional design and includes special features such as a wire cutter.







- · Professional quality CrMoV blades.
- Bypass blade for clean cuts on green, living growth up to Ø 26 mm. Lightweight, durable, all-weather FiberComp" handles with sturdy
- ·Left/right hand lock.
- · Greased cone bolt.
- ·Sap groove.
- ·Spare parts available: 1026280 and 1026282.

Pro Pruner (P90)						1001530	Z W
Height: 23cm	Length: 2cm	Width: 7cm	Weight: 0,27kg	Retailbox: 4	Oldart.no.	111960	8 008220 029629





- Blades have side support to ensure they stay in place when cutting thick branches up to Ø 26 mm.
- Includes a wire cutter to spare the blades.
- \cdot Nut locking ring allows for adjustable tightening to help ensure consistent, precise cuts.
- ·Spare part available: 1026278.

Fingerloop Pruners

Our fingerloop range includes two pruners and a snip for a neat, ergonomic way to prune branches and perform basic cutting tasks without excessive hand strain. The signature loop handle engages the power of all fingers while SoftGrip[™] detail provides an extra level of comfort for extended work in the garden.

Fingerloop Pruner Bypass (P44)						1001534	6 411501 964403
Height: 26,5 cm	Length: 3cm	Width: 9cm	Weight: 0,18kg	Retailbox: 4	Oldart.no.	111440	6 4 1 1 5 0 1 9 6 4 4 0 3




- ·For cutting fresh wood up to Ø 20 mm.
- · Fingerloop protects fingers while keeping the pruner comfortably in hand.
- \cdot Non-stick coating on upper blades allows for easier cuts and cleaning.

Fingerloop Universal Snip (SP45)						1001533	6 4 1 1 5 0 1 9 6 4 5 0 2
Height: 26,5 cm	Length: 3cm	Width: 9cm	Weight: 0,20 kg	Retailbox: 4	Oldart.no.	111450	6 4 1 1 5 0 1 9 6 4 5 0 2



- Designed to cut steel, plastic, tubes, rope or hoses up to Ø20 mm.
 Fingerloop protects fingers while keeping the pruner comfortably in hand
- NOTE! Not for cutting branches in garden.

Other Pruners



Solid[™] Snips

Solid [™] Pruning Micro-Tip Snip (SP130)					Art.no.	1051600	E A N	6 4 1 1 5 0 1 1 1 0 8 1 7
Height: 21,5 cm	Length: 2cm	Width: 8,4cm	Weight: 0,08 kg	Retailbox: 4	Oldart.no.	-	Ä	6 4 1 1 5 0 1 1 1 0 8 1 7



- $\cdot \mbox{ Ideal for encouraging healthy growth on plants and flowers.}$
- $\bullet \textit{Precision blades for shaping, repetitive trimming and intricate}$ snips in tight places.
- Stainless steel blades stay sharp even through heavy use.
 SoftGrip" touch-points on handle enhance comfort and control.
- · Easy-open lock protects the blade during transport and storage.

Solid [™] Pruning Floral Snip (SP141)					Art.no.	1051601	Z	6 411501 110824
Height: 24cm	Length: 2,2cm	Width: 8cm	Weight: 0,13 kg	Retailbox: 4	Oldart.no.	-	Ä	6 4 1 1 5 0 1 1 1 0 8 2 4



- $\cdot \ \, \text{Ideal for encouraging healthy growth and working with cut flowers}.$
- For cuts up to Ø 13 mm. Coated, hardened blades, for easy durable use SoftGrip" touch points add comfort and control
- ·Includes stem stripper and wire cutter.

Solid [™] Pruning Snips (SP151)					Art.no.	1051602	z	001 110831
Height: 21,5 cm	Length: 2cm	Width: 8,4 cm	Weight: 0,1kg	Retailbox: 4	Oldart.no.	-	6 4 1 1 5	501 110831





- $\cdot \, \mathsf{Ideal} \, \mathsf{for} \, \mathsf{intricate} \, \mathsf{cuts} \, \mathsf{on} \, \mathsf{plants} \, \mathsf{and} \, \mathsf{flowers} \, \mathsf{while} \, \mathsf{trimming} \, \mathsf{and} \,$
- shaping.
 Stainless steel blades stay sharp even through heavy use.
- · SoftGrip™ touch-points on handle enhance comfort and control. $\bullet \, \mathsf{Extra-large} \, \mathsf{handle} \, \mathsf{loops} \, \mathsf{leave} \, \mathsf{plenty} \, \mathsf{of} \, \mathsf{room} \, \mathsf{for} \, \mathsf{gloves}.$
- $\cdot \text{Handle design suits both left and right-handed users}.$

Solid [™] Herb Snip (SP220)						1063326	Z	6 424002 014669
Height: 20,5 cm	Length: 2,5cm	Width: 8,2cm	Weight: 0,07 kg	Retailbox: 4	Oldart.no.	-	 	6 424002 014669



- · Ideal for quickly chopping and mincing herbs and vegetables directly into the bowl.
- · Stainless steel blades stay sharp longer.
- Forward hand position allows for quick cuts at any angle.
- $\bullet Spring-action \, design \, opens \, after \, each \, cut \, to \, reduce \, hand \, strain.$

Solid [™] Multi Task Snips (SP320)					Art.no.	1063328	Z	6 4 2 4 0 0 2 0 1 4 6 8 3
Height: 29,5cm Length: 1,6cm Width: 9cm Weight: 0,11kg Retailbox: 4				Oldart.no.	-		6 4 2 4 0 0 2 0 1 4 6 8 3	



- · Ideal for easily cutting netting, landscape fabric or slicing open soil bags.
- ·Sharp, stainless steel blades.
- $\cdot \text{Use outer serrated edge to saw rope, straight edge to open boxes}$ and integrated wire cutter to cut wire.
- Spring-action design opens after each cut to reduce hand strain.
- · Easy-open blade lock and sheath with belt loop for safe storage and portability.

Choose the right lopper

Suitable for all kinds of garden cutting tasks with a capacity of up to \emptyset 55 mm, Fiskars loppers are designed to be lightweight, efficient and comfortable to use.



Different heads for different purposes

Bypass head

For frequent cuts on fresh wood

2 Anvil head

For cutting dry and/or hard/dead wood

3 Hook head

For heavy cuts on fresh wood

Scissor head

For precision cuts

PowerGear[™]X Loppers



PowerGea	ar" X Bypass	Lopper, L (LX	98)		Art.no. 1020188
Height: 85 cm	Length: 3cm	Width: 25,5 cm	Weight: 1,34 kg	Retailbox: 4	Oldart.no. 112490
•	4			GUARANTEE 25	 For heavy cuts on fresh woo Bypass blades easily catch l Durable and light aluminium handles. Spare part available: 102628




- ood up to Ø 50 mm.
- h branches while providing clean cuts.
- m shaft with comfortable SoftGrip™

		25 YEARS
0	GERMAN DESIGN AWARD SPECIAL 2016	VPA Gepring
DowerCoor™ V Anvill oppor I	(I VOO)	

PowerGear [™] X Anvil Lopper, L (LX99)						1020189	z	6"411501"124401
Height: 85cm	Length: 3cm	Width: 25,5 cm	Weight: 1,36 kg	Retailbox: 4	Oldart.no.	112440		6 4 1 1 5 0 1 1 2 4 4 0 1







- ·Spare part available: 1026286.






PowerGear	PowerGear™X Bypass Lopper, M (LX94)						z	6"411501" 123909
Height: 69 cm	Length: 3cm	Width: 20,3cm	Weight: 1,19 kg	Retailbox: 4	Oldart.no.	112390	77	6 4 1 1 5 0 1 1 2 3 9 0 9





- •For frequent cuts on fresh wood up to Ø 50 mm.
- Bypass blades easily catch branches while providing clean cuts.
- Durable and light aluminium shaft with comfortable SoftGrip
- ·Spare part available: 1026285.











- ·For frequent cuts on fresh wood up to Ø38 mm.
- Bypass blades easily catch branches while providing clean cuts.
- Durable and light aluminium shaft with comfortable SoftGrip handles.
- ·Spare part available: 1026288.

PowerGear[™] Loppers

PowerGear[™] Hook Head Bypass Lopper, L (L78) 1000584 Art.no. Height: 75 cm Length: 3,4cm Width: 22,5 cm Weight: 0,94kg Retailbox: 4 Oldart.no. 112590



- \cdot For heavy cutting of fresh wood up to Ø 50 mm.
- · Very light weight due to FiberComp™ construction.
- · Bypass blades for easy catching of branches and a clean cuts.
- · Spare part available: 1026285.

PowerGear" Anvil Lopper, L (L77)						1000583	z	6"411501" 125804
Height: 74,5 cm	Length: 3,5 cm	Width: 24,5cm	Weight: 1,12 kg	Retailbox: 4	Oldart.no.	112580	7	6 4 1 1 5 0 1 1 2 5 8 0 4



- \cdot For heavy cutting of hard and dry wood up to Ø 50 mm.
- Very light weight due to FiberComp construction.
 Anvil blade configuration for added durability and effective cuts.
- ·Spare part available: 1026292.

PowerGear [™] Scissor Head Bypass Lopper, M (L76)					Art.no.	1001553	8 4 1 1 5 0 1 1 2 3 0 0 8
Height: 61,3 cm	Length: 3cm	Width: 18,4 cm	Weight: 0,59kg	Retail box: 4	Oldart.no.	112300	6 411501 123008



- For cutting of fresh wood up to \varnothing 40 mm.
- · Very light weight due to FiberComp™ construction.
- · Scissor head blades optimised for precision cutting.
- ·Spare part available: 1026284.

PowerGear [™] Hook Head Bypass Lopper, M (L74)						1000582	6"411501" 122902
Height: 60,7cm	Length: 3cm	Width: 18,3cm	Weight: 0,50 kg	Retailbox: 4	Oldart.no.	112290	6 4 1 1 5 0 1 1 2 2 9 0 2



- •For cutting of fresh wood up to Ø38 mm.
- · Very light weight due to FiberComp™ construction.
- · Bypass blades for easy catching of branches and a clean cuts.
- · Spare part available: 1026288.

PowerGear [™] Scissors Head Bypass Lopper, S (L72)					Art.no.	1001555	z
Height: 51cm	Length: 2,5cm	Width: 15,7 cm	Weight: 0,27kg	Retailbox: 4	Oldart.no.	112200	6"411501" 122001



- For frequent cutting of fresh wood up to Ø 30 mm.
- · Very light weight due to FiberComp construction.
- · Scissor head blades optimised for precision cutting.
- ·Spare part available: 1026284.

PowerGear [™] Hook Head Bypass Lopper, S (L70)					Art.no.	1002104	6'411501'' 121905
Height: 50,5 cm	Length: 2,4cm	Width: 15,4cm	Weight: 0,43 kg	Retailbox: 4	Oldart.no.	112190	6 411501 121905



- \bullet For frequent cutting of fresh wood up to Ø 38 mm.
- Very light weight due to Fiber Comp" construction.

 Hooked bypass blades for easy catching of branches and a clean
- ·Spare part available: 1026288.

PowerGear [™] Anvil Lopper, S (L31)						1000581	4 1 1 5 0 3 9 6 1 7 0 7 0 7 0 7 0 7 0 7 0 7 0 7 0 7 0 7
Height: 43,2cm	Length: 2,4cm	Width: 18 cm	Weight: 0,40 kg	Retailbox: 4	Oldart.no.	112170	6 411503 961707



- For cutting of hard, dry wood up to Ø35 mm.
- $\cdot \mbox{ Very light weight due to Fiber Comp} \mbox{"} \mbox{ construction}.$






Both blade and counter blade press into the wood to make clean cuts with less compression damage. In other words, the cutting blade bypasses the counter blade in a scissors-like fashion. This $\label{eq:makes} \textit{makes it possible to cut close to the stem},$ making bypass pruners ideal for cutting fresh wood.



The upper blade is forced through the wood with greater pressure as the anvil blade supports the branch, spreading pressure until the cut is complete. Anvil blades are ideal for cutting dry or dead wood.

SmartFit[™] Lopper



SingleStep[™] Loppers

SingleStep	[™] Hook Head	l Bypass Lop	per, L (L38)		Art.no.	1001426	Z
Height: 88,6 cm	Length: 2,5 cm	Width: 34,6cm	Weight: 1,16 kg	Retail box: 4	Oldart.no.	112460	6 411501 124609
•		1 0		VPA Geprüfe Sichemat	· Cut capac	cutting of fresh woo ity: Ø 40 mm. steel blades with no	
SingleStep	o [™] Hook Head	I Anvil Loppe	r, L (L39)		Art.no.	1001430	ş
SingleStep Height: 88,6cm	D [™] Hook Head	I Anvil Loppe Width: 34,6cm	r, L (L39) Weight: 1,20 kg	Retailbox: 4	Art.no. Oldart.no.		6 411501 124500







Art.no.

1001432


· Hardened steel blades with non-stick coating.



SingleStep[™] Hook Head Bypass Lopper, S (L28)







Hedge Shears

Whether you're interested in topiary, controlling annual growth or keeping a nice straight line in your hedge, Fiskars has a full range of hedge shears for your needs. From robust SingleStep[™] action hedge shears to adjustable telescopic shears, to shears featuring our unique PowerGear[™] technology, for 3x more cutting power, right to the tip.



PowerGear[™] Hedge Shears

PowerGear™X Hedge Shears (HSX92) Art.no. 1023631 Height: 66,5 cm Length: 7,5 cm Width: 16,5 cm Weight: 1,10 kg Retailbox: 4 Oldart.no. -· For effortless trimming of hedges and bushes.





- •Unique PowerGear™ mechanism makes cutting up to 3 times easier vs standard mechanisms.
- $\hbox{-Lightweight and durable with PTFE-coated, precision-ground}$ blades
- ·SoftGrip™handles for optimum comfort and balance.



PowerGear	PowerGear [™] Hedge Shears (HS72)						Z	6411501 147905
Height: 61,2cm	Length: 4,5 cm	Width: 17 cm	Weight: 0,72 kg	Retailbox: 4	Oldart.no.	114790		6 4 1 1 5 0 1 1 4 7 9 0 5



- $\cdot \text{For easy trimming of hedges and bushes}.$
- $\textbf{\cdot} Power Gear \texttt{''} technology \, reduces \, effort \, with \, up \, to \, 3x \, more \, cutting$
- ·Lightweight, FiberComp shaft.

SmartFit[™] Hedge Shears

SmartFit [™] H	ledge Shears	s (HS86)			Art.no.	1013565	EAN
Height: 73,5 cm	Length: 7,6 cm	Width: 21,5 cm	Weight: 1,25 kg	Retailbox: 4	Oldart.no.	114800	6 411501 148001
			•	reddot design award winner 2014	 Adjustable 		oushes both far and near. 13 cm for optimal working position. ip" handles.

PowerLever[™] Hedge Shears

PowerLever[™] Hedge Shears (HS52) Art.no. 1001564 Height: 58,8 cm Length: 7,2 cm Width: **14,8 cm** Weight: 0,61kg Retailbox: 4 Oldart.no. 114750 · For easy trimming of hedges and bushes. •PowerLever[™] technology reduces effort with up to 2x more cutting ·Lightweight, FiberComp™shaft.

fenniaprize

Other Hedge Shears

SingleStep	Hedge Shea	ars Wavy Blad	de (HS22)		Art.no.	1001433	z	6 4 1 1 5 0 1 1 4 7 3 0 1
Height: 58 cm	Length: 13 cm	Width: 19cm	Weight: 0,71kg	Retailbox: 4	Oldart.no.	114730	<u> </u>	6 4 1 1 5 0 1 1 4 7 3 0 1





- · For trimming hedges and bushes.
- Sturdy, comfortable, glassfibre-reinforced polypropene (PPGF) handle.
- · Hardened steel blades with non-stick coating.

Solid [™] Hedg	e Shears (HS	521)			Art.no.	1026827	z	6 4 1 1 5 0 1 1 5 0 2 7 1
Height: 59cm	Length: 4,5 cm	Width: 15cm	Weight: 0,32 kg	Retail box: 4	Oldart.no.	-		6 411501 150271



- For trimming hedges and bushes.Hardened steel blades.
- Sturdy, comfortable handles with Softouch grip.

PowerGear X Tree Pruners

More power with less effort

Improved strength of cutting head

Better maintenance

Spare parts available

Easy cutting in all directions

Adjustable head turns 230°

Telescopic Tree Pruner

↑ 6 m

Tree Pruner

↑ 3,5 m

Adjustable head turns 230°

Power Gear X


Improved strength and maintenance of cutting head

SoftGrip[™] for better grip

Power Gear X

PowerGear™X Tree Pruners

Fiskars tree pruners are multi-use tools that allow access to tree crowns and dense bushes, allowing gardeners to trim high branches without the use of a ladder - or at ground level without bending or kneeling.





Other Tree Pruners & Accessories

Reach snip,	black (UP69)			Art.no.	1073082	6 4 1 1 5 0 1 6 0 0 8 7 5
Height: 175,5 cm	Length: 7,1cm	Width: 11,2cm	Weight: 0,9 kg	Retailbox: 4	Oldart.no.	1023626	6 411501 600875


- $\cdot \text{For trimming branches high and low,} \varnothing \, 12 \, \text{mm}.$
- Cutting reach approx 3,5 m. Adjustable handle 270° for easy handling.



Long Bypas	s Tree Prune	er (UP84)			Art.no.	1001557	6 4 1 1 5 0 1 9 6 3 9 0 1
Height: 221cm	Length: 7,4cm	Width: 11,3cm	Weight: 1,26 kg	Retailbox: 2	Oldart.no.	115390	6 411501 963901







Cutting reach of approximately 4,5 meters.


Adjustable cutting angle up to 230°.

Can be used with extension pole (art No 1001560) and fruit picker (art No 1001562).

·Spare part available: 1026293.



Anvil Tree P	runer (UP53))			Art.no.	1000597	4 1 1 5 0 1 9 6 3 5 0 5
Height: 165cm	Length: 7,4cm	Width: 13,8cm	Weight: 0,85 kg	Retailbox: 4	Oldart.no.	115350	6 4 1 1 5 0 1 9 6 3 5 0 5



- · Cutting reach vertically about 3,5 meters.
- · Adjustable cutting angle up to 260°.
- · Can be used with fruit picker (art No 1001562).



Fruit Picker	(UP80), plus	part			Art.no.	1001562	Z	6411501 969705
Height: 33,4cm	Length: 7,5 cm	Width: 16 cm	Weight: 0,25 kg	Retailbox: 4	Oldart.no.	110970		6 4 1 1 5 0 1 9 6 9 7 0 5



- · Can be used with article No 1001557, 1000598, 1023624 and
- · FiberComp [™] frame and tabs gently pull fruit from tree.
- ${\color{red} \bullet} \textit{Machine-washable}, \textit{mesh bag catches the harvest}, \textit{allowing you} \\$ to see your yield.

The icon



The iconic Classic scissors are a symbol of Fiskars and our Finnish design heritage



cuts.

Easy cleaning

Handles are injection-molded onto the blades, ensuring easy, hygenic cleaning.

3 Supreme ergonomics

Handles are designed with strong consideration of the natural movement of the hand, resulting in enhanced comfort and cutting control.

durability.


5 Quality control

Each product is manually tested before leaving the factory, ensuring you get only the best scissors.





Classic Scissors













FINLAND

- · Scissors for life: 25-year extended guarantee.
- $\cdot \text{Optimal cutting edge} \, \text{and lifelong performance}. \\$
- Superior ergonomics ensuring good grip.
 Premium craftmanship: finished and tested by hand.
 Ideal for a wide variety of cutting needs.
- Durable stainless steel blades for long-lasting sharpness.
- · Serrated blades grip materials for easy cutting.
- · Impact resistant handle material.
- · For right-handed users.

· For right-handed users.

Easy choice for you



Features & benefits

Sharp blades

Facet grinding ensures excellent cutting performance and keeps the blades sharp longer.

2 Ergonomic design

Handles are ergonomic and comfortable.

3 Ideal tool

Versatile scissors are ideal for all-around household cutting.

Recycled materials

Scissors are made from recycled materials.

See product details for more information



New! Functional Form Scissors

Universal scissors 21 cm Art.no. 1074547 Height: 27,5 cm Length: 1,5 cm Width: 8,5 cm Weight: 0,09 kg Oldart.no. 1019197 Retailbox: 5







- · Made of minimum 70% recycled materials.
- · Unique comfort and cutting performance.
- · Made in Finland, finished and tested by hand. $\cdot \ \, \text{Ideal for a wide variety of uses in and around the home}.$
- Durable, recycled (~80%) stainless steel blades are precision ground for long-lasting sharpness.
- Ergonomically designed handle is made of recycled (~80%) plastic (80%) and glass fiber (20%) mix.
- For right-handed users.


Large unive	rsal scissors	25 cm			Art.no.	1074546	z	6"424002"019381
Height: 32cm	Length: 2,5cm	Width: 9cm	Weight: 0,14 kg	Retailbox: 6	Oldart.no.	1019198		6 424002 019381







MADE IN



- · Unique comfort and cutting performance.
- Finished and tested by hand.
- $\cdot \text{Ideal for a wide variety of uses in and around the home.} \\$
- ·Long, durable, recycled (~80%) stainless steel blades for long-last-
- · Larger, ergonomically designed handle is made of recycled (~80%) plastic (80%) and glass fiber (20%) mix.
- For right-handed users.

Gardenings	scissors 21 cı	m (serrated)			Art.no.	1074544	Z	6 4 2 4 0 0 2 0 1 9 4 0 4
Height: 27,5 cm	Length: 1,5 cm	Width: 8,5 cm	Weight: 0,09 kg	Retailbox: 6	Oldart.no.	1062544		6 424002 019404









· Ideal for cutting herbs and flowers in the garden.

· Made of recycled materials (minimum 70%).

- · Serrated blades grip materials for easily cutting herbs & flowers. · Durable, recycled (~80%) stainless steel blades for long-lasting
- Ergonomically designed handle is made of recycled (~80%) plastic (80%) and glass fiber (20%) mix.
- · For right-handed users.

Small univer	rsal scissors	16 cm			Art.no.	1074543	Z	6 4 2 4 0 0 2 0 1 9 4 1 1
Height: 22,5cm	Length: 1,5 cm	Width: 8,5cm	Weight: 0,05 kg	Retailbox: 10	Oldart.no.	1062545	E/	6 4 2 4 0 0 2 0 1 9 4 1 1







MADE IN

- Made of minimum 70% recycled materials.
- ·Unique comfort and cutting performance.
- · Finished and tested by hand.
- · Ideal for a wide variety of uses in and around the home.
- · Durable, recycled (~80%) stainless steel blades for long-lasting sharpness.
- $\cdot \, \text{Ergonomically designed handle is made of recycled ($\sim 80\%) plastic}$ (80%) and glass fiber (20%) mix.
- · For right- and left-handed users.


Lawn Care





Rakes

Fiskars rakes are designed for comfortable raking, cleaning and gathering. Our four ranges offer a wide selection of rakes including leaf and soil rakes.



X-SERIES[™]

Premium quality materials and ergonomic, aluminium shafts for ultimate performance



ERGONOMIC


Special teardrop-shaped shaft with wide head for effective raking



SOLID™

A versatile selection of rakes ranging from lawn to soil care

X-series[™] Rakes







- Hardened aluminium shaft with a unique profile reduces weight without sacrificing strength.
 SoftGrip" handle allows for multiple hand positions.
- · Convenient hanging hole for out-of-the-way storage and organ-

X-series [™] L	eaf rake L				Art.no.	1027037	z	
Height: 4,4cm	Length: 176 cm	Width: 49cm	Weight: 0,805kg	Retailbox: 4	Oldart.no.	-	EAN	6 4 1 1 5 0 1 3 5 0 8 2 4
				GUARANTEE		ather grass clipping / efficient and durab		





- · Hardened aluminium shaft with a unique profile reduces weight without sacrificing strength.
- SoftGrip™ handle allows for multiple hand positions.
- $\boldsymbol{\cdot} \textbf{Convenient hanging hole for out-of-the-way storage and organ-}$

X-series [™] F	Rose rake S				Art.no.	1027038		
Height: 7,1cm	Length: 165,5 cm	Width: 23,5 cm	Weight: 0,795 kg	Retailbox: 4	Oldart.no.	-	EAN	6 4 1 1 5 0 1 3 5 0 8 3 1
-				GUARANTEE 25 YEARS	Extremely compact at Hardened without sad	efficient and durable reas.	le stai	opings and other yard debris. In less steel head sized for Inique profile reduces weight



- $\boldsymbol{\cdot} \textbf{SoftGrip} \textbf{``handle allows for multiple hand positions}.$
- $\boldsymbol{\cdot} \textbf{Convenient hanging hole for out-of-the-way storage and organ-}$ isation.

X-series [™] So	oil rake M		Art.no.	1027039	Z	6 4 1 1 5 0 1 3 5 0 8 4 8		
Height: 8,5 cm	Length: 164cm	Width: 37,3cm	Weight: 1,045 kg	Retailbox: 4	Oldart.no.	-	E/	6 4 1 1 5 0 1 3 5 0 8 4 8








- · Ideal for leveling soil, clearing debris and spreading compost or
- Extremely efficient and durable stainless steel head with short, robust tines.
- $\cdot \text{Hardened aluminium shaft with a unique profile reduces weight}$
- without sacrificing strength.
 SoftGrip" handle allows for multiple hand positions.
- · Convenient hanging hole for out-of-the-way storage and organ-

Classic Rakes







- · Fiskars Classic Level rake has a robust metal head designed for finishing plant beds.
- · Ideal for evenly distributing and smoothing out topsoil and mulch
- Wooden shaft is FSC° certified (FSC C108780).
- $\cdot \, \mathsf{Durable} \, \mathsf{yet} \, \mathsf{flexible} \, \mathsf{tines} \, \mathsf{grab} \, \mathsf{debris} \, \mathsf{without} \, \mathsf{clogging}.$
- · Hanging loop for easy, out-out-of-the-way storage
- · With timeless design and attention to details, Fiskars Classic Tools just keep getting better year after year.

Classic Lea	f rake LFSC				Art.no.	1014784	z	6 4 1 1 5 0 1 3 5 6 9 0 1
Height: 4,5cm	Length: 173cm	Width: 51cm	Weight: 0,785 kg	Retailbox: 5	Oldart.no.	-		6 4 1 1 5 0 1 3 5 6 9 0 1





- · Fiskars Classic Leaf rake, L has a larger head design for more extensive projects
- · Ideal for clearing leaves, grass clippings and other light yard debris.
- · Wooden shaft is FSC° certified (FSC C108780).
- $\cdot \, \mathsf{Durable} \, \mathsf{yet} \, \mathsf{flexible} \, \mathsf{tines} \, \mathsf{grab} \, \mathsf{debris} \, \mathsf{without} \, \mathsf{clogging}.$
- Hanging loop for easy, out-out-of-the-way storage.
 With timeless design and attention to details, Fiskars Classic Tools just keep getting better year after year.

Classic Lea	f rake M FSC	;			Art.no.	1063091	Z	6 4 1 1 5 0 1 7 0 4 3 6 8
Height: 4,5cm	Length: 170 cm	Width: 43cm	Weight: 0,65 kg	Retailbox: 10	Oldart.no.	-		6 411501 704368





- · Fiskars Classic Leaf rake, M has a mid-sized head design for general clearing projects.
- Ideal for clearing leaves, grass clippings and other light yard debris.
 Wooden shaft is FSC" certified (FSC C108780).
 Durable yet flexible tines grab debris without clogging.

- · Hanging loop for easy, out-out-of-the-way storage.
- · With timeless design and attention to details, Fiskars Classic Tools just keep getting better year after year.

Classic Fan Leaf rake flat prongs FSC						1001586	Z	6 4 1 1 5 0 3 1 4 7 5 0 1 3
Height: 6,5 cm	Length: 168,5 cm	Width: 40cm	Weight: 0,785 kg	Retailbox: 6	Oldart.no.	-		6 411503 475013





- · Fiskars Classic Leaf rake has a flat, fan-style head design for clearing large areas.
- Ideal for clearing leaves, grass clippings and other light yard debris.
 Wooden shaft is FSC° certified (FSC C108780).
- · Durable yet flexible tines grab debris without clogging.
- · Hanging loop for easy, out-out-of-the-way storage.
- ${\boldsymbol{\cdot}} \ {\bf With\ timeless\ design\ and\ attention\ to\ details, Fiskars\ Classic\ Tools$ just keep getting better year after year.

Classic Leaf rake round prongs FSC						1003708	Z	
Height: 9cm	Length: 198 cm	Width: 47cm	Weight: 1,33 kg	Retailbox: 4	Oldart.no.	-		6 4 1 1 5 0 1 3 5 8 2 0 2





- $\cdot \, \text{Fiskars Classic Leaf rake has a rounded, fan-style head design that} \\$ gently penetrates topmost soil and grass layer.
- · Ideal for clearing leaves, grass clippings and other light yard debris.
- · Wooden shaft is FSC® certified (FSC C108780).
- · Durable yet flexible tines grab debris without clogging.
- · Hanging loop for easy, out-out-of-the-way storage.
- $\cdot \text{With timeless design and attention to details, Fiskars Classic Tools}$ just keep getting better year after year.

Classic Gatl	her rake FSC	;			Art.no.	1018577	z	6 4 1 1 5 0 1 3 6 9 4 5 1
Height: 12,5 cm	Length: 167cm	Width: 57cm	Weight: 1,6 kg	Retailbox: 3	Oldart.no.	-	Щ	6 4 1 1 5 0 1 3 6 9 4 5 1






- $\cdot \textit{Fiskars Classic Gather rake has metal head with heavy-duty times}$

- Fiskars Classic Gather rake has metal head with heavy-duty tines that penetrate topmost layers of grass and soil.
 Ideal for clearing grass clippings, leaves and other yard debris.
 Unique metal guard aids in gathering and lifting materials into a waste or compost bin.
 Wooden shaft is FSC® certified (FSC C108780).
 Durable yet flexible tines grab debris without clogging.
 Hanging loop for easy, out-out-of-the-way storage.
 With timeless design and attention to details, Fiskars Classic Tools just keep getting better year after year.

Ergonomic Rakes





- $\cdot \mbox{ldeal for removing yard waste without debris buildup}.$
- Wide head for working on large area of lawn.
 Sturdy, flexible tines with a specific geometry, preventing debris
- Teardrop shaped handle provides an ergonomic grip.
- · Hanging loop offers out-of-the-way storage.
- $\cdot \text{Plastic-coated handle maximises grip and comfort.}$

Ergonomic [®]	Fan rake				Art.no.	1076977	z	
Height: 9cm	Length: 187cm	Width: 42cm	Weight: 0,8kg	Retailbox: 4	Oldart.no.	-	EA	6 4 1 1 5 0 1 7 0 7 0 5 5



- $\cdot \text{Ideal for removing leaves, moss and grass clippings from uneven} \\$ ground.
 • Tines are made from durable boron steel.
- $\cdot \text{Teardrop-shaped handle provides ergonomic grip.} \\$
- · Hanging loop offers out-of-the-way storage.
- $\cdot \textbf{Plastic-coated handle optimises grip and comfort.}$

Ergonomic [®]	Rake shove	l			Art.no.	1077116	Z	6411501707147
Height: 16 cm	Length: 150 cm	Width: 48cm	Weight: 1,1kg	Retailbox: 4	Oldart.no.	-	Ä	6 4 1 1 5 0 1 7 0 7 1 4 7



- · Ideal for raking, lifting, sieving and moving bulky yard, garden and
- $\cdot \text{Multi-use tool effectively moves grass clippings, fallen branches or a supplied of the property of the p$ fruit, and manure.
- Rake-shovel head is made from extremely durable, fracture-resist-ant polycarbonate.
- Teardrop shaped handle provides an ergonomic grip.
- · Hanging loop offers out-of-the-way storage.
- · Plastic-coated handle maximises grip and comfort.

Solid[™] Rakes

Solid [™] Wood	Leaf rake F	SC .			Art.no.	1080009	z	6 4 1 1 5 0 1 7 0 7 7 0 3
Height: 4cm	Length: 165 cm	Width: 39 cm	Weight: 0,63 kg	Retailbox: 5	Oldart.no.	-		6 4 1 1 5 0 1 7 0 7 7 0 3





- $\cdot \ \mathsf{ldeal} \ \mathsf{for} \ \mathsf{removing} \ \mathsf{yard} \ \mathsf{waste} \ \mathsf{without} \ \mathsf{debris} \ \mathsf{buildup}.$
- Wide head for working on large area of lawn.
 Sturdy, flexible tines with a specific geometry, preventing debris buildup.
- · Wooden shaft is FSC° certified (FSC C108780).

Solid [™] Wood	d Plastic Leaf	rake 20 pror	ngs		Art.no. 1011607	z	7 3 1 7 7 9 6 5 2 6 3 0 4
Height: 5cm	Length: 199 cm	Width: 42,5cm	Weight: 0,8 kg	Retailbox: 6	Oldart.no	E	7 3 1 7 7 9 6 5 2 6 3 0 4





- Easy-to-use tool for general yard and garden clearing projects.
 Extra-large head idea for clearing leaves, grass clippings and other
- · Wooden shaft is FSC® certified (FSC C108780).
- · Durable yet flexible tines grab debris without clogging.

Solid Wood Fan rake round prongs FSC						1077117	z	
Height: 9cm	Length: 183cm	Width: 43cm	Weight: 1,33 kg	Retailbox: 6	Oldart.no.	-	12	6 4 1 1 5 0 1 7 0 7 1 5 4





- · Easy-to-use tool for clearing leaves, grass clippings and other
- Fan-style head gently penetrates topmost soil and grass layer.

 Wooden shaft is FSC° certified (FSC C108780).
- $\cdot \text{Durable yet flexible tines grab debris without clogging.} \\$

Solid [™] Wood	l Fan rake fla	t prongs FSC	Art.no. 1077118	z			
Height: 9cm	Length: 182cm	Width: 44 cm	Weight: 0,8 kg	Retailbox: 6	Oldart.no	6 4 1 1 5 0	0 1 7 0 7 1 6 1





- · Easy-to-use tool for clearing leaves, twigs, grass clippings and other light yard and garden debris.
- Flatter, fan-style head easily manages to clear the largest projects.
 Flexible, curved tines prevent buildup.
 Wooden shaft is FSC* certified (FSC C108780).

Solid [™] Wood Leaf rake XLFSC					Art.no.	1001584	EAN	
Height: 12cm	Length: 175 cm	Width: 63 cm	Weight: 1,76 kg	Retailbox: 5	Oldart.no)		3 157331 355914





- $\bullet \, \mathsf{Easy-to-use} \, \mathsf{tool} \, \mathsf{for} \, \mathsf{clearing} \, \mathsf{leaves}, \mathsf{twigs}, \mathsf{grass} \, \mathsf{clippings} \, \mathsf{and} \,$
- $other \, light \, yard \, and \, garden \, debris.$ Flatter, fan-style head easily manages to clear the largest projects.
 Flexible, curved tines prevent buildup.
 Wooden shaft is FSC* certified (FSC C108780).

Solid [™] Leafı	rake XL				Art.no. 1015645	8 4 1 1 5 0 1 3 5 0 9 0 9
Height: 5cm	Length: 171cm	Width: 63cm	Weight: 0,85 kg	Retailbox: 5	Oldart.no	6 411501 350909



 \bullet Easy-to-use tool for clearing leaves, twigs, grass clippings and other light yard and garden debris.

·Flatter, fan-style head easily manages to clear the largest projects.

Flexible, curved tines prevent buildup.
Durable, lightweight aluminum shaft.

Solid [™] Leafı	rake L				Art.no. 1	1003465	Z	6 4 1 1 5 0 1 3 5 0 1 6 9
Height: 5cm	Length: 171cm	Width: 52cm	Weight: 0,58 kg	Retailbox: 5	Oldart.no.	-	Щ	6411501 350169



· Easy-to-use tool for clearing leaves, twigs, grass clippings and other light yard and garden debris.

Flat head with straight edges reaches into hard-to-reach areas.
 Flexible, curved tines prevent buildup.
 Durable, lightweight aluminum shaft.

Solid [™] Leaf ı	rake M				Art.no. 1063090	A 6 4 1 1 5 0 1 7 0 4 3 5 1
Height: 170 cm	Length: 5cm	Width: 46cm	Weight: 0,611kg	Retailbox: 5	Oldart.no	6 4 1 1 5 0 1 7 0 4 3 5 1




 $\bullet \textbf{Easy-to-use tool for clearing leaves, twigs, grass clippings and}$

other light yard and garden debris.
•Flat head with straight edges reaches into hard-to-reach areas.
•Flexible, curved tines prevent buildup.

· Durable, lightweight aluminum shaft.

Solid [™] Gard	en rake				Art.no. 1003466	NA	6"411501" 350664
Height: 11cm	Length: 167 cm	Width: 41cm	Weight: 0,6 kg	Retailbox: 5	Oldart.no	E/	6 4 1 1 5 0 1 3 5 0 6 6 4



- Easy-to-use tool for raking and leveling soil.
 Ideal for distributing stones and mulch.
 Curved tines prevent buildup.

- · Durable, lightweight aluminum shaft.

Solid[™] Rakes shafts & heads

Solid [™] Wood	d rake & Broo	om Shaft FSC	Art.no. 1077120	8 411501 707185		
Height: 3cm	Length: 159 cm	Width: 3cm	Weight: 0,6 kg	Retail box: 4	Oldart.no	6 4 1 1 5 0 1 7 0 7 1 8 5



- · Wooden shaft is FSC° certified (FSC C108780).
- Compatible with Solid rake heads (article No 1014914, 1014915 & 1014917).
- Spare part for rakes (article No 1003465, 1003464 & 1003466).

Solid [™] rake	& Broom Sha	aft			Art.no.	1014913	Z	6 4 1 1 5 0 1 3 5 0 0 1 5
Height: 3cm	Length: 160 cm	Width: 2,8cm	Weight: 0,35kg	Retailbox: 10	Oldart.no.	-	E/	6 4 1 1 5 0 1 3 5 0 0 1 5

- · Lightweight and durable aluminium construction.
- Spare part for rakes (article No 1003465, 1003464 & 1003466).

Solid [™] Leaf ı	rake L head				Art.no.	1014915	EAN	6 4 1 1 5 0 1 3 5 0 1 4 5
Height: 5,4cm	Length: 22,8cm	Width: 51,1cm	Weight: 0,23kg	Retail box: 10	Oldart.no.	-	Ä	6 4 1 1 5 0 1 3 5 0 1 4 5



- $\cdot \textbf{Easy-to-use tool for clearing leaves}, twigs, grass \, \textbf{clippings and}$ other light yard and garden debris.
- Flat head with straight edges reaches into hard-to-reach areas.
 Flexible, curved tines prevent buildup.
- · Durable, lightweight aluminum shaft.

Solid [™] Leaf r	ake M head				Art.no.	1063089	Z	6 4 1 1 5 0 1 7 0 4 3 4 4
Height: 4,5 cm	Length: 41,6 cm	Width: 20cm	Weight: 0,211kg	Retailbox: 10	Oldart.no.	-	1	6 4 1 1 5 0 1 7 0 4 3 4 4



- $\bullet \textit{Easy-to-use} \ \textit{head} \ \textit{for} \ \textit{clearing} \ \textit{leaves}, \textit{twigs}, \textit{grass} \ \textit{clippings} \ \textit{and}$ other light yard and garden debris.
 •Flat head with straight edges reaches into hard-to-reach areas.
- Flexible, curved tines prevent buildup.

Solid [™] Gard	en rake head	I			Art.no. 1014917	z
Height: 11,4 cm	Length: 15,2cm	Width: 41cm	Weight: 0,25kg	Retailbox: 10	Oldart.no	6 411501 350640



- Easy-to-use tool for raking and leveling soil. Ideal for distributing stones and mulch.
- · Curved tines prevent buildup.

Grass Shears



POWERLEVER*
Cutting head adjusts
up to 270°

SERVO-SYSTEM^{*} Cutting head adjusts up to 360°

SERVO-SYSTEM^{*}
Cutting head adjusts
up to 360°

Grass Shears

PowerLever[™] Grass and Hedge Shears (GS53) 1001565 Art.no. Length: 15,5 cm Oldart.no. **113710** Height: 90cm Width: 20,5cm Weight: 1,31kg Retailbox: 4







- For cutting grass, hedges and small bushes. Cuts up to 10 mm at the base of the blade and reaches up to 2,5 m.
- Cutting head adjusts up to 270°.



Servo-System [™] Grass Shears, Long (GS46)					Art.no.	1000590	z	6"411501"966902"
Height: 105 cm	Length: 8cm	Width: 25cm	Weight: 0,74 kg	Retailbox: 4	Oldart.no.	113690		6 4 1 1 5 0 1 9 6 6 9 0 2





- ·For trimming lawn edges standing up.
- Cutting angle adjustable to 360°.
- Ergonomic handle with finger protection.
 Servo-System" technology prevents the blades from jamming.

Servo-System [™] Grass Shears (GS42)						1000589	Z	6 4 1 1 5 0 1 9 6 6 8 0 3
Height: 34,4 cm	Length: 4,5cm	Width: 12 cm	Weight: 0,31kg	Retailbox: 4	Oldart.no.	113680)	6 4 1 1 5 0 1 9 6 6 8 0 3







- ·For trimming lawn edges and hedges.

- Cutting angle adjustable to 360°.
 Ergonomic handle with finger protection.
 Servo-System" technology prevents the blades from jamming.

SmartFit [™] Grass Shears (GS40)					Art.no. 1023632		6 4 1 1 5 0 1 1 2 0 1 0 6
Height: 38cm	Length: 3cm	Width: 13cm	Weight: 0,35 kg	Retailbox: 5	Oldart.no	1	6 411501 120106



· For trimming lawn edges and hedges.	
· Cutting angle adjustable to 180°.	

Solid [™] Grass Shears (GS21)						1026826	Z	6 4 1 1 5 0 1 1 5 0 2 6 4
Height: 31,5 cm	Length: 4,5 cm	Width: 8,5 cm	Weight: 0,32kg	Retailbox: 4	Oldart.no.	-		6 4 1 1 5 0 1 1 5 0 2 6 4



[·]For trimming lawn edges and hedges.

[·]Non-slip handles for comfortable grip.

Grass Shears (S50)					Art.no.	1000557	z	6 4 1 1 5 0 1 1 1 0 9 0 9
Height: 22cm	Length: 1cm	Width: 9,5 cm	Weight: 0,09 kg	Retailbox: 3	Oldart.no.	111090	1	6 4 1 1 5 0 1 1 1 0 9 0 9




- For trimming lawn edges and hedges.
 SoftGrip* cover in upper handle for increased comfort.
 Precise and easy cutting thanks to adjustable blade tension and power-saving spring mechanism.

Weed Pullers

Our sturdy range of weed pullers offer a range of features including an ergonomic handle design, an adjustable shaft with SmartFit[™] technology that adapts to different size users, and beautifully designed white and Solid[™] weed pullers with light, aluminium construction for ease of use.



Weed Pullers




SmartFit [™] \	Need Puller				Art.no.	1020125			
Height: 102cm	Length: 11,9cm	Width: 30cm	Weight: 1,25 kg	Retailbox: 4	Oldart.no.	139960	EAN	6 411501 39960	
Height: 102cm	Length: 11,9 cm	Width: 30 cm	Weight: 1,25 kg	Retailbox: 4		139960 omic, effortless rei			





- Telescopic aluminium shaft can be adjusted between 990-1190 mm.
- · Large, D-shaped handle fits all hand sizes.

Solid [™] Weed Puller Art.no						1026652	z	
Height: 93cm	Length: 9cm	Width: 30cm	Weight: 0,90 kg	Retailbox: 4	Oldart.no.	-	EAN	6 4 1 1 5 0 1 3 1 0 4 8 4
					•For effortl	ess removal of root v	weed	S.





Classic & Solid[™] Lawn Care Tools

Classic Lawn Edger						1003707	6 4 1 1 5 0 1 3 6 8 6 0 7
Height: 104,2cm	Length: 4cm	Width: 23,7cm	Weight: 1,00 kg	Retailbox: 4	Oldart.no.	136860	6 4 1 1 5 0 1 3 6 8 6 0 7





- $\cdot \text{Optimal for cutting straight edges on planting beds and lawns.}$
- · After cutting a straight line with the lawn edger, remove weeds or soil blocks with the help of a spade, fork or cultiweeder.
- •FSC® certified wood.

Solid [™] Lawn Edger						1011617	Z	7"317797"035003
Height: 110 cm	Length: 3cm	Width: 30,5 cm	Weight: 1,85 kg	Retailbox: 3	Oldart.no.	5371		7 3 1 7 7 9 7 0 3 5 0 0 3



- · Durable all steel construction.
- $\bullet \text{Optimal for cutting straight edges on lawns and planting beds.}$

Solid [™] Gripper						1062271	Z	6 4 1 1 5 0 1 3 1 1 4 6 7
Height: 87,5 cm	Length: 5cm	Width: 17cm	Weight: 0,40 kg	Retailbox: 5	Oldart.no.	-	<u> </u>	6 4 1 1 5 0 1 3 1 1 4 6 7



- $\bullet \textit{Ergonomic}, \textit{standing position makes it easy to collect debris from}$
- the ground.

 Rubber pads grip easily on to paper, leaves, sticks and other debris.

 Steel shaft.

Pop-Up Bags

Ergo [™] Pop-up Bag, S, 73L						1028371	z	
Height: 45cm	Length: 4cm	Width: 45cm	Weight: 0,71kg	Retailbox: 10	Oldart.no.	-	<u> </u>	6 411501 600189







- ·Ideal for collecting wet yard and garden waste like damp leaves, weeds or grass clippings.
- ·Folds to 3 cm for space-saving storage.
- ·Internal spring pops it up for use.
- $\cdot \, \text{Tear-} \, \text{and} \, \text{mildew-resistant} \, \text{construction} \, \text{provides} \, \text{durability} \, \text{and} \,$ easy cleaning.
 • Height closed: 30 mm, Height open: 460 mm.

Ergo [™] Pop-up Bag, M, 175L						1028372	Z	
Height: 53 cm	Length: 4cm	Width: 53cm	Weight: 1,21kg	Retail box: 8	Oldart.no.	-		6 4 1 1 5 0 1 6 0 0 1 9 6







- ·Ideal for collecting wet yard and garden waste like damp leaves, weeds or grass clippings.
- ·Folds to 3 cm for space-saving storage.
- Internal spring pops it up for use.
 Tear- and mildew-resistant construction provides durability and easy cleaning.
- · Height closed: 30 mm, Height open: 700 mm.

Ergo [™] Pop-up Bag, L, 219L						1028373	Z	
Height: 59 cm	Length: 4cm	Width: 59cm	Weight: 1,63 kg	Retailbox: 6	Oldart.no.	-	73	6 4 1 1 5 0 1 6 0 0 2 0 2







- $\cdot \text{Ideal for collecting wet yard and garden was te like damp leaves,} \\$ $weeds\, or\, grass\, clippings.$
- $\cdot \text{Folds to 3} \, \text{cm} \, \text{for space-saving storage}.$
- ·Internal spring pops it up for use.
- Tear- and mildew-resistant construction provides durability and easy cleaning.
- · Height closed: 30 mm, Height open: 700 mm.

Solid [™] Pop-up Garden Bag, 56 I					Art.no.	1015646	z	
Height: 40 cm	Length: 3cm	Width: 40cm	Weight: 0,60 kg	Retailbox: 6	Oldart.no.	135041		6 4 1 1 5 0 1 3 5 0 4 1 1



- $\cdot {\sf Ideal} \, {\sf for \, collecting \, weeds, \, grass \, clippings, \, other \, types \, of \, yard \,$ waste.
- · Folds to 3 cm for space-saving storage.
- ·Internal spring pops it up for use.
- Tear- and mildew-resistant construction provides durability and easy cleaning.
- · Height closed: 30 mm, Height open: 460 mm.

Solid [™] Pop-up Garden Bag, 172 I						1015647	Z	
Height: 56cm	Length: 3cm	Width: 56cm	Weight: 1,25 kg	Retailbox: 6	Oldart.no.	135042		6 411501 350428



- $\cdot \text{Ideal for collecting weeds, grass clippings or other types of yard}$ waste.
- · Folds to 4 cm for space-saving storage.
- ·Internal spring pops it up for use.
- $\cdot \text{Tear-} \, \text{and} \, \text{mildew-resistant} \, \text{construction} \, \text{provides} \, \text{durability} \, \text{and} \,$ easy cleaning.
- · Height closed: 40 mm, Height open: 700 mm.

StaySharp

Fiskars StaySharp™ Max Reel Mower promotes greener, healthier lawns by cleanly cutting each blade of grass with a scissors-like action. This minimises the lawn's moisture loss, while reducing exposure to disease.



StaySharp[™] Reel Mowers

StaySharp [™] Max Reel Mower					Art.no.	1000591	Z	6 4 1 1 5 0 1 1 3 8 8 0 4
Height: 60 cm	Length: 61cm	Width: 37cm	Weight: 23,5 kg	Retailbox: 1	Oldart.no.	113880		6 4 1 1 5 0 1 1 3 8 8 0 4







- $\hbox{-} 2x\,more\,cutting\,power\,compared\,to\,standard\,reel\,mowers.}$
- 60% easier to push than other reel mowers.
- · Cut height adjustable between 2,5-10 cm.
- · Compatible with grass catcher.

							_	
StaySharp [™] Plus Reel Mower						1015649	Z	6"411501"138729
Height: 60 cm	Length: 34,5cm	Width: 45,5 cm	Weight: 18 kg	Retailbox: 1	Oldart.no.	113872		6 4 1 1 5 0 1 1 3 8 7 2 9







40% easier to push than other reel mowers.
Cut height adjustable between 3,8 - 8,9 cm.




StaySharp [™] Grass Catcher						1000592	6'411501' 138835
Height: 54,5cm	Length: 55cm	Width: 6cm	Weight: 1,59 kg	Retailbox: 1	Oldart.no.	113883	6 4 1 1 5 0 1 1 3 8 8 3 5



- Simple, tool-free assembly with Fiskars StaySharp "Max Mower.
 Effective capacity of approximately 18 litres.
 UV- and mildew-resistant polyester screen with heavy-duty steel frame for long-lasting performance.

Soil Care










Plant care in small spaces

Pruner with holder Art.no. 1075314 Height: 24,1cm Length: 6,4 cm Width: 9,2cm Weight: 0,33 kg Retailbox: 4 Oldart.no. -· Ideal for the toughest cuts needed on indoor plants and flowers · Bypass pruner design gives clean cuts through branches, stems Plant Care and roots up to ø 18 mm · Low-friction blade coating means cuts are easier for you and healthier for plants · Stylish free-standing tool holder for convenient storage











- · Ideal for fine-detailed trimming on indoor plants, even in dense
- · Precision-ground, stainless steel blades stay sharp and are optimised for clean, fast-healing cuts on plant vegetation
 - · Long handles provide extra leverage and reach for easier cuts
- · Ambidextrous handle design accommodates right- and left-handed gardeners

					ea gardeners Stylish free-standing tool holder for convenient storage.
Complete	oruning set, 3	3 pcs			Art.no. 1075317
Height: 26,4cm	Length: 6,7cm	Width: 20,8cm	Weight: 0,80 kg	Retailbox: 4	Oldart.no 6 4 1 1 5 0 1 7 0 6 4 1 6
New	900			Plant Care	3 tool pruning set gives you the right tools to precisely trim, cut and prune indoor plants and flowers Pruner (Ø 18 mm capacity) is ideal for the toughest cuts needed of indoor plants up to ø 18 mm Plant Shears is a versatile tool for trimming plants with a built-in stem stripper Plant Detailer is ideal for precise trimming on indoor plants, even it dense foliage Each tool is equipped with a stylish free-standing holder that can be placed individually or nested in a base for a stylish storage optice.
Plant cloth					Art.no. 1075318
Height: 21,0 cm	Length: 1,3 cm	Width: 19,1cm	Weight: 0,07kg	Retailbox: 6	Oldart.no 6 4 1 1 5 0 1 7 0 6 4 2 3
, i				Plant	·Ideal for dusting and cleaning while working in smaller gardening spaces







- $\cdot \, \text{Soft microfiber fabric efficiently captures dust and dirt without} \,$ $scratching\, surfaces\, or\, harming\, your\, plants$
- $\boldsymbol{\cdot}\, \mathsf{Reversible}, \mathsf{dual\text{-}texture}\, \mathsf{cloth}\, \mathsf{for}\, \mathsf{gentle}\, \mathsf{dusting}\, \mathsf{and}\, \mathsf{efficient}$
- ·Dimensions: 18 cm x 55 cm

Waterspike	3,5 dl				Art.no.	1075380	z	
Height: 29,8cm	Length: 7,9cm	Width: 9,9cm	Weight: 0,27kg	Retailbox: 4	Oldart.no.	-	EA	6 4 1 1 5 0 1 7 0 6 4 4 7





- $\cdot \ \mathsf{Ideal} \ \mathsf{for} \ \mathsf{keeping} \ \mathsf{your} \ \mathsf{plant} \ \mathsf{continuously} \ \mathsf{watered} \ \mathsf{over} \ \mathsf{multiple}$
- days while you are busy or traveling • Easy to use and maintain
- $\cdot \, \mathsf{Made} \, \mathsf{of} \, \mathsf{durable} \, \mathsf{UV} \, \mathsf{resistant} \, \mathsf{plastic} \,$
- · Volume: 3,5 dl

Watering ca	an, 1,2 L				Art.no.	1071307	Z	6 4 1 1 5 0 1 7 0 5 6 9 3
Height: 30,6 cm	Length: 13,7 cm	Width: 13,3 cm	Weight: 0,3 kg	Retailbox: 4	Oldart.no.	-		6 4 1 1 5 0 1 7 0 5 6 9 3





- · Ideal for gently and precisely waters plants on city balconies, patios
- Long, slim spout reaches high and low plants, and waters at the plant base for healthier growth.

 Easy-fill top allows you fill watering can without removing cap.

 Durable, lightweight, resin body is made of 30% post-consumer
- recycled plastic.

Mister, 0,31	_				Art.no.	1071306	EAN	6411501705709
Height: 22,9 cm	Length: 7,9 cm	Width: 10,6cm	Weight: 0,1kg	Retail box: 4	Oldart.no.	-		6 4 1 1 5 0 1 7 0 5 7 0 9





- $\cdot \text{Ideal for hydrating delicate plants and for cleaning debris from} \\$ broad leaves.
- $\cdot \, \mathsf{Delivers} \, \mathsf{a} \, \mathsf{fine}, \mathsf{even} \, \mathsf{mist} \, \mathsf{to} \, \mathsf{indoor} \, \mathsf{and} \, \mathsf{outdoor} \, \mathsf{plants} \, \mathsf{and} \, \mathsf{succutor} \, \mathsf{and} \, \mathsf{outdoor} \, \mathsf{plants} \, \mathsf{and} \, \mathsf{succutor} \, \mathsf{and} \, \mathsf{plants} \, \mathsf{and} \, \mathsf{plants} \, \mathsf{and} \, \mathsf{plants} \, \mathsf{pla$ lents.
- · Nozzle locks for storage and transport.
- · Durable, lightweight, resin body is made of 30% post-consumer recycled plastic.

Balcony gai	rden toolbox				Art.no. 1071305	
Height: 17,5cm	Length: 34,9 cm	Width: 31,4cm	Weight: 1kg	Retail box: 4	Oldart.no	6"411501" 705716
		Ma		Plant Care	indoors to out. Spacious design includes a wall-mounting - perfect for: Handle locks in place for or for two-handed carrying.	ne-handed carrying, or use side handles ghtweight, resin with 20% post-consum
Planting and	d repotting n	nat			Art.no. 1071304	EAN
Height: 28,9 cm	Length: 3,5 cm	Width: 29,5cm	Weight: 0,8kg	Retailbox: 4	Oldart.no	6"411501"705723







- · Ideal for protecting work surfaces and making cleanup fast and
- · Inner panels fold in multiple ways, allowing you to pour loose materials back into bag, minimising waste.
- ${\boldsymbol \cdot} \text{Outer layer is made of durable, water-resistant nylon that easily}$
- wipes clean. $\cdot \text{Mat unfolds to 82,5cm} \times \text{44,5cm} \\ \text{for a generously sized working}$ area.

Soil scoop,	М				Art.no.	1071303	6 4 1 1 5 0 1 7 0 5 7 3 0
Height: 34,9 cm	Length: 6cm	Width: 8,6cm	Weight: 0,1kg	Retail box: 4	Oldart.no.		6 411501 705730





- Perfectly sized for transferring soil from bags into medium-sized planters when potting and transplanting patio gardens and house-
- ·Flat bottom keeps scoop from tipping when set on a flat surface.
- Deep sides maximize capacity and prevent spills.
 Made of durable, lightweight resin with 20% post-consumer recycled plastic.

2-in-1soil scoop and brush						1071302	Z	6 411501 705747
Height: 27cm	Length: 4,8 cm	Width: 9,5cm	Weight: 0,1kg	Retailbox: 4	Oldart.no.	-	Ę	6 4 1 1 5 0 1 7 0 5 7 4 7







- $\cdot \text{Ideal for digging, re-potting, transplanting and cleaning up loose}$ planting materials.
- Soft, long brush bristles sweep dirt and debris onto wide side of scoop for fast, easy cleanup.

 Two-sided scoop has narrow rigid end for precisely placing,
- tapping down and digging into soil.
- · Scoop's wide, flexible end functions as a dustpan and for pouring
- Brush handle is made of durable resin with 20% post-consumer
- recycled plastic.

Planting and growing

The right tools for every planting task:





How to use



Press blade tip into ground by pressing the pedal.




Pull handle toward your self to open up hole until you hear



Drop your bulb or sapling through the top of the planter. Size up to 50 mm.



Pull planter from the ground, cover your bulb and tap down with your foot.





Comfortable handleFor loosening the soil

Easy depth scaleMeasurements in centimeters and inches

Circular motion and sharp teeth Help to pass through tight ground



Solid[™] Seed planting trowel

Offers four seed-planting essentials in one lightweight, durable tool



Solid[™] Hand spreader

Use to spread seeds, salt, sand, fertilizer and more



Solid[™] Planting stick

Creates divots and holes for planting seeds at the correct depth



Bulb planters

Features & benefits

Xact™

Standing bulb planter

Perfect for planting bulbs and small saplings without bending

- Release button
- 2 Aluminium shaft & FiberComp[™] handle
- 3 Planting depth 150 mm
- 4 Max. bulb size 55 mm

Ergo[™] Bulb planter

- Comfortable handle for loosening the soil
- Circular motion and sharp teeth allow it to pass easily through dense soil
- Stainless steel shaft & FiberComp[®] handle

<mark>Solid</mark>™ Hand bulb planter

- Durable, glass fiber reinforced plastic body
- Comfortable handle for loosening the soil
- Circular motion and sharp teeth help to pass through tight ground
- · Easy-to-clean surface





Planting Tools

Xact [™] Stand	ling Bulb Plaı	ntor			Art.no.	1057077	
Height: 105,3 cm	Length: 31cm	Width: 30 cm	Weight: 2kg	Retailbox: 4	Oldart.no.	-	6 411501 311320
3				VPA Carolina	bending or Durable, liping pedal A locking rallowing your fect pla Pull plante your foot.	kneeling. ghtweight aluminium for effortless hole cre mechanism on the ste u to drop your bulb th cement.	mall saplings up to 50mm, without a shaft has a bladed end and step- eation. epping pedal holds the blade open, arough the top of the planter for over your bulb, and tap down with
Ergo [™] Stanc	ling Bulb Pla	nter			Art.no.	1057078	NA NAME OF THE PROPERTY OF THE
Height: 99,5 cm	Length: 10,5 cm	Width: 27,5 cm	Weight: 1,93 kg	Retail box: 4	Oldart.no.	-	6 4 1 1 5 0 1 3 1 1 3 3 7



- Digs and fills holes for less time kneeling and bending.
 Non-slip standing board allows you to easily push the tool into the
- ·Cone features sharp teeth for powering through even tough soil.
- · Handle trigger releases soil over the bulb and hole for quick, efficient planting.
- Shaft is made of durable steel for years of reliable use.
 Planting depth up to 150 mm.

Solid [™] Hand	Bulb Planter				Art.no.	1057079	Z	6 4 1 1 5 0 1 3 1 1 3 4 4
Height: 24,3 cm	Length: 10,3 cm	Width: 11,7cm	Weight: 0,25 kg	Retailbox: 12	Oldart.no.	-		6 411501 311344



- $\cdot \mbox{ldeal for quick and precise planting of bulbs and seedlings}.$
- ·Blade has teeth for fast and efficient digging using a circular
- $\cdot \, \text{Planter features measuring guide on side for accurate depth.} \,$
- \cdot A simple trigger opens the blade to release soil over the hole and bulb.
- Suited for bulbs up to 65 mm wide and planting depth of up to 125
- · Made of durable, weather-resistant FiberComp".

Solid[™] **Planting Tools**

Solid [™] Seed Planting Trowel						1057641	z	6 4 1 1 5 0 1 3 1 1 2 7 6
Height: 33cm	Length: 6,4cm	Width: 2,2cm	Weight: 0,06 kg	Retail box: 16	Oldart.no.	-	Ę,	6 4 1 1 5 0 1 3 1 1 2 7 6



- \cdot Offers four seed-planting essentials in one lightweight, durable tool.
- \cdot Unique tool features a trowel, stylus, widger and measuring tool, all integrated into one 2-piece tool.
- Debossed, easy to read, English and metric measurements on trowel and widger won't fade or grode
- trowel and widger won't fade or erode.

 Made of lightweight, rust-proof FiberComp® for superior durability.

Solid [™] Planting Stick						Art.no. 1057080		6 4 1 1 5 0 1 3 1 1 3 5 1
Height: 26,2cm	Length: 3cm	Width: 13cm	Weight: 0,08 kg	Retailbox: 16	Oldart.no.	-	Ш	6 4 1 1 5 0 1 3 1 1 3 5 1



- · Creates divots and holes for planting seeds at the correct depth.
- Measuring scale on tip of tool allows for depth of up to 150 mm.
- $\cdot \text{Unique L-shaped handle provides maximum torque and comfort}.$
- $\hbox{-Lightweight, yet incredibly strong, Fiber Comp} \^{} construction is weather-resistant and easy to clean.$

Solid [™] Sprea	ader				Art.no.	1057076	6"411501" 311313
Height: 30 cm	Length: 13,1cm	Width: 16,5 cm	Weight: 0,28kg	Retail box: 12	Oldart.no.	-	6 411501 311313



- · Ideal for accurate spreading of sand, salt, fertilizer and more.
 · Easy-to-turn adjustment knob controls dosing while deploying
- your material. Choose from pour, fast flow or slower flow options.
 Easy-lock system allows for quick refilling with spreading mate-



Harvesting tools

Intuitive tools made with durable &

lightweight materials for easy,

quick harvesting

X-series[™] Harvesting knife

Flat tip

For push cuts

Ideal for harvesting produce with thick stalks. It has a stainless steel blade with a flat tip for quick push cuts and a serrated section for slicing through fibrous stems.

Fixed-blade knife includes sheath and belt loop for storage, safety & convenience.




added comfort

Plus[™] Harvesting basket

surrounding plants

Perfect for collecting, transporting and washing your harvest and tools.





Harvesting Tools

X-series[™] Folding produce knife K80 1062819 Art.no. Height: 18,42cm Length: 1,83 cm Width: 10,8 cm Weight: 0,07kg Retailbox: 8 Oldart.no. -



- Fiskars® X-series™ Folding Produce Knife is ideal for harvesting from smaller stalks and stems.
- $\bullet \mbox{ Precision-ground, stainless steel blade is curved at the tip, for }$ $easy\,access\,through\,dense\,growth\,without\,damaging\,surrounding$
- Foldable, ergonomic design offers comfort and compact storage.
- ·Blade length: 7,7 cm.
- · 25-year warranty.

X-series [™] Harvesting knife K82						1062830	Z	6 4 1 1 5 0 1 2 0 0 9 5 2
Height: 34,62 cm	Length: 3,81cm	Width: 6,99cm	Weight: 0,25 kg	Retailbox: 8	Oldart.no.	-		6 4 1 1 5 0 1 2 0 0 9 5 2



- ${\boldsymbol{\cdot}} \operatorname{Fiskars}^{\circ} \operatorname{X-series}^{\scriptscriptstyle{\mathsf{T}}} \operatorname{Harvesting} \operatorname{Knife} \operatorname{is} \operatorname{ideal} \operatorname{for} \operatorname{harvesting} \operatorname{thick}$ stalks and stems.
- · Precision-ground, stainless steel blade has a flat tip for quick push cuts and a serrated section for saw cuts through fibrous plants.
- · Extended tang for durability and ergonomic handle for comfort
- · Includes hard plastic sheath with belt loop.
- •Blade length: 15 cm.
- ·25-year warranty.

Plus Garder	n Harvest Ba	sket	Art.no. 1062831	6 411501 200969		
Height: 60,96cm	Length: 13,67cm	Width: 38,84cm	Weight: 1,13 kg	Retailbox: 6	Oldart.no	6 411501 200969





- $\cdot \textit{Fiskars}^{\circ} \, \textit{Plus Garden Harvest Basket is perfect for collecting,} \\$ transporting and washing your harvest and food gardening tools.

 Colander side has drain holes for washing freshly harvested
- produce, while enclosed side can be used for soaking or carrying clean produce or tools.
- · Ergonomic side handles are ideal for two-handed carrying, while folding handles interlock for comfortable, one-handed use. • Dimensions: 61 cm x 39 cm x 13 cm.

Solid [™] Knee	eeling pad				Art.no.	1062832	6 4 1 1 5 0 1 2 0 0 9 7 6	
Height: 1,91cm	Length: 45,72cm	Width: 27,94cm	Weight: 0,08kg	Retailbox: 6	Oldart.no.	-	<u> </u>	6 4 1 1 5 0 1 2 0 0 9 7 6



- Fiskars® Solid® Kneeling Pad prevents sore knees when working in
- · Dual-layer construction provides lasting durability.
- $\bullet \, \text{Moisture-proof outer shell protects you from rough terrain.}$
- $\cdot {\sf Soft}\, {\sf foam}\, {\sf inner}\, {\sf cushion}\, {\sf provides}\, {\sf generous}\, {\sf padding}.$
- Convenient handle makes carrying easy.
 Sized to offer plenty of room while working.
- · Dimensions: 45,7 cm x 27,9 cm x 1,9 cm.

Digging

To make digging as easy as possible, you need a reliable spade suitable for the task. That's why we've developed a variety of spades and shovels including spades for digging in hard soil, edging and planting, as well as light spades for soft soil. We also have shovels designed to move sand, soil and snow.







XACT™

Gardening is a demanding pastime. Fiskars Xact digging tools will give you that extra push to take your gardening to a whole new level and make digging a truly pleasurable experience. Fiskars Xact digging tools fit you – combining the right length with lightweight material and durability.

ERGONOMIC"

Beautifully designed and realised, Fiskars Ergonomic is a perfect selection of tools for digging and composting – all for the most discerning gardener. The spades, shovels and forks have angled shafts and handles for reduced strain on backs, hands and wrists. A powder coating on the shafts also maximise grip and comfort.

SOLID[™]

Offering simple, affordable quality and expertise for every garden, Fiskars Solid" range includes a wide variety of shovels, spades and forks designed to get the job done. With metal or FSC® certified wooden shafts, and straight or D-shaped handles, every Solid tool features the quality Fiskars is known for.

Xact [™] Point	ed Spade				Art.no.	1066729	Z	6"411501"311627
Height: 120 cm	Length: 8cm	Width: 19,2 cm	Weight: 1,95 kg	Retailbox: 4	Oldart.no.	-	EA	6 4 1 1 5 0 1 3 1 1 6 2 7
			-	WDA 🐬	·ldeal for di	gging holes, edging l	oeds	and removing small amounts







- of soil.
- ·Non-slip stepping board.
- · Sharpened blade edge and sides that easily cut through soil and
- ${\boldsymbol{\cdot}} \, {\sf Measurement} \, {\sf scale} \, {\sf on} \, {\sf blade} \, {\sf for} \, {\sf precise} \, {\sf digging}.$
- $\boldsymbol{\cdot} \mathsf{Comfortable} \, \mathsf{handle} \, \mathsf{with} \, \mathsf{SoftGrip}^{\scriptscriptstyle{\mathsf{T}}} \, \mathsf{ensures} \, \mathsf{digging} \, \mathsf{comfort}$ control.
- Ergonomic angled shaft that ensures ideal working position.

Xact [™] Rounded Spade						1066730	EAN	6"411501"311634
Height: 120 cm	Length: 8,9 cm	Width: 19,2 cm	Weight: 2,01kg	Retailbox: 4	Oldart.no.	-		6 4 1 1 5 0 1 3 1 1 6 3 4







- $\cdot \ \mathsf{Ideal} \ \mathsf{for} \ \mathsf{edging} \ \mathsf{and} \ \mathsf{planting} \ \mathsf{in} \ \mathsf{standard}, \mathsf{grassy} \ \mathsf{topsoil}.$
- ·Non-slip stepping board.
- · Sharpened blade edge and sides that easily cut through soil and
- $\cdot \text{Measurement scale} \, \text{on blade for precise digging}.$
- $\boldsymbol{\cdot} \mathsf{Comfortable} \, \mathsf{handle} \, \mathsf{with} \, \mathsf{SoftGrip}^{\scriptscriptstyle \top} \mathsf{ensures} \, \mathsf{digging} \, \mathsf{comfort}$ control.
- $\bullet \, \text{Ergonomic angled shaft that ensures ideal working position}.$

Xact [™] Shove	Xact [™] Shovel					1066731	z	
Height: 130,4 cm	Length: 15,9 cm	Width: 22,3cm	Weight: 2,19 kg	Retailbox: 4	Oldart.no.	-	Ĭ	6 4 1 1 5 0 1 3 1 1 6 4 1







- · Ideal for moving soil, sand, gravel and other bulk materials.
- · Wide, angled head allows you to shift materials quickly and with less strain on your back.
- $\boldsymbol{\cdot} \, \mathsf{D}\text{-shaped handle with SoftGrip} ^{\texttt{w}} \, \mathsf{ensures \, comfort \, and \, control}.$
- $\cdot \, \text{Ergonomic angled shaft that ensures ideal working position}.$

Xact [™] Telescopic Pointed Spade					1066732	Z	
Height: max130cm Length: 8,2cm	Width: 19,2cm	Weight: 1,94kg	Retailbox: 4	Oldart.no.	1001567		6 411501 311658









- $\cdot \ \mathsf{Ideal} \ \mathsf{for} \ \mathsf{digging} \ \mathsf{holes}, \mathsf{edging} \ \mathsf{beds} \ \mathsf{and} \ \mathsf{removing} \ \mathsf{small} \ \mathsf{amounts}$
- $\cdot \text{Non-slip stepping board}.$
- $\bullet \, \text{Sharpened blade edge and sides that easily cut through soil and} \,$ roots.
- · Measurement scale on blade for precise digging.
- Telescopic shaft extends from 110.8 cm to 130 cm.
- ${\color{gray}\boldsymbol{\cdot}} \, \text{D-shaped handle with SoftGrip} ^{\texttt{\tiny `}} \, \text{ensures digging comfort control}.$
- ${\boldsymbol \cdot} \, \text{Ergonomic angled shaft that ensures ideal working position}.$

Xact [™] Telescopic Rounded Spade					1066733	z	
Height: max130cm Length: 9,1cm	Width: 19,2 cm	Weight: 1,99 kg	Retailbox: 4	Oldart.no.	1000620		6"411501" 311665









- $\cdot \mbox{Ideal for edging and planting in normal, grassy topsoil.}$
- $\boldsymbol{\cdot} \mathsf{Non\text{-}slip}\, \mathsf{stepping}\, \mathsf{board}.$
- •Sharpened blade edge and sides that easily cut through soil and
- · Boron steel head is welded to a composite and steel shaft for ultimate durability.
- $\cdot \text{Measurement scale on blade for precise digging.} \\$
- Telescopic shaft extends from 110.8 cm to 130 cm
 D-shaped handle with SoftGrip" ensures digging comfort control.
- Ergonomic angled shaft that ensures ideal working position.

Xact[™] Telescopic Shovel Art.no. 1066734 Height: max140 cm Length: 15,9 cm Width: 22,3cm Weight: 2,19 kg Retailbox: 4 Oldart.no. -





- Ideal for moving soil, sand, gravel and other bulk materials.
 Wide, angled head allows you to shift materials quickly and with less strain on your back.
- Telescopic shaft extends from 120,8 cm to 140 cm.
- $\bullet \, \text{D-shaped handle with SoftGrip} ^{\tiny \top} \, \text{ensures digging comfort control}.$
- $\bullet \, \text{Ergonomic angled shaft that ensures ideal working position}.$

Xact [™] Gard	en Fork				Art.no.	1070716	Z	6 4 1 1 5 0 1 7 0 5 6 4 8
Height: 120 cm	Length: 6,9 cm	Width: 18,5 cm	Weight: 1,2 kg	Retailbox: 4	Oldart.no.	-	E/	6 4 1 1 5 0 1 7 0 5 6 4 8
			1					er tough, compacted soil. ret lightweight build.



- · Shaft and handle are angled to keep your body in a natural position, reducing strain while you work.

 D-shaped handle is suitable for all hand sizes with or without
- gloves.

Xact [™] Teleso	copic Gardeı	n Fork			Art.no. 1070717	6 4 1 1 5 0 1 7 0 5 6 5 5
Height: 110-130 cm	Length: 6,9 cm	Width: 18,5 cm	Weight:1,8kg	Retailbox: 4	Oldart.no	6 411501 705655
			_		· Ideal for aerating tough soil, ral	king over stones or weeds and



- moving tufts of grass while bordering.
- Features an exceptionally durable yet lightweight build that can be adjusted from 110-130 cm.

 Shaft and handle are angled to keep your body in a natural position, reducing strain while you work.
- · Shaft includes non-slip grip which enhances control and insulates
- $\cdot \, \text{D-shaped handle is suitable for all hand sizes with or without} \,$ gloves.

Ergonomic[™] Spades, Shovels & Forks

Ergonomic Pro Pointed XL Spade Black Art.no. 1066707 Height: 130,5 cm Length: 13,5 cm Width: 20,5 cm Weight: 2,3 kg Retailbox: 4 Oldart.no.





- Ergonomic* Pro Pointed XL spade is designed for demanding, specialised tasks and heavy lifting.
- · Ideal for driving into stone, clay and hard soils.
- · Stepping board helps drive into tough soil.
- ${\boldsymbol{\cdot}}\, {\text{D-shaped handle}}\, {\text{is sized for working with or without gloves}}.$
- Angled shaft with non-slip grip offers added strength and improved ergonomics.

Ergonomic [™] Pro Drainage Shovel Black					Art.no.	1066709	z	6 4 1 1 5 0 1 3 1 1 7 0 2
Height: 130,7cm	Length: 9,3 cm	Width: 15,8cm	Weight: 2,14 kg	Retailbox: 4	Oldart.no.	-	<u> </u>	6 4 1 1 5 0 1 3 1 1 7 0 2





- $\cdot \text{Ergonomic} "Pro \, \text{Drain spade is designed for demanding, special-ised tasks} \, \text{and heavy lifting.} \\$
- · Ideal for trenching and digging up bulbs in tough soil, as well as splittle roots.
- · Stepping board helps drive into tough soil.
- $\cdot \, \text{D-shaped handle} \, \text{is sized for working with or without gloves} \,$
- Angled shaft with non-slip grip offers added strength and improved ergonomics.

Ergonomic [™] Pro Shovel Black					Art.no.	1066711	Z	6'41501'311719
Height: 131,7 cm	Length: 17,3 cm	Width: 23cm	Weight: 2,26kg	Retail box: 4	Oldart.no.	-		6 4 1 1 5 0 1 3 1 1 7 1 9





- \bullet Ergonomic $\mbox{\ensuremath{^{\circ}}}$ Pro Shovel is designed for demanding, specialised tasks and heavy lifting.
- \cdot Ideal for transferring heavy construction and garden materials like gravel, mulch, soil and sand.
- D-shaped handle is sized for working with or without gloves.
- Angled shaft with non-slip grip offers added strength and improved ergonomics.

Ergonomic Pro Concrete Shovel Black					1066713	Z	6 411501 311726
Height: 123,9 cm Length: 14 cm	Width: 27,4cm	Weight: 2,4 kg	Retail box: 4	Oldart.no.	-	Ē,	6 4 1 1 5 0 1 3 1 1 7 2 6



- $\cdot \text{Ergonomic} \\ \text{``Pro Concrete shovel is designed for demanding, specialised tasks and heavy lifting.}$
- ·Ideal for transferring and mixing and spreading heavy-duty and wet materials.
- $\cdot \, \text{D-shaped handle is sized for working with or without gloves.} \\$
- $\cdot \text{Angled shaft with non-slip grip offers added strength and improved ergonomics}.$

Ergonomic [™] Perennial Spade S Grey					Art.no.	1066714	z
Height: 123 cm	Length: 8,3cm	Width: 15,3 cm	Weight: 2,1kg	Retail box: 4	Oldart.no.	-	6"411501"311757"



- Saw-toothed edge is ideal for cutting through roots and digging in rocky soil.
- D-shaped handle ensures a comfortable and firm grip.
- Tear-drop shaped steel shaft with a plastic coating makes it extremely durable, maximises grip and insulates from the cold.
- Sturdy welded connection between the blade and the shaft ensures rigid durability.

Height: 124,9 cm Length: 12 cm Width: 19,3 cm Weight: 2,06 kg

Ergonomic[™] Pointed Spade

Art.no. **1066708**

Oldart.no. **1001568**







Retailbox: 4

- $\cdot {\it Ergonomic} \\ " {\it Pointed spade is optimised for comfort -- working with your body}.$
- Sharp cutting edge is ideal for aerating, stirring and turning soil, cutting through roots, and digging in stone, clay and hard soil.
- •D-shaped handle is sized for working with or without gloves.
- \cdot Ergonomically shaped shaft with non-slip grip that insulates from the cold.
- $\,\cdot\,$ Stepping board adds extra strength and makes driving into tough soil easier.
- Perfected lifting angle for improved comfort and optimal digging

Ergonomic [™] Rounded Spade						1066710	z	6 4 1 1 5 0 1 3 1 1 7 4 0
Height: 125 cm	Length: 13,5 cm	Width: 19,3 cm	Weight: 2,07 kg	Retailbox: 4	Oldart.no.	1001411	7	6 4 1 1 5 0 1 3 1 1 7 4 0





- Ergonomic ``Rounded spade is optimised for comfort -- working with your body.
- Sharp cutting edge is ideal for digging, edging and planting in standard, grassy topsoil.
- Ergonomically shaped shaft with non-slip grip that insulates from the cold.
- Stepping board adds extra strength and makes driving into tough soil easier.
- Perfected lifting angle for improved comfort and optimal digging performance.

Ergonomic [™] Shovel						1066712	4 1 1 5 0 1 3 1 1 7 6 4 6 4 1 1 5 0 1 3 1 1 7 6 4
Height: 131,7 cm	Length: 17,3 cm	Width: 23 cm	Weight: 2,26 kg	Retail box: 4	Oldart.no.	1001579	6 4 1 1 5 0 1 3 1 1 7 6 4





- Ergonomic "Shovel is optimised for comfort working with your body
- Wide scoop head is ideal for moving bulky materials, including gravel, sand and soil.
- Ergonomically shaped shaft with non-slip grip that insulates from the cold.
- \bullet Perfected lifting angle for improved comfort and optimal digging performance.

Ergonomic [™] Compost Fork Grey					Art.no.	1070678	Z	6"411501"705563"
Height: 136cm	Length: 10,7cm	Width: 22cm	Weight: 1,8 kg	Retailbox: 4	Oldart.no.	-	É	6 4 1 1 5 0 1 7 0 5 5 6 3
					This form			and the Heavening State Physics and



- \cdot Thin, forged tines are ideal for moving bulky materials like leaves, mulch, hay and cut grass.
- The shaft has an ergonomic lifting angle to minimise strain on back and shoulders.
- · Angled handle keeps hands and wrists in a neutral position.
- Boron steel shaft has SoftGrip coating for cold insulation and firm grip.
- ·Forks are forged for increased strength and durability.

Ergonomic"	Garden Forl	k Grey	Art.no. 1070679	2		
Height: 132,2cm	Length: 10,8cm	Width: 20,5 cm	Weight: 2,2kg	Retailbox: 4	Oldart.no	6 411501 705570



- · Forged tines are ideal for breaking up soil.
- \bullet The shaft has an ergonomic lifting angle to minimise strain on back and shoulders.
- · Angled handle keeps hands and wrists in a neutral position.
- Boron steel shaft has SoftGrip coating for cold insulation and firm grip.
- Forks are forged for increased strength and durability.

Solid[™] + & Solid[™] Spades, Shovels & Forks

Solid [™] + Spade XL Blade						1067516	EAN	6 4 1 1 5 0 1 3 1 1 5 5 9
Height: 113,5 cm	Length: 14,2cm	Width: 20,5cm	Weight: 2,06kg	Retail box: 4	Oldart.no.	-	Ę	6 4 1 1 5 0 1 3 1 1 5 5 9





- ·Solid"+Spade, XL blade offers affordable quality for every garden.
- · Ideal for digging in hard ground like stone and clay.
- · Stepping board helps drive into tough soil.
- D-shaped handle is perfect for hands of all sizes, with or without gloves.

Solid [™] + Spade XL Blade long shaft						1067517	EAN	6 411501 311566
Height: 126,5cm	Length: 13,4cm	Width: 20,5cm	Weight: 2,20 kg	Retailbox: 4	Oldart.no.	-		6 4 1 1 5 0 1 3 1 1 5 6 6





- Solid" + Spade, XL blade long shaft offers affordable quality for every garden.
- · Ideal for digging in hard ground like stone and clay.
- $\cdot Long, angled \, shaft \, provides \, ergonomic \, use \, for \, tallers \, users.$
- · Stepping board helps drive into tough soil.
- D-shaped handle is perfect for hands of all sizes, with or without gloves.

Solid [™] + Concrete Shovel						1067518	z	
Height: 122,7cm	Length: 14,1cm	Width: 27,5 cm	Weight: 2,45kg	Retail box: 4	Oldart.no.	-	EA	6 411501 311573



- Solid" + Concrete Shovel offers affordable quality for every garden.
- Ideal for working with sand, gravel, wet concrete and other heavy-duty materials.
- ·Boron steel construction increases strength.
- $\cdot D\text{-shaped}$ handle is perfect for hands of all sizes, with or without gloves.

Solid [™] + Compost Fork Height: 129 cm						1071936	EAN	
Height: 129 cm	Length: 9cm	Width: 26cm	Weight: 2,10 kg	Retailbox: 4	Oldart.no.	-	/ <u>E</u>	6 411501 600479
<u></u>					•FiskarsSo	olid+ Compost fork o	ffers	affordable quality for every



- · Ideal for aerating tough soil and turning compost.
- ·Boron steel head increases strength.
- D-shaped handle provides comfort and fits all hand sizes with or without gloves.

Solid [™] Wood Pointed Spade FSC					Art.no.	1066721	z
Height: 108,5 cm	Length: 7,8 cm	Width: 18cm	Weight: 1,7 kg	Retailbox: 4	Oldart.no.	1014816	6"411501"311771






- Solid" Pointed spade with wood offers affordable quality for every garden
- Sharp, pointed blade edge is ideal for general digging tasks and for cutting turfor roots.
- · Head is welded to metal shaft for optimal durability.
- Authentic wood shaft is FSC* certified.
- · Stepping board helps drive into tough soil.
- $\,\cdot\, D$ -shaped handle is perfect for hands of all sizes, with or without gloves.

Solid [™] Wood Rounded Spade FSC						1066722	z	
Height: 108,5cm	Length: 8,4 cm	Width: 18cm	Weight: 1,8 kg	Retailbox: 4	Oldart.no.	1014817		6"411501"311788"







- $\boldsymbol{\cdot} \, \mathsf{Rounded} \, \mathsf{blade} \, \mathsf{edge} \, \mathsf{is} \, \mathsf{ideal} \, \mathsf{for} \, \mathsf{digging}, \mathsf{edging} \, \mathsf{and} \, \mathsf{planting} \, \mathsf{in}$ standard, grassy topsoil.

 • Head is welded to metal shaft for optimal durability.
- · Authentic wood shaft is FSC* certified.
- · Stepping board helps drive into tough soil.
- $\cdot \, \text{D-shaped handle is perfect for hands of all sizes, with or without} \\$ gloves.

Solid [™] Wood Shovel D Handle FSC						1066723	3	6 411501 311795
Height: 123 cm	Length: 18 cm	Width: 23 cm	Weight: 2,1kg	Retailbox: 4	Oldart.no.	1014818	4	6 4 1 1 5 0 1 3 1 1 7 9 5





- ${\boldsymbol{\cdot}} \, {\sf Solid}^{\scriptscriptstyle{\mathsf{IM}}} \, {\sf Shovel} \, {\sf with wood} \, {\sf offers} \, {\sf affordable} \, {\sf quality} \, {\sf for} \, {\sf every} \, {\sf garden}.$
- Durable, wide scoop is ideal for efficiently moving dirt, sand, gravel and other bulky garden materials.
- Head is welded to metal shaft for optimal durability.
- · Authentic wood shaft is FSC* certified.
- $\boldsymbol{\cdot} \text{D-shaped handle is perfect for hands of all sizes, with or without}$

Solid [™] Wood	d Shovel I Ha	ndle FSC			Art.no. 1066724	z
Height: 143,5cm	Length: 18 cm	Width: 23cm	Weight: 2,1 kg	Retailbox: 4	Oldart.no	6"411501" 31180





- Solid "Shovel with wood offers affordable quality for every garden. Durable, wide scoop is ideal for efficiently moving dirt, sand, gravel and other bulky garden materials.
- · Head is welded to metal shaft for optimal durability.
- ${\boldsymbol{\cdot}}\, \text{Authentic wood shaft is FSC}^{\circ}\, \text{certified}.$
- $\cdot \text{Straight handle offers a traditional, seamless grip.}$



Solid [™] Wood Garden Fork FSC						1070676	EAN	
Height: 112,6cm	Length: 9,9 cm	Width: 18,5 cm	Weight: 1,5 kg	Retailbox: 4	Oldart.no.	-	E/	6"411501"705549





- · Forged steel tines are ideal for aerating and loosening soil and working the compost heap.
- · Authentic wood shaft is FSC® certified.
- $\cdot \text{D-shaped handle provides comfort}.$

Solid [™] Metal	Car Spade				Art.no.	1066715	z	6 4 1 1 5 0 1 3 1 1 8 2 5
Height: 80cm	Length: 10,5 cm	Width: 18,2cm	Weight: 1,42 kg	Retailbox: 4	Oldart.no.	1014809	THE STATE OF THE S	6 4 1 1 5 0 1 3 1 1 8 2 5





- · Solid "Car spade is conveniently sized to fit in the boot of your car.
- Pointed blade is ideal for digging out of snow, ice or mud in a hurry.
 Head is welded to metal shaft for optimal durability.
- $\cdot \textit{Easy-to-see} \, \textit{orange} \, \textit{D-shaped handle} \, \textit{is perfect for hands of all} \\$ sizes, with or without gloves.

Solid [™] Metal Pointed Spade					Art.no.	1066716	6 4 1 1 5 0 1 3 1 1 8 3 2
Height: 116,6cm	Length: 12,1cm	Width: 18cm	Weight: 1,85 kg	Retailbox: 4	Oldart.no.	1003455	6 4 1 1 5 0 1 3 1 1 8 3 2





- · Solid™ Pointed spade offers affordable quality for every garden.
- · Pointed blade edge is ideal for general digging tasks and for
- $\cdot \, \text{Head is welded to a strong metal shaft for optimal durability}.$
- Stepping board helps drive into tough soil.
 D-shaped handle is perfect for hands of all sizes, with or without gloves.

Solid [™] Metal Rounded Spade					Art.no.	1066717	EAN
Height: 116,6 cm	Length: 12,4cm	Width: 18cm	Weight: 1,90 kg	Retailbox: 4	Oldart.no.	1003456	6 411501 311849





- ${\bf \cdot} {\sf Solid} \verb|``Rounded spade of fers affordable quality for every garden.$
- Rounded blade edge is ideal for digging, edging and planting in $standard, grassy \, topsoil. \\$
- Head is welded to a strong metal shaft for optimal durability.
 Stepping board helps drive into tough soil.
- · D-shaped handle is perfect for hands of all sizes, with or without

Solid [™] Metal Shovel D Handle					Art.no.	1066718	Z	
Height: 126,7 cm	Length: 17,6 cm	Width: 23cm	Weight: 2,13 kg	Retailbox: 4	Oldart.no.	1003457		6 411501 311856





- ${\boldsymbol{\cdot}} \operatorname{Solid}^{\scriptscriptstyle{\mathsf{T}}} \operatorname{Shovel} \operatorname{offers} \operatorname{affordable} \operatorname{quality} \operatorname{for} \operatorname{every} \operatorname{garden}.$
- $\cdot \, \mathsf{Durable}, \mathsf{wide} \, \mathsf{scoop} \, \mathsf{is} \, \mathsf{ideal} \, \mathsf{for} \, \mathsf{efficiently} \, \mathsf{moving} \, \mathsf{dirt}, \mathsf{sand}, \mathsf{gravel} \,$ and other bulky garden materials.

 - Head is welded to a strong metal shaft for optimal durability.

 - D-shaped handle is perfect for hands of all sizes, with or without
- gloves.

Solid [™] Metal Shovel I Handle						1066720	Z	
Height: 149 cm	Length: 17,4 cm	Width: 23cm	Weight: 2,20 kg	Retailbox: 4	Oldart.no.	-		6 411501 311863





- $\boldsymbol{\cdot} \textbf{Solid} \\ \textbf{``Shovel offers affordable quality for every garden}.$
- Durable, wide scoop is ideal for efficiently moving dirt, sand, gravel and other bulky garden materials.
- · Head is welded to a strong metal shaft for optimal durability.
- · Straight handle offers a traditional, seamless grip.

Solid [™] Meta	K	Art.no. 1070673	Z				
Height: 120,4 cm	Length: 7,5 cm	Width: 18,5 cm	Weight: 1,7 kg	Retail box: 4	Oldart.no	1	6 4 1 1 5 0 1 7 0 5 5 1 8



- Ideal for aerating tough soil and turning compost.
 Boron steel head increases strength.
 D-shaped handle provides comfort and fits all hand sizes with or without gloves.

Solid [™] Metal Compost Fork						1070674	z	
Height: 126,2cm	Length: 10,1cm	Width: 22cm	Weight: 1,6 kg	Retailbox: 4	Oldart.no.	-) # #	6 4 1 1 5 0 1 7 0 5 5 2 5



- Ideal for aerating soil and turning and spreading loose materials like grass, hay, weeds, leaves and other garden waste.
 Forged tines enhance strength in tough soil.
 D-shaped handle provides comfort.




QuikDrill™

Fiskars QuikDrill™ makes many garden tasks simpler, easier and more precise. It is a handy tool for planting flowers or bushes, or aerating and fertilizing the ground.

QuikDrill [™] Garden Drill, S						1000636	X 5 9 0 5 5 6 8 3 4 7 1 0 7
Height: 111cm	Length: 10 cm	Width: 51cm	Weight: 1,80 kg	Retailbox: 2	Oldart.no.	134710	5 905568 347107





·Spare part available: 1000637.

QuikDrill [™] Garden Drill, M						1000638	Z
Height: 111cm	Length: 15cm	Width: 51cm	Weight: 2,15 kg	Retailbox: 2	Oldart.no.	134720	5 905568 347206



·For perennial planting, aerating and mixing compost and installing
medium sized posts.

· Drilling hole width 150 mm.

QuikDrill [™] Ga	QuikDrill [™] Garden Drill, L						5 9 0 5 5 6 8 3 4 7 3 0 5
Height: 111cm	Length: 20cm	Width: 51cm	Weight: 2,40 kg	Retailbox: 2	Oldart.no.	134730	5 905568 347305



• Drilling hole width 200 mm.

·Spare part available: 1000641.

 $[\]cdot \textit{For planting hedges} \, \textit{and trees, drilling compost holes} \, \textit{and installing} \,$ large posts.

Classic Spades & Forks

Fiskars Classic tools are originals featuring timeless design and attention to detail. Better with time, after a few years, you start wondering how long you've had them because it feels like they have always been there.

Classic Pointed Spade FSC						1071935	z	6'411501'600486
Height: 106 cm	Length: 8cm	Width: 19 cm	Weight: 1,9 kg	Retailbox: 4	Oldart.no.	-	Ë	6 4 1 1 5 0 1 6 0 0 4 8 6





- · Features a sharpened steel blade for driving into tough soil.
- Spade head is made of boron steel for added strength. Head features depth measurements for precision and accuracy.
- · Authentic wood shaft is FSC* certified.
- · Comfortable D-shaped handle

Classic Rou	ınded Spade	FSC	Art.no.	1071933	6 4 1 1 5 0 1 6 0 0 5 0 9		
Height: 106cm	Length: 8cm	Width: 19 cm	Weight: 1,9 kg	Retailbox: 4	Oldart.no.	-	6 4 1 1 5 0 1 6 0 0 5 0 9





- Features a sharpened steel blade for edging and planting.
- · Spade head is made of boron steel for added strength.
- · Head features depth measurements for precision and accuracy.
- · Authentic wood shaft is FSC® certified. Comfortable D-shaped handle.

Classic Rounded Spade Long Shaft FSC						1071931	и в в в в в в в в в в в в в в в в в в в	
Height: 112 cm	Length: 9cm	Width: 19 cm	Weight: 2kg	Retailbox: 4	Oldart.no.	-	6 4 1 1 5 0 1 6 0 0	 5 2 3





- · Features a sharpened steel blade for edging and planting.
- · Spade head is made of boron steel for added strength.
- · Head features depth measurements for precision and accuracy.
- · Authentic wood shaft is FSC® certified.
- · Comfortable D-shaped handle.

Classic Per	Classic Perennial Spade FSC						4 1 1 5 0 1 6 0 0 5 3 0
Height: 104 cm	Length: 8cm	Width: 15cm	Weight: 2kg	Retail box: 4	Oldart.no.	-	6 411501 600530





- · Features a sharpened steel blade with a unique saw-blade edge for planting and dividing perennials.
- · Spade head is made of boron steel for added strength.
- $\cdot \, \text{Head features depth measurements for precision and accuracy}.$
- · Authentic wood shaft is FSC* certified.

Height: 117 cm	Length: 10 cm	Width: 22 cm	Weight: 1,8 kg

Classic Garden Spade FSC





Oldart.no. -





Retailbox: 4

- · Features a reinforced steel head.
- · Spade head is made of boron steel for added strength.
- · Authentic wood shaft is FSC® certified.
- · Comfortable D-shaped handle.

Classic Pro	de FSC	Art.no.	1071927	Z	6 4 1 1 5 0 1 6 0 0 5 6 1			
Height: 106cm	Length: 10 cm	Width: 26cm	Weight: 2kg	Retailbox: 4	Oldart.no.	-	Ä	6 4 1 1 5 0 1 6 0 0 5 6 1





- The Frankfurt style wide and pointed spade head is made of boron steel for added strength.
- Authentic wood shaft is FSC® certified.
- · Comfortable D-shaped handle.

Classic Sho	Classic Shovel FSC						Z	6 4 1 1 5 0 1 6 0 0 5 8 5
Height: 127 cm	Length: 14 cm	Width: 23cm	Weight: 2,1kg	Retailbox: 4	Oldart.no.	-	<u> </u>	6 4 1 1 5 0 1 6 0 0 5 8 5





- $\cdot \mbox{ Features a wide scoop that efficiently moves bulky materials.}$
- Shovel head is made of boron steel for added strength.
 Authentic wood shaft is FSC® certified.
 Comfortable T-shaped handle.

Classic Digging Shovel Lacquered FSC						1071924	Z	6 4 1 1 5 0 1 6 0 0 5 9 2
Height: 127cm	Length: 14cm	Width: 23cm	Weight: 2,1kg	Retailbox: 4	Oldart.no.	-	Ä	6 4 1 1 5 0 1 6 0 0 5 9 2





- $\cdot \textit{Features a wide scoop with a stepping board for digging into soft} \\$ topsoil.
- · Shovel head is made of boron steel for added strength.
- · Authentic wood shaft is FSC° certified and lacquered for long-lasting value.

Classic Sho	Classic Shovel Lacquered FSC						EAN	6411501 600615
Height: 126 cm	Length: 14 cm	Width: 23cm	Weight: 2,1kg	Retailbox: 4	Oldart.no.	-		6 4 1 1 5 0 1 6 0 0 6 1 5





- $\cdot \, \mathsf{Features} \, \mathsf{a} \, \mathsf{wide} \, \mathsf{scoop} \, \mathsf{that} \, \mathsf{efficiently} \, \mathsf{moves} \, \mathsf{bulky} \, \mathsf{materials} \, \mathsf{like} \,$ mulch and soil.
- · Shovel head is made of boron steel for added strength. · Authentic wood shaft is FSC° certified and lacquered for long-last-
- · Comfortable T-shaped handle.

Height: 138 cm

Height: 129 cm


	Height: 112 cm	Length: 9cm	Width: 16cm	Weight: 1,8 kg	Retail box:	4
--	----------------	-------------	-------------	----------------	-------------	---

1071921 Art.no.









· Authentic wood shaft is FSC° certified.

 $\boldsymbol{\cdot} \textbf{Comfortable D-shaped handle that fits hands of all sizes, with or}$ without gloves.

10	PORATO Titus		
		_	

Length: 10 cm

Length: 14 cm

Classic Drainage Spade FSC

Width: 20 cm

Width: 14 cm

Classic Pro Drainage Spade Long Blade FSC 1071920 Art.no. Weight: 3,9 kg Retailbox: 2 Oldart.no. -







- · Features a sharpened blade for carving out trenches or ditches.
- Shovel head is made of boron steel for added strength.
 Authentic wood shaft is FSC° certified.
- · Comfortable D-shaped handle.

Oldart.no. -

Classic Pro Drainage Shovel FSC	Art.no.	1071919

Weight: 1,7 kg







Retailbox: 4

- $\cdot \textit{Features a narrow scoop that clears debris from drains and} \\$ trenches.
- · Shovel head is made of boron steel for added strength.
- · Authentic wood shaft is FSC® certified.

Classic Pro Shovel I Handle FSC	Art.no.	1071918	z

Height: 145 cm Width: 23cm Weight: 2,2kg Retailbox: 4 Length: 14 cm Oldart.no. -







- $\cdot \, \mathsf{Features} \, \mathsf{a} \, \mathsf{wide} \, \mathsf{scoop} \, \mathsf{or} \, \mathsf{moving} \, \mathsf{piles} \, \mathsf{of} \, \mathsf{bulky} \, \mathsf{materials} \, \mathsf{like}$ mulch, rock and soil.
- · Shovel head is made of boron steel for added strength. · Authentic wood shaft is FSC® certified.

Classic Pro Digging Shovel FSC					Art.no.	1071917	z	
Height: 127 cm	Height: 127cm Length: 14cm Width: 23cm Weight: 2,1kg Retailbox: 4					_		6 4 1 1 5 0 1 6 0 0 6 6 0





- Features a wide scoop with a stepping board for digging into bulky materials like mulch, rock and soil.
- · Shovel head is made of boron steel for added strength.
- · Authentic wood shaft is FSC* certified.

Classic Pro	Classic Pro Building Shovel FSC					216	411501 600677
Height: 126cm	Length: 14 cm	Width: 23cm	Weight: 2,1kg	Retailbox: 4	Oldart.no	6	4 1 1 5 0 1 6 0 0 6 <i>7 7</i>





- $\cdot \textit{Features a wide scoop perfect for moving piles of bulky materials} \\$ like mulch, rock and soil.
- Shovel head is made of boron steel for added strength.
 Authentic wood shaft is FSC® certified.

Classic Pro Digging Spade Grey FSC						1071915	EAN	6 4 1 1 5 0 1 6 0 0 6 8 4
Height: 112 cm	Length: 9cm	Width: 36cm	Weight: 2kg	Retailbox: 4	Oldart.no.	-	ĘĄ	6 4 1 1 5 0 1 6 0 0 6 8 4





- · Features a sharpened steel blade that drives into hard soil.
- Spade head is made of boron steel for added strength.
 Authentic wood shaft is FSC° certified.
 Comfortable D-shaped handle.

Height: 116cm Length: 9cm Width: 18cm Weight: 1,9kg Retailbox: 4 Oldart.no	Classic Dig	ging Fork FS	С	Art.no.	1071914	8 6 4 1 1 5 0 1 6 0 0 6 9 1		
	Height: 116cm	Length: 9cm	Width: 18cm	Weight: 1,9 kg	Retailbox: 4	Oldart.no.	-	6 4 1 1 5 0 1 6 0 0 6 9 1





- $\cdot \, \mathsf{Ideal} \, \mathsf{for} \, \mathsf{digging}, \mathsf{turning} \, \mathsf{and} \, \mathsf{loosening} \, \mathsf{soil}.$
- Strong, narrow fork tines are made of boron steel for increased strength.

 Authentic wood shaft is FSC* certified.

 Comfortable D-shaped handle.

Classic Ma	nure Fork FS	С			Art.no. 1071912			
Height: 125 cm	Length: 11cm	Width: 26cm	Weight: 2kg	Retailbox: 4	Oldart.no.	-	6 411501 600714	
	_				·Ideal for m ·Strong, na	oving and clearing rrow fork tines are r	manure and hay. made of boron steel for increased	





- strength.
- · Authentic wood shaft is FSC® certified. · Comfortable D-shaped handle.

Classic Pro Lifting Fork FSC					Art.no.	1071911	Z	6 4 1 1 5 0 1 6 0 0 7 2 1
Height: 138cm	Length: 14cm	Width: 32cm	Weight: 1,3 kg	Retailbox: 4	Oldart.no.	-		6 4 1 1 5 0 1 6 0 0 7 2 1





- · Ideal for lifting and moving straw and hay bales.
- ·Shovel head is made of boron steel for added strength.
- Authentic wood shaft is FSC° certified.
 Comfortable T-shaped handle.

Classic Rose rake S FSC 1077121 Art.no. Weight: 0,832 kg Height: 166,4 cm Length: 7,5 cm Width: 23,2 cm Retailbox: -Oldart.no. -





- · Fiskars Classic Rose rake has a small metal head sized for clearing around delicate plants.
- · Ideal for reaching around and in-between plant beds without causing harm to roots or stems.

 · Wooden shaft is FSC° certified (FSC C108780).
- · Durable yet flexible tines grab debris without clogging.
- · Hanging loop for easy, out-out-of-the-way storage.
- With timeless design and attention to details, Fiskars Classic Tools just keep getting better year after year.

Classic Soil rake 16 curved prongs FSC						1014786	z	6 4 1 1 5 0 1 3 5 7 7 0 0
Height: 6,5 cm	Length: 168cm	Width: 41,4 cm	Weight: 1,1kg	Retailbox: 3	Oldart.no.	-	EAI	6 4 1 1 5 0 1 3 5 7 7 0 0





- · Fiskars Classic Soil rake has a large metal head with 16 curved
- $\cdot \, \mathsf{Ideal} \, \mathsf{for} \, \mathsf{loosening} \, \mathsf{and} \, \mathsf{leveling} \, \mathsf{soil} \, \mathsf{while} \, \mathsf{aiding} \, \mathsf{in} \, \mathsf{rock} \, \mathsf{and} \, \mathsf{weed} \,$ removal
- · Wooden shaft is FSC° certified (FSC C108780).
- · Durable yet flexible tines grab debris without clogging.
- · Hanging loop for easy, out-out-of-the-way storage.
- · With timeless design and attention to details, Fiskars Classic Tools just keep getting better year after year.

Classic Soil	ght prongs F	Art.no. 1014780	Z				
Height: 165 cm	Length: 8,5cm	Width: 36cm	Weight: 1,005 kg	Retailbox: 5	Oldart.no	[E/	6" 4 1 1 5 0 1" 3 5 6 3 0 7





- Fiskars Classic Soil rake has a mid-sized metal head with 14 straight prongs.
- · Ideal for loosening and leveling soil, mulch and compost.
- · Wooden shaft is FSC° certified (FSC C108780).
- · Durable yet flexible tines grab debris without clogging.
- · Hanging loop for easy, out-out-of-the-way storage.
- With timeless design and attention to details, Fiskars Classic Tools just keep getting better year after year.

Classic Soil rake 14 curved prongs FSC					Art.no. 1003705	Z	
Height: 6,5cm	Length: 168cm	Width: 36cm	Weight: 1,03 kg	Retailbox: 4	Oldart.no	[/3	6411501 357601





- · Fiskars Classic Soil rake has a mid-sized metal head with 14 curved prongs
- · Ideal for loosening and leveling soil while aiding in rock and weed
- · Wooden shaft is FSC® certified (FSC C108780).
- · Durable yet flexible tines grab debris without clogging.
- $\cdot \text{Hanging loop for easy, out-out-of-the-way storage.} \\$
- · With timeless design and attention to details. Fiskars Classic Tools just keep getting better year after year.

Classic Soil rake 12 prongs FSC					Art.no.	1018603	Z		
Height: 6,5 cm	Length: 168cm	Width: 30,5 cm	Weight: 0,97 kg	Retailbox: 3	Oldart.no.			6 411501 357502	





- · Fiskars Classic Soil rake has a small metal head with 12 curved
- Ideal for loosening and leveling soil while aiding in rock and weed
- \bullet Wooden shaft is FSC $^{\circ}$ certified (FSC C108780).
- Durable yet flexible tines grab debris without clogging.
 Hanging loop for easy, out-out-of-the-way storage.
- · With timeless design and attention to details, Fiskars Classic Tools just keep getting better year after year.

Classic Contractor rake 14 prongs FSC

Art.no.

1014779

Height: 10 cm Length: 165 cm

Width: 59 cm

Weight: 1,13 kg

Retailbox: 3

Oldart.no. -



- · Fiskars Classic Contractor rake has a robust metal head with 14
- Ideal for heavy-duty projects like leveling gravel and thatching.
 Wooden shaft is FSC° certified (FSC C108780).
- · Durable yet flexible tines grab debris without clogging.
- · Hanging loop for easy, out-out-of-the-way storage.
- · With timeless design and attention to details, Fiskars Classic Tools just keep getting better year after year.

Height: 11cm Length: 164 cm Width: 23cm

Weight: 0,92kg

Retailbox: 3

1014796

Oldart.no. -

Art.no.







- · Fiskars Classic Dutch-style hoe has a dual-sided blade that enables a push-pull motion.
- · Ideal for uprooting weeds just below soil surface. · Wooden shaft is FSC* certified (FSC C108780).
- Durable yet flexible tines grab debris without clogging.
- · Hanging loop for easy, out-out-of-the-way storage.
- · With timeless design and attention to details, Fiskars Classic Tools just keep getting better year after year.

Classic I	Hoe FSC

Height: 9cm Length: 140 cm Width: 16,5 cm

Weight: 0,721kg

Retailbox: 5

1014794

Oldart.no. -

Art.no.





- Optimal for removing weeds between rows of plants or breaking up the soil surface
- Wooden shaft is FSC® certified (FSC C108780).

Classic Cultivator 3 prongs FSC

Height: 13cm Length: 147 cm

Width: 12,3cm

Weight: 0,73 kg

Retailbox: 3

Art.no. 1014797 Oldart.no. -







- · Fiskars Classic Cultivator has 3 sharpened prongs that penetrate compact soil.
- · Ideal for loosening soil during plant bed preparation.
- ·Wooden shaft is FSC° certified (FSC C108780).
- · Durable yet flexible tines grab debris without clogging. · Hanging loop for easy, out-out-of-the-way storage.
- $\cdot \text{With timeless design and attention to details, Fiskars Classic Tools}$
- just keep getting better year after year.

1018600

Classic Rose cultivator FSC	
-----------------------------	--

Length: 147cm Height: 8cm

Width: 9,6cm

Weight: 0,63kg

Retailbox: 3

Oldart.no. -

Art.no.





- · Fiskars Classic Cultivator has 3 sharpened prongs that penetrate compact soil.
- Ideal for loosening soil during plant bed preparation.
- Wooden shaft is FSC® certified (FSC C108780).
- Durable yet flexible tines grab debris without clogging.
- Hanging loop for easy, out-of-the-way storage.

 With timeless design and attention to details, Fiskars Classic Tools just keep getting better year after year.

Height: 22cm

Classic Contractor hoe FSC

Length: 90 cm

Width: 32cm

Weight: 1,33kg

Retailbox: 5

1020747

Art.no.

Oldart.no. -







- · Fiskars Classic Contractor hoe a narrow head that efficiently
- ·Ideal for breaking up roots and weeds during plant bed prepara-
- · Wooden shaft is FSC° certified (FSC C108780).
- Durable yet flexible tines grab debris without clogging.
- · Hanging loop for easy, out-out-of-the-way storage.
- · With timeless design and attention to details, Fiskars Classic Tools just keep getting better year after year.

Classic Pro Contractor hoe long FSC

Height: 122 cm Length: 20,5 cm

Width: 32cm

Weight: 1,4 kg

Retailbox: 5

1014793 Art.no.

Oldart.no. -







- · Fiskars Classic Contractor hoe a narrow, elongated head that efficiently penetrates soil.
- · Ideal for breaking up roots and weeds during plant bed prepara-
- · Wooden shaft is FSC° certified (FSC C108780).
- · Durable yet flexible tines grab debris without clogging.
- · Hanging loop for easy, out-out-of-the-way storage.
- With timeless design and attention to details, Fiskars Classic Tools just keep getting better year after year.

Classic Potato hoe FSC

Height: 3,5 cm

Length: 120 cm

Width: 12,4 cm

Weight: 1,2 kg

Oldart.no. -

Art.no.

Art.no.

1003709





Retailbox: 4

- Fiskars Classic Potato hoe has a specialized fork head for breaking
- · Ideal for working around root crops without damaging harvest.
- Wooden shaft is FSC® certified (FSC C108780).
- · Durable yet flexible tines grab debris without clogging.
- · Hanging loop for easy, out-out-of-the-way storage
- $\cdot \, \text{With timeless design and attention to details, Fiskars Classic Tools} \\$ just keep getting better year after year.

Classic Pro Digging hoe grey FSC

Height: 17 cm

Length: 87 cm

Width: 35 cm

Weight: 1,79 kg

Retailbox: 3 Oldart.no. -

1005047







- $\cdot \, \text{Fiskars Classic Digging hoe a narrow, elongated head that efficiency} \\$ ciently penetrates soil
- · Ideal for breaking up roots and weeds during plant bed prepara-
- · Wooden shaft is FSC° certified (FSC C108780).
- Durable yet flexible tines grab debris without clogging.
- Hanging loop for easy, out-out-of-the-way storage.
 With timeless design and attention to details, Fiskars Classic Tools just keep getting better year after year.

Classic Shaft for soil rake FSC

Height: 2,9 cm

Length: 161,5 cm

Width: 2,9cm

Weight: 0,675 kg

Retailbox: 4

Oldart.no. -

Art.no.






· Wooden shaft is FSC° certified (FSC C108780).

1005035



Cultivating Tools

Fiskars cultivating tools are designed for comfortable planting, cultivating, weeding and seeding. The three different ranges offer a wide selection of tools from weeders to rose rakes.



tasks with ultimate performance

Selected ergonomic tools for the most discerning gardener

All-purpose, basic garden tools

X-series[™] Soil Care Tools










- · Extremely efficient and durable stainless steel
- · Hardened aluminium shaft with a unique profile reduces weight without sacrificing strength.
- $\boldsymbol{\cdot} \textbf{SoftGrip} \verb|"handle allows for multiple hand positions.$
- · Convenient hanging hole for out-of-the-way storage and organisation.









- Extremely efficient and durable stainless steel.
- $\cdot \text{Hardened aluminium shaft with a unique profile reduces weight}$ without sacrificing strength.

 • SoftGrip* handle allows for multiple hand positions.
- · Convenient hanging hole for out-of-the-way storage and organisation.











- · Ideal for weeding between plants without causing damage.
- Extremely efficient and durable double-bladed stainless steel.
- $\cdot {\sf Hardened} \ {\sf aluminium} \ {\sf shaft} \ {\sf with} \ {\sf a} \ {\sf unique} \ {\sf profile} \ {\sf reduces} \ {\sf weight} \ {\sf without} \ {\sf sacrificing} \ {\sf strength}.$
- · SoftGrip™ handle allows for multiple hand positions.
- · Convenient hanging hole for out-of-the-way storage and organisation.

X-series [™] Weeding knife						1027112	EAN	6"411501" 350886
Height: 2,9cm	Length: 173cm	Width: 9,5cm	Weight: 0,735 kg	Retailbox: 4	Oldart.no.	-	E/	6 4 1 1 5 0 1 3 5 0 8 8 6








- ·Ideal for removing weeds and moss in between pavers.
- Extremely efficient and durable stainless steel. Hardened aluminium shaft with a unique profile reduces weight without sacrificing strength.
- · SoftGrip "handle allows for multiple hand positions.
- · Convenient hanging hole for out-of-the-way storage and organ-

Ergonomic[™] Soil Care Tools



Ergonomi	c [™] Hoe		Art.no. 1076979	<u>z</u>		
Height: 19 cm	Length: 166 cm	Width: 19 cm	Weight: 0,62kg	Retailbox: 5	Oldart.no	6 4 1 1 5 0 1 7 0 7 0 7 9
					soil. Curved shaft improves Teardrop-shaped grip p T-shaped handle for a c	ds between rows of plants or breaking up the position of the back while working. provides a natural grasp. omfortable wrist position. naximises grip and comfort.







- · Curved shaft improves the position of the back while working.
- Teardrop-shaped grip provides a natural grasp.
 T-shaped handle for a comfortable wrist position.

· Durable boron steel head with sharp blade

- · Plastic coating on handle optimises secondary grip and comfort.
- · Durable boron steel head.



Ergonomic [™] Push-pull weeder						1077111	z	6"411501"707093"
Height: 17 cm	Length: 170 cm	Width: 15cm	Weight: 0,725 kg	Retailbox: 5	Old art. no.	-	EAN	6 4 1 1 5 0 1 7 0 7 0 9 3
>					 Dual-blad Curved sh Teardrop T-shaped Plastic-co 	ed to allow effective	and sition es a r table ses g	ewrist position.

Ergonomic	c [™] Soil rake wi	th curved sh	Art.no. 1077112	3		
Height: 16 cm	Length: 162cm	Width: 36cm	Weight: 1,1kg	Retailbox: 5	Oldart.no	6 411501 707109
			_		branches or spreading of Curved shaft improves Teardrop shaped hance Hanging loop offers ou	s the position of the back while working. dle provides an ergonomic grip.

Ergonomic	*Soil rake				Art.no.	1077113	z	
Height: 6cm	Length: 158 cm	Width: 36cm	Weight: 0,775 kg	Retailbox: 4	Oldart.no.	-		6 4 1 1 5 0 1 7 0 7 1 1 6



- Ideal for preparing plant beds, levelling the ground and raking branches or spreading mulch.
 Teardrop shaped handle provides an ergonomic grip.
 Hanging loop offers out-of-the-way storage.
 Plastic-coated handle maximises grip and comfort.

Solid[™] Wood Soil Care tools

Solid [™] Wood	Solid [™] Wood Push-pull weeder FSC					1077119	z	6 4 1 1 5 0 1 7 0 7 1 7 8
Height: 171,5 cm	Length: 5cm	Width: 15,5 cm	Weight: 0,825 kg	Retailbox: -	Oldart.no.	-	Ä	6 4 1 1 5 0 1 7 0 7 1 7 8



- \bullet Easy-to-use tool with dual-sided blade that allows a push-pull motion.
- ·Ideal for uprooting weeds just below soil surface. · Wooden shaft is FSC® certified (FSC C108780).

Solid [™] Wood Soil rake 16 straight prongs FSC						1011600	z
Height: 7cm	Length: 161cm	Width: 41cm	Weight: 1kg	Retailbox: 6	Oldart.no.	-	7 317796 016201
- %				FSC ROOMER	· Ideal for di	se tool for raking and stributing stones and haft is FSC® certified	d mulch.

Solid [™] Wo	od Soil rake 14	curved pror	ngs FSC		Art.no.	1011598	z
Height: 7cm	Length: 165cm	Width: 36cm	Weight: 0,9 kg	Retailbox: 6	Oldart.no.	-	7 317796 014009
				\bigcap		se tool for raking and istributing stones an	

	Easy-to-use tool for raking and leveling soil. Ideal for distributing stones and mulch. Curved tines prevent buildup. Wooden shaft is FSC® certified (FSC C108780).
1	The aust of responsible treaty
,	

Solid Wood	d Rose rake F	-SC	Art.no.	1011597			
Height: 6cm	Length: 173 cm	Width: 24,5cm	Weight: 0,8 kg	Retailbox: 6	Oldart.no.	-	7 317796 013002
-				FSC www.fsczg FFC COEFFE The mark of	·Smaller-s beds witho ·Woodens		SC C108780).

Solid [™] Wood	Dutch hoe 1	50mm FSC			Art.no.	1011615	EAN	
Height: 12 cm	Length: 159 cm	Width: 15cm	Weight: 0,728kg	Retail box: 6	Oldart.no.	-	Ä	7"317797"032002






- Easy-to-use, Dutch-style hoe for working between rows.
 Ideal for uprooting weeds and breaking up dense soil.
 Wooden shaft is FSC° certified (FSC C108780).

Solid [™] Wood	d Hoe FSC				Art.no. 1011613	E B S S S S S S S S S S S S S S S S S S
Height: 9cm	Length: 168,5 cm	Width: 17 cm	Weight: 0,77 kg	Retailbox: 6	Oldart.no	7 3 1 7 7 9 7 0 1 8 0 0 6





Easy-to-use tool for cutting out weeds.
Hardened steel head penetrates through tough soil.
Wooden shaft is FSC* certified (FSC C108780).

Solid [™] Wood	d Cultivator F	SC			Art.no. 1011614	z	
Height: 12 cm	Length: 146 cm	Width: 12,5 cm	Weight: 0,8 kg	Retailbox: 6	Oldart.no		7"317797" 020030





Easy-to-use tool for loosening soil.
Hardened steel prongs penetrate through tough soil.
Wooden shaft is FSC* certified (FSC C108780).

Solid [™] Wood Soil rake 12 prongs FSC					Art.no.	1014811	Z	
Height: 6,5 cm	Length: 155 cm	Width: 30 cm	Weight: 0,87 kg	Retailbox: 4	Oldart.no			6 411501 357519





- Easy-to-use tool for raking and leveling soil.
 Ideal for distributing stones and mulch.
 Curved tines prevent buildup.
 Wooden shaft is FSC° certified (FSC C108780).

Solid[™] Soil Care tools

Solid [™] Soil Rake						1016036	Z	6"411501" 357151
Height: 7cm	Length: 154cm	Width: 36cm	Weight: 0,67kg	Retailbox: 4	Oldart.no.	-	EA	6 4 1 1 5 0 1 3 5 7 1 5 1
а						se tool for raking and		



- · Ideal for distributing stones and mulch.
- · Curved tines prevent buildup.
- · Durable, lightweight aluminum shaft.

Solid [™] Cultivator					Art.no.	1016034	6 4 1 1 5 0 1 3 5 7 1 4 4
Height: 12 cm	Length: 167cm	Width: 13 cm	Weight: 0,675 kg	Retailbox: 4	Oldart.no.	-	6 4 1 1 5 0 1 3 5 7 1 4 4



- · Easy-to-use tool for loosening soil.
- Hardened steel prongs penetrate through tough soil.
 Durable, lightweight aluminum shaft.

Solid [™] Hoe					Art.no.	1016035	EAN
Height: 14 cm	Length: 155 cm	Width: 18,5 cm	Weight: 0,62 kg	Retailbox: 4	Oldart.no.	-	6 411501 357137



- ${\boldsymbol{\cdot}} \, \mathsf{Easy-to-use} \, \mathsf{tool} \, \mathsf{for} \, \mathsf{cutting} \, \mathsf{out} \, \mathsf{weeds}.$
- Hardened steel head penetrates through tough soil.
 Durable, lightweight aluminum shaft.





Nursery Tools

Fiskars nursery tools are ergonomically designed with rounded edges to minimise soil and root damage while planting, cultivating, weeding and seeding.





XACT[™] PLANTERS

Perfect tools covering all nursing tasks with ultimate performance



PREMIUM PLANTERS

Ergonomically designed for comfortable planting



ERGO[™] PLANTERS

Robust nursery tools for demanding cultivating tasks



SOLID[™] PLANTERS

Lightweight and rust-free nursery tools


Xact[™] Hand Tools

Xact [™] Trowel					Art.no.	1027043	z	6411501 350893
Height: 37,5 cm	Length: 5cm	Width: 8,3cm	Weight: 0,28 kg	Retail box: 4	Oldart.no.	-	EA	6 4 1 1 5 0 1 3 5 0 8 9 3









- faster, while cutting easily through tough turf. · Comfortable SoftGrip" handle allows for multiple handle positions, while its longer length brings balance and extra power when
- · Convenient hanging hole on handle for easy storage.















- · Perfectly finished stainless steel head with 7 prongs provide ultimate precision and control.
- Comfortable SoftGrip" handle allows for multiple handle positions, while its longer length brings balance and extra power when
- · Convenient hanging hole on handle for easy storage.













- Dual blade weeding knife for removing weeds and moss between paving stones and patios.
- · Precisely finished stainless steel blades provide ultimate performance and control. Comfortable SoftGrip™ handle allows for multiple handle positions,
- while its longer length brings balance and extra power when
- · Convenient hanging hole on handle for easy storage.

Xact [™] Extractor					Art.no.	1027046	Z	6"411501" 351036
Height: 39,6 cm	Length: 3,6 cm	Width: 4,3cm	Weight: 0,26 kg	Retailbox: 4	Oldart.no.	-	EA	6 411501 351036










- Effective hand extractor for removing deep rooted weeds with minimal soil adhesion. · Long, sharp stainless steel blade provides precision and efficiency.
- · Comfortable SoftGrip™ handle allows for multiple handle positions, while its longer length brings balance and extra power when
- · Convenient hanging hole on handle for easy storage.

	Orași Granda	reddot award 2019 winner
Xact [™] Cultivator		

Weight: 0,26 kg

Width: 9,2cm





Length: 6,2 cm

Height: 32,3cm



Retailbox: 4



- Durable and functional cultivator for loosening soil, removing weeds and aerating soil
- · Large and sharp stainless steel tines provide maximum soil contact to speed work.
- Comfortable SoftGrip™ handle allows for multiple handle positions, $while \, its \, longer \, length \, brings \, balance \, and \, extra \, power \, when \,$
- · Convenient hanging hole on handle for easy storage.

Premium Planters[™] Nursery Tools

Fiskars Premium Planters™ tools are constructed with added durability for repetitive tasks and heavy use in tough, hard ground.

Premium Pl	anters [™] Trow		Art.no.	1000726	N N		
Height: 37,5 cm	Length: 5,7cm	Width: 8,7cm	Weight: 0,13 kg	Retailbox: 4	Oldart.no.	137200	6 4115
					•For plantir	ng and transplanting	in hard ground.





·Stainless steel blade. reddot design award winner 2011



Premium Pl	anters [™] Trans	splanter	

Art.no. 1000727 Height: 27,5 cm Length: 4cm Width: 7cm Weight: 0,11 kg Retailbox: 4 Oldart.no. **137210**







- $\cdot \text{For planting and weeding in hard ground.} \\$
- $\bullet \text{Perfect for use in narrow bed layouts and on balconies}.$
- ·Stainless steel blade.

Premium Pl	lanters [™] Culti	vator			Art.no.	1000728	Z	
Height: 25 cm	Length: 5cm	Width: 8cm	Weight: 0,14 kg	Retailbox: 4	Oldart.no.	137220		6 4 1 1 5 0 1 3 7 2 2 0 8





- $\cdot \text{For aerating and loosening soil in hard ground.} \\$
- · Stainles steel blade.

Ergo[™] Hand Tools

Ergo [™] Trowel					Art.no.	1027017	Z	6 4 1 1 5 0 1 3 5 0 7 1 8
Height: 30 cm	Length: 2,5cm	Width: 7,5cm	Weight: 0,17kg	Retail box: 4	Oldart.no.	-	7	6 4 1 1 5 0 1 3 5 0 7 1 8



- · Ideal for digging in tough soil and breaking up hardened dirt clods.
- · Lightweight, ergonomically shaped handle feels natural in your hand and helps reduce fatigue.
- Steel head won't break while digging in dense soil.
- $\cdot \, \text{Handle hang hole offers easy storage}.$

Ergo [™] Transplanter						1027018	Z	6 4 1 1 5 0 1 3 5 0 7 2 5
Height: 30 cm	Length: 2,5cm	Width: 5,5cm	Weight: 0,14 kg	Retailbox: 4	Oldart.no.	-	 	6 4 1 1 5 0 1 3 5 0 7 2 5



- · Ideal for transplanting small plants and flowers.
- $\cdot \ \, \text{Lightweight, ergonomically shaped handle feels natural in your}$ hand and helps reduce fatigue.
- Steel head won't break while digging in dense soil.
 Gradation marks on the blade make it easy to measure depth for perfect transplants.

Ergo [™] Cultiv	ator				Art.no.	1027019	Z	6 4 1 1 5 0 1 3 5 0 7 3 2
Height: 30,5 cm	Length: 4,5cm	Width: 8,5cm	Weight: 0,25 kg	Retailbox: 4	Oldart.no.	-	Ţij	6 4 1 1 5 0 1 3 5 0 7 3 2
								eaking up hardened dirt clods. I handle feels natural in vour



- hand and helps reduce fatigue.

 Steel head won't break while digging in dense soil.
- · Large tines provide maximum soil contact to speed up work.

Ergo [™] Cultiv	ator Hoe				Art.no.	1027030	Z	
Height: 30,5 cm	Length: 7,5 cm	Width: 18cm	Weight: 0,25 kg	Retailbox: 4	Oldart.no.	-	<u> </u>	6 4 1 1 5 0 1 3 5 0 7 4 9



- Ideal for loosening, aerating and shaping tough soil.
 Lightweight, ergonomically shaped handle feels natural in your hand and helps reduce fatigue.
- · Sharpened hoe blade breaks up hard soil easily.
- · Large cultivator tines provide maximum soil contact to speed
- $\cdot \text{Handle hang hole offers easy storage}.$

Ergo [™] Weed	ding Knife		Art.no. 1027031	2			
Height: 31cm	Length: 2,5cm	Width: 2,5 cm	Weight: 0,13 kg	Retailbox: 4	Oldart.no	6" 4 1 1 5 0 1" 3 5 0 7 5	



- · Ideal for removing dandelions, thistles and other invasive plants.
- · Lightweight, ergonomically shaped handle feels natural in your hand and helps reduce fatigue.
- Steel head won't break while digging in dense soil.
- $\cdot \, \text{Sharpened forked tip helps you remove weeds by the roots.} \,$

Solid[™] Nursery Tools

Solid [™] Planters Trowel						1071899	Z
Height: 28,2 cm	Length: 4,9 cm	Width: 8cm	Weight: 0,08 kg	Retailbox: 16	Oldart.no.		6 4 1 1 5 0 1 7 0 5 7 5 4





- $\,\cdot\,^*\,\text{Made}$ from 65% recycled plastic with fibreglass for durability. $\cdot \text{Ideal for breaking up soil and digging small holes in planters and} \\$
- UV resistant.Convenient hang hole offers easy storage options.

Solid [™] Planters Transplanter					Art.no.	1072101	4 1 1 5 0 1 7 0 5 7 7 8
Height: 28,2cm	Length: 4,5 cm	Width: 6cm	Weight: 0,07kg	Retailbox: 16	Oldart.no.	1000695	6 4 1 1 5 0 1 7 0 5 7 7 8





- ${\color{red} \bullet^*} \, \text{Made from 65\% recycled plastic with fibre glass for durability}.$
- · Ideal for transplanting small plants in tight spaces. · UV resistant.
- · Convenient hang hole offers easy storage options.

Solid [™] Planters Cultivator						1072102	6"411501" 705785
Height: 27,4cm	Length: 8,1cm	Width: 8,2cm	Weight: 0,08 kg	Retailbox: 16	Oldart.no.	1001600	6 4 1 1 5 0 1 7 0 5 7 8 5





- * Made from 65% recycled plastic with fibreglass for durability.
 Wide tines are angled to loosen compact soil and remove weeds
- · Convenient hang hole offers easy storage options.

Solid [™] Planters Weed Fork						1072103	8 4 1 1 5 0 1 7 0 5 7 9 2 6 4 1 1 5 0 1 7 0 5 7 9 2
Height: 27,7 cm	Length: 4,5 cm	Width: 8,2cm	Weight: 0,07kg	Retailbox: 16	Oldart.no.	1000696	6 4 1 1 5 0 1 7 0 5 7 9 2





- ·* Made from 65% recycled plastic with fibreglass for durability.
- · Narrow, curved tines aerate soil, remove rocks and weeds and spread compost over small areas.
- ·UV resistant.
- · Convenient hang hole offers easy storage options.

Solid [™] Planters Hoe					Art.no.	1072100	8 4 1 1 5 0 1 7 0 5 7 6 1
Height: 28,2cm	Length: 18,9 cm	Width: 7,4cm	Weight: 0,12kg	Retailbox: 12	Oldart.no.	1001601	6 4 1 1 5 0 1 7 0 5 7 6 1





- ·* Made from 65% recycled plastic with fibreglass for durability.
- · Wide, flat edge for digging seed furrows or chopping up tough
- $\cdot \textit{Forked}\, \textit{edge}\, \textit{for}\, \textit{aerating}\, \textit{soil}\, \textit{and}\, \textit{removing}\, \textit{weeds}\, \textit{and}\, \textit{rocks}.$
- ·UV resistant.
- · Convenient hang hole offers easy storage options.



Yard Cleaning





New! Patio & Yard Brooms

Fiskars offers a range of brooms that make light work of outdoor yard and garden clearing, including front doors, sidewalks, driveways, garages, stairs, wooden decks and more.

Our brooms' ingeniously-designed heads combine attractive design with functionality and durability.

Features & benefits

Easy storage

Functional grip knob offers a comfortable grip & easy storage solution

2 Durable materials & construction

Perfect selection of durable, weather tolerant materials suitable for outdoor use

3 Efficient & effortless to use

Optimal combination of bristles for efficient sweeping of different surfaces. The light weight aluminium handles ensures that sweeping can be undertaken without fatigue or back ache.

4 Modern functional design

Purposefully designed broom heads that reach & sweep even the tightest spots. The brooms have an aesthetic design that is pleasant to have by your front door.







New! Classic Brooms





- · Fiskars Classic Broom, S has 15 rows of high-quality bristles used for tidying up patios, pavement and other yard areas
- · Ideal for clearing away leaves, grass and other garden and lawn
- · Wooden shaft is FSC® certified (FSC C108780).
- · Durable yet flexible tines grab debris without clogging.
- · Hanging loop for easy, out-out-of-the-way storage.
- · With timeless design and attention to details, Fiskars Classic Tools just keep getting better year after year

Classic Yard	d broom 17 ro	wsFSC			Art.no.	1077124	EAN	6 411501 707222
Height: 13 cm	Length: 171cm	Width: 35cm	Weight: 1,1kg	Retailbox: 3	Oldart.no.	-	7	6 4 1 1 5 0 1 7 0 7 2 2 2



- · Fiskars Classic Broom, M has 17 rows of high-quality bristles used for tidying up patios, pavement and other yard areas
- $\cdot \, \mathsf{Ideal} \, \mathsf{for} \, \mathsf{clearing} \, \mathsf{away} \, \mathsf{leaves}, \mathsf{grass} \, \mathsf{and} \, \mathsf{other} \, \mathsf{garden} \, \mathsf{and} \, \mathsf{lawn}$ debris
- · Wooden shaft is FSC° certified (FSC C108780).
- · Durable yet flexible tines grab debris without clogging.
- · Hanging loop for easy, out-out-of-the-way storage.
- With timeless design and attention to details, Fiskars Classic Tools just keep getting better year after year.

Classic Yard	d broom 20 re	ows FSC			Art.no.	1077125	z	6 4 1 1 !
Height: 13 cm	Length: 171cm	Width: 45 cm	Weight: 1,2 kg	Retailbox: 3	Oldart.no.	-	A M	6 4 1 1 5
	-							







- $\cdot \, \text{Fiskars Classic Broom, Lhas 20 rows of high-quality bristles used} \\$ for tidying up patios, pavement and other yard areas
- · Ideal for clearing away leaves, grass and other garden and lawn debris.
- Wooden shaft is FSC® certified (FSC C108780).
- · Durable yet flexible tines grab debris without clogging.
- · Hanging loop for easy, out-out-of-the-way storage
- $\boldsymbol{\cdot} \, \text{With timeless design and attention to details, Fiskars \, Classic \, Tools \, \\$ just keep getting better year after year.

Classic Pav	С	Art.no. 1014791	Z	6 4 1 1 5 0 1 3 6 6 6 0 3			
Height: 4cm	Length: 141cm	Width: 13 cm	Weight: 0,665 kg	Retailbox: 6	Oldart.no	E/	6 4 1 1 5 0 1 3 6 6 6 0 3






- Fiskars Classic Paving brush has heavy-duty bristles for scraping away moss, dirt and other buildup.
- · Ideal for clearing paved walls and edges
- Wooden shaft is FSC® certified (FSC C108780).
- · Durable yet flexible tines grab debris without clogging.
- · Hanging loop for easy, out-out-of-the-way storage.
- $\boldsymbol{\cdot} \, \text{With timeless design and attention to details, Fiskars Classic Tools} \\$ just keep getting better year after year.

Classic Pavement weeder FSC					Art.no.	1005045	Z	
Height: 7cm	Length: 137cm	Width: 3cm	Weight: 0,586 kg	Retail box: 6	Oldart.no		Ę	6" 4 1 1 5 0 1" 3 6 8 4 0 9"



- · Fiskars Classic Pavement weeder has sharp, curved blade for cutting through invasive roots.
- · Ideal for working along edges and in-between paved areas.
- · Wooden shaft is FSC° certified (FSC C108780).
- $\cdot \, {\hbox{\it Durable yet flexible tines grab debris without clogging}}.$
- Hanging loop for easy, out-out-of-the-way storage.
 With timeless design and attention to details, Fiskars Classic Tools just keep getting better year after year.

New! Ergonomic[™] Brooms





- $\cdot \, \mathsf{Ideal} \, \mathsf{for} \, \mathsf{clearing} \, \mathsf{yard} \, \mathsf{debris} \, \mathsf{from} \, \mathsf{garages}, \mathsf{drivew} \mathsf{ays} \, \mathsf{and} \, \mathsf{other} \, \mathsf{debris} \, \mathsf{from} \, \mathsf{garages}, \mathsf{drivew} \, \mathsf{ays} \, \mathsf{and} \, \mathsf{other} \, \mathsf{debris} \, \mathsf{from} \, \mathsf{garages}, \mathsf{drivew} \, \mathsf{ays} \, \mathsf{and} \, \mathsf{other} \, \mathsf{debris} \, \mathsf{from} \, \mathsf{garages}, \mathsf{drivew} \, \mathsf{ays} \, \mathsf{and} \, \mathsf{other} \, \mathsf{debris} \, \mathsf{from} \, \mathsf{garages}, \mathsf{drivew} \, \mathsf{ays} \, \mathsf{and} \, \mathsf{other} \, \mathsf{debris} \, \mathsf{from} \, \mathsf{garages}, \mathsf{drivew} \, \mathsf{ays} \, \mathsf{and} \, \mathsf{other} \, \mathsf{ays} \, \mathsf{debris} \, \mathsf{from} \, \mathsf{garages}, \mathsf{drivew} \, \mathsf{ays} \, \mathsf{ays} \, \mathsf{debris} \, \mathsf{from} \, \mathsf{garages}, \mathsf{drivew} \, \mathsf{ays} \, \mathsf{ays} \, \mathsf{debris} \, \mathsf{from} \, \mathsf{garages}, \mathsf{drivew} \, \mathsf{ays} \, \mathsf{ays} \, \mathsf{debris} \, \mathsf{from} \, \mathsf{garages}, \mathsf{drivew} \, \mathsf{ays} \, \mathsf{ays} \, \mathsf{debris} \, \mathsf{debris} \, \mathsf{from} \, \mathsf{garages}, \mathsf{drivew} \, \mathsf{ays} \, \mathsf{ays} \, \mathsf{debris} \, \mathsf{debris} \, \mathsf{garages}, \mathsf{drivew} \, \mathsf{ays} \, \mathsf{ays} \, \mathsf{debris} \, \mathsf{debris} \, \mathsf{ays} \, \mathsf{debris} \, \mathsf{de$ larger spaces.
- · Wide, sturdy head with durable bristles effective on uneven ground.

 • Curved shaft improves the position of the back while working.
- Teardrop shaped handle provides an ergonomic grip.
- · Hanging loop offers out-of-the-way storage.
- $\cdot \textbf{Plastic-coated handle maximises grip and comfort}.$

Ergonomic [™] Broom						1077115	ş	6 4 1 1 5 0 1 7 0 7 1 3 0
Height: 11cm	Length: 171cm	Width: 39 cm	Weight: 0,795 kg	Retailbox: 4	Oldart.no.	-	Ш	6 4 1 1 5 0 1 7 0 7 1 3 0



- $\cdot \mbox{ Ideal for clearing patios, wooden decks, balconies and terraces.}$
- Curved bristle head effectively sweep garden leaves and debris.
 Teardrop shaped handle provides an ergonomic grip.
- · Hanging loop offers out-of-the-way storage.
- · Plastic-coated handle maximises grip and comfort.

Solid[™] Brooms

Solid [™] All pu	ırpose Yard b	proom L			Art.no.	1025926	Z	6 4 1 1 5 0 1 3 1 0 3 8 5
Height: 12,5cm	Length: 172cm	Width: 48cm	Weight: 0,871kg	Retailbox: 2	Oldart.no.	-	ĘĄ	6 4 1 1 5 0 1 3 1 0 3 8 5
					A.II			





- · All-purpose yard broom for clearing pavements, patios and other large areas like driveways and garages.
- · Cleanly sweeps garden leaves and debris, while featuring a scrapping edge for stubborn dirt.
- PowerClean combines soft and hard bristles for efficient sweep-
- · Modern, functional, lightweight design for better ergonomics.

Solid [™] All pu	ırpose Yard b	room M	Art.no. 1025921	E 6 4 1 1 5 0 1 3 1 0 3 7 8		
Height: 10cm	Length: 169 cm	Width: 38 cm	Weight: 0,71kg	Retailbox: 4	Oldart.no	6 4 1 1 5 0 1 3 1 0 3 7 8





- · All-purpose yard broom for cleaning pavements, patios and other
- yard areas.
 Offers a clean sweep of all garden leaves and debris.
 The ends of the broom curve inwards, making it ideal for cleanly gathering and sweeping garden leaves and debris.
- ·PowerClean™ combines soft and hard bristles for efficient sweep-
- · Modern, functional, lightweight design for better ergonomics.

Solid [™] All purpose Yard broom M head						1025930	Z	6 4 1 1 5 0 1 3 1 0 4 2 2
Height: 20 cm	Length: 37,5 cm	Width: 10,5 cm	Weight: 0,39 kg	Retailbox: 6	Oldart.no.	-	<u> </u>	6 4 1 1 5 0 1 3 1 0 4 2 2
	9				· All-purpo:	se yard broom for cl	eanin	g pavements, patios and other



- yard areas.
- · Offers a clean sweep of all garden leaves and debris.
- The ends of the broom curve inwards, making it ideal for cleanly gathering and sweeping garden leaves and debris.
- · PowerClean™ combines soft and hard bristles for efficient sweep- $\label{eq:continuity} \textbf{ing.} \\ \cdot \textbf{Modern, functional, lightweight design for better ergonomics.}$
- ·Use with Solid Shaft (1014913).
- ·Spare part for Solid All purpose broom, M (1025921).


Solid [™] All pu	room L head	Art.no. 1025931	Z	6"411501" 310439			
Height: 20cm	Length: 47 cm	Width: 10,5 cm	Weight: 0,565 kg	Retailbox: 4	Oldart.no	1	6 4 1 1 5 0 1 3 1 0 4 3 9



- · All-purpose yard broom for clearing pavements, patios and other large areas like driveways and garages.
- · Cleanly sweeps garden leaves and debris, while featuring a scrapping edge for stubborn dirt.
- · PowerClean "combines soft and hard bristles for efficient sweep-
- Modern, functional, lightweight design for better ergonomics.
- ·Use with Solid Shaft (1014913).
- · Spare part to Solid™ All purpose yard broom, L (1025926).



MyFirst Fiskars Kids Tools



MyFirst Fiskars Trowel + Cultivator Set

1062471 Art.no.

Height: 24 cm

Length: 3,4 cm

Width: 7cm

Weight: 0,22 kg

Retailbox: 24

Oldart.no. -



Made of fibre-reinforced materials for durability.







MyFirst Fiskars 4pc Short-handled Set

Height: 33,3cm Length: 5,7cm

Width: 22,86 cm

Weight: 1kg

Retailbox: 18

1062472 Art.no.

Oldart.no. -









· Quality, lightweight tools are right-sized for kids' hands.

Height: 88,1cm

Length: 10,7 cm

Width: 19cm

Weight: 0,39 kg

Retailbox: 4

1062473

Oldart.no. -

Art.no.



 $\hbox{\bf \cdot} Light weight, yet strong, a luminium handles resist rust.$ · Durable, fibre-reinforced plastic heads.



Height: 86,3 cm

Length: 6,8 cm

Width: 19,8 cm

Weight: 0,48 kg

Retailbox: 4

Art.no.

1062474

Oldart.no. -





- $\hbox{\bf \cdot} Light weight, yet strong, a luminium handles resist rust.$
- · Durable, fibre-reinforced plastic heads.
- $\bullet \textit{Broom features strong, flexible bristles for effective sweeping.}$



Fiskars QuikFit[™]

Click & Reach p.135
Click & Clean p.137
Click & Grow p.140



Smart and safe











Click & Reach

Within the Click & Reach range, QuikFit offers easy solutions for those hard-to-reach tasks, paying special attention to safety. Forget the ladder when sawing high branches or cleaning gutters – let QuikFit do the job from the ground up.

Click & Clean

Within the Click & Clean range, QuickFit offers easy solutions for cleaning your lawn and yard, with special attention paid to functionality and storage efficiency. With their unique and smart design, QuikFit rakes and brooms allow you to tidy up your garden with minimal effort, all while keeping your shed neat and clutter-free.

Click & Grow

Within the Click & Grow range, QuikFit™ offers easy and mobile solutions for cultivating vegetables and flowers in your garden, summer cottage or city allotment. The unique space-saving system, where one shaft can be used with several tool heads, makes transportation and storage easy.

QuikFit™ Click & Reach



reddot design award winner 2010

QuikFit [™] Tree Cutter						1001410	Z H
Height: 44cm	Length: 7,5cm	Width: 12,5 cm	Weight: 0,57kg	Retail box: 6	Oldart.no.	136525	6 4 1 1 5 0 1 3 6 5 2 5 5





- Enhanced cutting power (x12) with PowerReel™ mechanism.
- · No external ropes on the cutting head allows you to easily reach
- · Anvil cutting action for dry and hard wood.
- · Cut capacity: Ø 32 mm.

Recommended Shaft: Telescopic Shaft L and Telescopic Shaft M.

QuikFit [™] Curved Saw					Art.no.	1000691	Z	
Height: 65cm	Length: 6cm	Width: 14 cm	Weight: 0,32kg	Retailbox: 6	Oldart.no.	136527	4	5 9 0 5 5 6 8 3 6 5 2 7 9



- Pull saw with hardened steel blade with a length of 360 mm.
- · Top-hook ensures non-slip steadiness while pulling.
- $\bullet \, \mathsf{Bottom} \, \mathsf{knife} \, \mathsf{ensures} \, \mathsf{a} \, \mathsf{clean} \, \mathsf{and} \, \mathsf{precise} \, \mathsf{finishing} \, \mathsf{cut} \, \mathsf{from} \, \mathsf{below}$ the branch.

Recommended Shaft: Telescopic Shaft L and Telescopic Shaft M.

QuikFit [™] Fruit Picker						1000693	z
Height: 41cm	Length: 8,5cm	Width: 16,8 cm	Weight: 0,23 kg	Retailbox: 6	Oldart.no.	136950	5 905568 369505



- $\bullet \, \text{Broad opening makes it easy to pull fruit off the branch, while an} \\$ optimal design directs the fruit to the end of the tips
- $\bullet \, \mathsf{Machine} \, \mathsf{washable}, \mathsf{mesh} \, \mathsf{bag} \, \mathsf{catches} \, \mathsf{the} \, \mathsf{harvest}, \mathsf{allowing} \, \mathsf{you} \, \mathsf{to}$ see your yield.
- Durable, lightweight Fiber Comp™ design.

 $Recommended\,Shaft:\,Telescopic\,Shaft\,L,\,Telescopic\,Shaft\,M\,and$

QuikFit [™] Gu	tter Cleaner				Art.no.	1001414	Z
Height: 26cm	Length: 7cm	Width: 34cm	Weight: 0,34 kg	Retailbox: 6	Oldart.no.	135542	5 905568 355423



- $\bullet \, \text{Brush} \, \text{and} \, \text{scraper} \, \text{combination} \, \text{offers} \, \text{a} \, \text{full} \, \text{complement} \, \text{of} \, \text{gutter}$ cleaning capabilities.


 Adjustable angle ensures optimal positioning of tool safely from
- the ground.

 $Recommended\,Shaft:\,Telescopic\,Shaft\,L\,and\,Telescopic\,Shaft\,M.$

QuikFit[™] Click & Reach



QuikFit [™] Telescopic Shaft, M						1000666	EAN	
Height: 140 cm	Length: 4,5 cm	Width: 7,5 cm	Weight: 1,01kg	Retailbox: 6	Oldart.no.	136042	M M	5 905568 360427
					·Specially o	lesigned for hard-	-to-read	ch tasks in the garden with a



[•] Dual locking system for maximum safety.

<sup>Lightweight aluminium construction.
Adjustable shaft length from 1400 - 2400 mm.</sup>

QuikFit [™] Telescopic Shaft, L					Art.no.	1000665	z	568 360328
Height: 228,5 cm	Length: 4cm	Width: 9,5cm	Weight: 1,55 kg	Retailbox: 4	Oldart.no.	136032	5 9055	

 $[\]cdot \text{Especially designed for hard to reach tasks in the garden with a} \\$ reach of up to 6 m.

 $[\]cdot {\hbox{\it Dual locking system for maximum safety}}.$

Lightweight aluminium construction.Adjustable shaft length from 2280 - 4000 mm.

QuikFit[™] Click & Clean



red<mark>dot</mark> design award winner 2010

Height: 41,5cm Length: 6cm Width: 51cm Weight: 0,32kg Retailbox: 6 Oldart.no. 135013	QuikFit [™] Lea	af Rake, L				Art.no.	1000642	Z	6 4 1 1 5 0 1 3 5 0 1 3 8
	Height: 41,5 cm	Length: 6cm	Width: 51cm	Weight: 0,32 kg	Retailbox: 6	Oldart.no.	135013	4	6 4 1 1 5 0 1 3 5 0 1 3 8



- Wide rake for gathering fallen leaves and grass cuttings.
 Tines work in a pull direction for more comfort with less effort.
- I ines work in a pull direction for more comfort with less effort
 25 soft and flexible, high-quality PBT plastic tines with stand

bending.

Recommended Shaft: Shaft L.

QuikFit [™] Leaf Rake Metal						1000644	Z	
Height: 59cm	Length: 7,5 cm	Width: 45 cm	Weight: 0,50 kg	Retailbox: 6	Oldart.no.	135201	E/	6 4 1 1 5 0 1 3 5 2 0 1 9



- For removing loose moss and grass cuttings from the lawn.
- · 22 flexible steel prongs.

Recommended Shaft: Shaft L.

QuikFit [™] Gather Rake					Art.no.	1000656	EAN	
Height: 26cm	Length: 12 cm	Width: 56,7 cm	Weight: 0,93 kg	Retailbox: 2	Oldart.no.	135514	4	5 9 0 5 5 6 8 5 4 0 3 3 1



- · Wide rake for gathering leaves and cutting waste from lawn areas.
- · Hardened carbon steel head.

Recommended Shaft: Shaft L.

QuikFit "Aerator Rake					Art.no.	1000655	S 905568 54032	III
Height: 36cm	Length: 8,2cm	Width: 35,5 cm	Weight: 0,99 kg	Retailbox: 2	Oldart.no.	135513	5 905568 54032	4



- $\cdot \textit{For removing moss and thatch from lawn areas}.$
- · Hardened carbon steel head.

Recommended Shaft: Shaft L.

QuikFit [™] Leaf Rake, S					Art.no.	1000659	Z	6411501 355515
Height: 41cm	Length: 4,2cm	Width: 22cm	Weight: 0,17 kg	Retailbox: 6	Oldart.no.	135551		6 4 1 1 5 0 1 3 5 5 5 1 5



- \bullet Convenient small leaf rake for clearing around narrow beds and borders.
- Tines work in a pull direction for more comfort with less effort.
- •11 soft and flexible, high-quality PBT plastic tines withstand bending.

Recommended shaft: Shaft Mand L.



QuikFit [™] Flo		Art.no.	1001412	z	6 4 1 1 5 0 1 3 5 5 5 2 2			
Height: 48,5 cm	Length: 4cm	Width: 12,5 cm	Weight: 0,22 kg	Retailbox: 6	Oldart.no.	135552	4	6 4 1 1 5 0 1 3 5 5 5 2 2



• Durable Fiber Comp™ frame with 7 steel tines.

 $\cdot 13\,\text{cm}\,\text{working}\,\text{width}\,\text{-}\,\text{ideal}\,\text{for}\,\text{nursery}\,\text{spaces}\,\text{and}\,\text{narrow}\,\text{plant}$

Recommended shaft: Handle S and Shaft M.

QuikFit [™] Lawn Edger						1000690	5905568 540454
Height: 35 cm	Length: 4cm	Width: 19,7 cm	Weight: 0,30kg	Retailbox: 6	Oldart.no.	136526	5 905568 540454



- · Easily clear space between your lawn and hard surfaces by stepping on the blade and driving it deep into the soil.
- Great for edging borders.
- · Hardened boron steel head with flat top.

Recommended shaft: Shaft Mand L.

QuikFit [™] Yard Broom					Art.no.	1001417	Z	5905568 355324
Height: 29 cm	Length: 10 cm	Width: 26cm	Weight: 0,33 kg	Retailbox: 6	Oldart.no.	135532		5 905568 355324





- $\bullet All-purpose yard broom. \\ \bullet Featuring PowerClean ``soft and hard combing bristles for efficient$ sweeping.

Recommended shaft: Shaft Mand L.

QuikFit [™] Patio Broom					Art.no.	1001416	S 905568 355331
Height: 31cm	Length: 9,5cm	Width: 38cm	Weight: 0,34kg	Retail box: 6	Oldart.no.	135533	5 905568 355331



- $\cdot \textit{For sweeping smooth surfaces like patios, wooden decks and} \\$ polished concrete floors.

 Wide brush head and soft bristles allow for fast, efficient sweeping.

Recommended shaft: Shaft Mand L.

QuikFit [™] Sweeping Broom						1001415	z
Height: 39,5 cm	Length: 7cm	Width: 26cm	Weight: 0,39kg	Retailbox: 6	Oldart.no.	135534	5 9 0 5 5 6 8 3 5 5 3 4 8



- · A modern take on the traditional sweeping broom.
- ·Robust construction and long bristles make it ideal for use on coarser debris, leaves, etc..

 $Recommended\,shaft: Shaft\,M\,and\,L.$



QuikFit [™] Paving Brush						1000657	z
Height: 32,5 cm	Length: 4,5cm	Width: 14,5 cm	Weight: 0,19 kg	Retailbox: 6	Oldart.no.	135522	5 905568 355225



- For removing moss and weeds from between paving slabs.
 Hardened steel front blade for stubborn moss and dirt.
 Steel bristles for scrubbing paving and slabs.
- $\cdot \textit{Lightweight Fiber Comp} \texttt{``construction for added durability and}$ resistance to moisture.

Recommended shaft: Shaft Mand L.

QuikFit [™] Patio Knife					Art.no.	1000687	Z	
Height: 33,5 cm	Length: 7cm	Width: 7,5cm	Weight: 0,16 kg	Retailbox: 6	Oldart.no.	136521		5"905568" 540393"



- Ideal tool for removing grass, moss and weeds from between slabs, block paving, wall corners and steps.
 Blade of hardened boron steel.

Recommended shaft: Shaft M and L.

QuikFit ^{**} Straight Saw					Art.no.	1000692	z	
Height: 62cm	Length: 10 cm	Width: 10 cm	Weight: 0,20 kg	Retailbox: 6	Oldart.no.	136528	Ш	



iuai t.110.	130320		د	903	200	3

- For sawing tasks in the garden.
 FiberComp" slider and adaptor.
 Hardened steel blade with a length of 345 mm.

Recommended shaft: Shaft Mand L.

QuikFit[™] Click & Grow



QuikFit [™] Soil Rake, 14 prongs					Art.no.	1000653	5 9 0 5 5 6 8 5 4 0 3 0 0
Height: 27cm	Length: 9cm	Width: 38cm	Weight: 0,44 kg	Retailbox: 6	Oldart.no.	135511	5 9 0 5 5 6 8 5 4 0 3 0 0



 $\cdot \textit{For raking, leveling or smoothing seed beds that cover a wider}\\$

· 14 spikes of hardened carbon steel.

Recommended shaft: Shaft L.

QuikFit [™] Soil Rake, 16 prongs					Art.no.	1000654	Y 905568 540317
Height: 26,5 cm	Length: 8cm	Width: 61,4cm	Weight: 0,45kg	Retailbox: 6	Oldart.no.	135512	5 905568 540317



· For raking, leveling or smoothing seed beds that cover a wider

·16 tines of hardened carbon steel.

Recommended shaft: Shaft L.

QuikFit [™] Universal Rake					Art.no.	1000643	z	
Height: 26 cm	Length: 11cm	Width: 41cm	Weight: 0,28kg	Retail box: 6	Oldart.no.	135051	12	6 4 1 1 5 0 1 3 5 0 5 1 0





- For raking and clearing long, loose grass, as well as leveling soil and sand or packing down soil while making planting beds.
 12 Fiber Comp* tines designed at a specific angle to help with
- ergonomic posture.
 Leveling function helps even soil beds.

Recommended shaft: Shaft L.

QuikFit [™] Rose Rake					Art.no.	1000651	z
Height: 29,5 cm	Length: 7,5 cm	Width: 24,3cm	Weight: 0,22kg	Retail box: 6	Oldart.no.	135501	5 9 0 5 5 6 8 5 4 0 3 5 5



- $\cdot \, \text{Unique head shape allows you to work between plants and stems} \\$
- without causing damage.
 Ideal for narrow bed layouts.
 In teeth of hardened boron steel.

Recommended shaft: Shaft L and M.

QuikFit ^{**} Cultivator					Art.no.	1000680	A P
Height: 40 cm	Length: 12cm	Width: 12 cm	Weight: 0,40 kg	Retail box: 6	Oldart.no.	136511	5 905568 540423



- For cultivating, scarifying, aerating and breaking up soil.
 Suitable for seed bed preparation and maintenance.
 Hardened carbon steel blade.

Recommended shaft: Shaft L.



QuikFit [™] Cultiweeder					Art.no.	1000681	Z	
Height: 41,5 cm	Length: 17,5 cm	Width: 12,5 cm	Weight: 0,51kg	Retailbox: 6	Oldart.no.	136512		5 9 0 5 5 6 8 5 4 0 4 1 6



• For cultivating, scarifying, aerating and breaking up soil.
• Suitable for seed bed preparation and maintenance.

- · Hardened carbon steel blade.

 $Recommended\,shaft:Shaft\,L.$

QuikFit [™] Grubber					Art.no.	1000685	z	5905568 365170
Height: 36,5cm	Length: 10 cm	Width: 9cm	Weight: 0,36 kg	Retailbox: 6	Oldart.no.	136517		5 905568 365170



• For cultivating and aerating garden flower beds. • Hardened carbon steel blade.

Recommended shaft: Shaft Mand L.

QuikFit [™] Hoe					Art.no.	1000677	EAN	
Height: 32,5 cm	Length: 9,5cm	Width: 19,5 cm	Weight: 0,27kg	Retailbox: 6	Oldart.no.	136503		5 9 0 5 5 6 8 5 4 0 3 7 9



 $\cdot \, \mathsf{Efficient} \, \mathsf{tool} \, \mathsf{for} \, \mathsf{removing} \, \mathsf{weeds} \, \mathsf{between} \, \mathsf{rows} \, \mathsf{of} \, \mathsf{plants} \, \mathsf{or} \,$

breaking up the soil.

• Blade of stainless steel.

Recommended shaft: Shaft L.

QuikFit [™] Push-Pull Weeder					Art.no.	1000738	z	
Height: 37,5 cm	Length: 4,5 cm	Width: 15,5 cm	Weight: 0,39 kg	Retailbox: 6	Oldart.no.	139970		5"905568"540409



Useful for weeding as it loosens the soil simply by pushing and pulling back and forth.
 Hardened boron steel head.

Recommended shaft: Shaft L.

QuikFit [™] Hoe, 3 functions					Art.no.	1000682	Z	
Height: 42cm	Length: 4cm	Width: 13cm	Weight: 0,27kg	Retailbox: 6	Oldart.no.	136513		5 9 0 5 5 6 8 5 4 0 4 3 0



 For working around stems and in narrow spaces.
 Blade is sharpened on 3 sides to assist cultivating at different angles.

·Blade of hardened boron steel.

Recommended shaft: Shaft L.



QuikFit [™] Du	tch Hoe				Art.no.	1000676	Z d
Height: 38,5 cm	Length: 4cm	Width: 12,5cm	Weight: 0,23 kg	Retailbox: 6	Oldart.no.	136502	5 905568 540362



 $\cdot \text{Sharp, ground weeding blade for removing weeds, breaking up} \\$ soil, creating seed rows or removing moss from patios.

·Blade of hardened boron steel.

Recommended shaft: Shaft L.

QuikFit [™] Sp	iker				Art.no.	1000689	6'411501' 365248
Height: 39,5 cm	Length: 10 cm	Width: 20,5cm	Weight: 0,91kg	Retailbox: 2	Oldart.no.	136524	6 4 1 1 5 0 1 3 6 5 2 4 8



· Used for aerating smaller, narrower plots.

· Allows nutrients to penetrate the surface and helps seed, fertiliser, water, air and light to reach the roots.

· Hardened steel blades.

Recommended shaft: Shaft L.

QuikFit [™] Cultivator, Angled					Art.no.	1000683	Z	
Height: 40,5cm	Length: 8cm	Width: 9cm	Weight: 0,34 kg	Retail box: 6	Oldart.no.	136515		5 9 0 5 5 6 8 3 6 5 1 5 6



- · For loosening and aerating plant beds to optimise nutrient distribution.
- Tool design protects plants roots.Carbon steel head.

Recommended shaft: Handle S and Shaft M.

QuikFit [™] Double Scraper Hoe						1000734	Z	
Height: 28,2 cm	Length: 14,7 cm	Width: 7,5 cm	Weight: 0,20 kg	Retailbox: 6	Oldart.no.	137562	/ <u>a</u>	5 905568 375629



- $\cdot \text{Versatile use on patios and for removing grass, moss and weeds} \\$ from between tiles and slabs.

 Can also be used to cultivate plant beds.
- · Boron steel blades with carbon steel thong.

 $Recommended\,shaft: Handle\,S\,and\,Shaft\,M.$

QuikFit [™] Double Hoe					Art.no.	1000735	Z	
Height: 28,2 cm	Length: 14,3cm	Width: 7,5 cm	Weight: 0,19 kg	Retail box: 6	Oldart.no.	137572		5 905568 375728



- Versatile use with dual functionality.
 For breaking up soil, cultivating plant beds and weeding.
 Boron steel blades with carbon steel thong.

 $Recommended\,shaft: Handle\,S\,and\,Shaft\,M.$



QuikFit [™] Trowel						1000730	z	
Height: 41cm	Length: 5,5 cm	Width: 7,5 cm	Weight: 0,29 kg	Retailbox: 6	Oldart.no.	137512	E	5 905568 375124



 $\cdot For planting and transplanting.\\$

·Boron steel head.

Recommended shaft: Handle S and Shaft M.

QuikFit [™] Weed Extractor						1000731	EAN	5905568 375223
Height: 42,5 cm	Length: 4cm	Width: 7,5 cm	Weight: 0,23 kg	Retailbox: 6	Oldart.no.	137522	1	



 $\cdot \text{For planting and transplanting.} \\$

·Boron steel head.

Recommended shaft: Handle S and Shaft M.

QuikFit [™] Shaft,L					Art.no.	1000661	Z	
Height: 157cm	Length: 3,5 cm	Width: 7,5 cm	Weight: 0,49 kg	Retailbox: 6	Oldart.no.	136001	EAI	5 9 0 5 5 6 8 5 4 0 4 6 1

- ${\boldsymbol{\cdot}} \mathsf{Teardrop\text{-}shaped}, \mathsf{hardened\,aluminium\,shaft\,with\,SoftGrip}^{\scriptscriptstyle{\mathsf{T}}} \mathsf{for}$ optimum comfort.
- Hang hole for easy storage.
 Shaft works with several heads for all-around use in the garden.

Height: 87,5cm Length: 4cm Width: 7,5cm Weight: 0,31kg Retailbox: 6 Oldart.no. 136022	QuikFit [™] Sh	aft, M				Art.no.	1000664	z	
	Height: 87,5 cm	Length: 4cm	Width: 7,5 cm	Weight: 0,31kg	Retailbox: 6	Oldart.no.	136022	EAN	5 905568 360229



- Medium-length shaft can be used with nursery tools, cultivators and hoes.
- $\cdot \mathsf{Teardrop}\text{-}\mathsf{shaped}, \mathsf{hardened}\,\mathsf{aluminium}\,\mathsf{shaft}\,\mathsf{with}\,\mathsf{SoftGrip}^{\scriptscriptstyle{\mathsf{Ti}}}\mathsf{for}$ optimum comfort.
- · Hang hole for easy storage.
- $\cdot \, \text{Shaft works with several heads for all-around use in the garden}.$

QuikFit [™] Handle,S					Art.no.	1000663	EAN
Height: 25,5 cm	Length: 4,5cm	Width: 8cm	Weight: 0,11kg	Retailbox: 6	Oldart.no.	136012	5 905568 360120



- ·Small handle ideal for use with nursery tools.
- · Teardrop-shaped, hardened aluminium shaft with SoftGrip™ for optimum comfort.
- Hang hole for easy storage.
 Shaft works with several heads for all-around use in the garden.



QuikFit [™] Universal Adapter					Art.no.	1000617	z	6"411501"300003"
Height: 17,1cm	Length: 4,3cm	Width: 3cm	Weight: 0,07kg	Retailbox: 6	Oldart.no.	130000	7	6 4 1 1 5 0 1 3 0 0 0 0 3



- $\,\cdot\,$ For connecting a variety of interchangable heads produced by other manufacturers.
- ·Lightweight FiberComp[™] construction.





Wood Preparation

Over 300 years of axe expertise.

In the midst of the Finnish woodlands lies the small village of Fiskars, where the timeless traditions of crafting the highest quality hand tools have been passed down through the generations since 1649.

Norden axes & knives p.150

X-series axes p.154

Kindling tools p.158

WoodXpert[™] **p.160**

Yard clearing tools p.168


Saws p.170

Other tools p.173

Knives p.175









Norden Axes

GUARANTEE 25
YEARS'

With Norden axes, Fiskars returns to its deep roots. The finest hickory is used to craft a handle with the authentic and natural feel of the traditional wooden axes. Yet as with all its axes, Fiskars always insists on the highest possible performance. After thorough testing, you can be sure that the blade will always stay attached, while enjoying unparalleled performance, endurance and durability.

Fiskars Norden.
Pure performance.



Ultimate safety

- ① Safest, undetachable axe head and shaft connections
- ② Virtually unbreakable, FiberComp™ overstrike protection for lightweight, break- and shock-proof use
- 3 Hooked handle for secure grip & control

Unbeatable performance

4 Ultra stay-sharp blades are double-hardened to optimise strength in demanding situations.

Precision-ground cutting edge with low-friction coating.

- Optimal weight balance
- Optimally designed blades for chopping & splitting tasks

High quality, durable materials

- UHigh-quality, hickory wood handle made from sustainably managed forests
- 8 Carbon steel blades



The mark of responsible forestry



Norden Axes









- $\cdot \, \text{Small universal hatchet for limbing, chopping} \, \& \, \text{kindling.} \\$
- · Its compact size makes it a perfect companion for camping, hiking and other outdoor activities.
- Product: 3,2 x 35,5 x 13 cm.
- ·FSC® certified wood.







Norden Cho	opping Axe, I	V10			Art.no.	1051143	Z	6 4 1 1 5 0 1 7 0 1 1 3 8
Height: 47,6 cm	Length: 3,5 cm	Width: 19,4cm	Weight: 1,21kg	Retailbox: 4	Oldart.no.	-		6 4 1 1 5 0 1 7 0 1 1 3 8







- · A great general tool for chopping & kindling tasks on the yard and small construction projects around the house.
- · Its 44,5 cm handle makes it ideal for easy one-handed use.
- · Product: 3,2 x 44,5 x 15,2 cm.
- ·FSC® certified wood.



Norden Spl	itting Axe, N1	12			Art.no.	1051144	Z	6 4 1 1 5 0 1 7 0 1 1 4 5
Height: 52,6 cm	Length: 3,5 cm	Width: 19,4 cm	Weight: 1,30 kg	Retailbox: 4	Oldart.no.	-		6 4 1 1 5 0 1 7 0 1 1 4 5







		Sichement	HONOURABLE MENTION	best of the best			
Premium A	xe Blade Co	ver, XS			Art.no.	1057531	E AN
Height: 18.8 cm	Lenath: 2.5cm	Width: 10 cm	Weight: 0.04 kg	Retailbox: 6	Oldart.no.		6 4 1 1 5 0 1





- · Premium axe blade cover for safe storage & carrying.
- · Made of recyled leather 100% natural materials.
- Snap closure ensures that blade cover stays in place.
 High quality leather with reinforced edge for sheath durability.
- · Water resistant for axe protection against rust.
- · Suitable axe blade cover for Fiskars axe models N7, X5, X7, A5 & A6.

Premium A	xe Blade Cov	er, S			Art.no.	1057532	Z	6 4 1 1 5 0 1 6 0 0 3 4 9
Height: 20,5 cm	Length: 3cm	Width: 10 cm	Weight: 0,04 kg	Retailbox: 6	Oldart.no		Ä	6 4 1 1 5 0 1 6 0 0 3 4 9



- $\bullet \textit{Premium}\, axe\, blade\, cover\, for\, safe\, storage\, \&\, carrying.$
- · Made of recyled leather 100% natural materials.
- · Snap closure ensures that blade cover stays in place.
- · High quality leather with reinforced edge for sheath durability.
- · Water resistant for axe protection against rust.
- · Suitable axe blade cover for Fiskars axe models N10, N12, X10, X11, A10 & A11.

Norden knives & sharpener

Norden Wood carving knife 1071897 Art.no. Length: 26,3 cm Weight: 0,10 kg Height: 4,4 cm Width: 9,3cm Retailbox: 4 Oldart.no. -







- ${\color{red} \bullet} \ \text{Beautifully designed to enhance your woodworking, carving and}$
- $\cdot \, \text{Made of natural, highest-quality materials and crafted to last} \\$ generations.
- Stainless steel blade is easy to sharpen & maintain, resists rust. · Natural birch wood handle is comfortable and secure in your hand and is waxed for long-lasting durability. FSC $^{\circ}$ certified.
- · Included recycled leather sheath is lined for reliable safety and blade protection.
- ·Blade length: 78mm; total length: 196mm.

Norden Out	door knife				Art.no.	1072090	Z	6 4 1 1 5 0 1 6 0 0 7 5 2
Height: 4,4cm	Length: 26,3 cm	Width: 9,3cm	Weight: 0,11kg	Retailbox: 4	Oldart.no.	-		6 4 1 1 5 0 1 6 0 0 7 5 2







- · Beautiful and functional Outdoor knife excels at a range of tasks, from whittling and woodwork to camping, fishing and hunting. · Made of natural, highest-quality materials and crafted to last
- Stainless steel blade is easy to sharpen & maintain, resists rust. $\boldsymbol{\cdot}\, \text{Natural birch wood handle is comfortable and secure in your hand.}$
- · Wood handle is FSC* certified (FSC C108780) and is waxed for long-lasting durability.
- ·Included recycled leather sheath is lined for reliable safety and blade protection.
- ·Blade length: 98mm; total length: 215mm

Norden axe and knife sharpener					Art.no.	1071898	z	
Height: 5,0 cm	Length: 20,6 cm	Width: 5,9cm	Weight: 0,13kg	Retailbox: 4	Oldart.no.	-		6" 4 1 1 5 0 1" 6 0 0 7 7 6





- · Fiskars Norden Axe and knife sharpener optimises regular maintenance of axes and knives, guaranteeing cutting-edge sharpness.
- · Sharpening slot ensures tool stays in place for safe sharpening. · Ceramic grindstone efficiently sharpens in both directions.
- · Ceramic finishing stone for fine-grinding.
- $\cdot \, \text{Authentic, natural birch wood body is FSC}^{\circ} \, \text{certified (FSC)} \\$ C108780) and is comfortable in your hand.
 • Recycled leather hanging loop for easy storage.
- · Portable size is easy to take along on outdoor activities.

FISKARS®

The mark of

Norden axes

www.fiskars.com



X-series Axes





Fiskars X-Series

axes are designed
for ultimate performance;
masterfully balanced to optimise
swing speed and amplify user power
for efficient splitting. With ultra-sharp,
forged steel blades engineered to disperse
wood more effectively, double hardened for sharp
edge retention. Low-friction blade coating enables glide
through after impact and offers rust protection. Overmolded axe heads provides an inseparable connection to the
shafts. The virtually unbreakable design includes a lightweight,
remarkably strong, FiberComp[™] handle that absorbs shock and

offers superior overstrike protection.

The handles have an oversized gripzone with strategically textured
SoftGrip and hooked end for
user comfort. Designed in
Billnäs, Finland, building on
more than three-anda-half centuries of
the world's best
forged tools.

NEW DESIGN

New improved splitting blade design for improved spitting performance Wider cutting edge & wider splitting wedge improves splitting power & make the blades easier to remove from wood.


New ultra light hiking axe, masterfully designed for the outdoors

Light, sized for easy carrying, stowaway and comfortable single-handed use. It's orange handle is durable and easy-to-spot. Includes sheath for safety when driving tent stakes into the ground. With belt loop and reliable locking mechanism.

New ergonomically curved handle on small universal axes

provides a natural, comfortable wrist position during use.







Universal axes

Fiskars next-generation universal axes serve all manners of $woodwork, chopping, carpentry \, and \, pruning. \, The \, range \, delivers \, a$ wonderful package of minimalist design and sharp-edged functionality with the right fit for all wood preparation tasks. Pick your size according to the task at hand. The Universal Axe's thin, wide edge ensures a clean, easy cut in fresh, resinous wood, like spruce or pine.



Splitting axes


Fiskars next-generation splitting axes are a true evolution of craftsmanship -purpose-designed for one strike splits of even the thickest logs. The special blade geometry and finish is complemented by a light sturdy shaft and perfect balance. Pick your size according to the task at hand.

The Splitting Axe features a unique cutting edge that easily slices into the wood, which the thick axe blade then pushes apart.





X-series[™] Chopping Axes









- Y-series axes, making it an ideal companion for chopping, kindling, general camping and hiking tasks.
- Proprietary double-hardened, forged steel blade with blade-grinding which provides a sharper edge for superior contact and cleaner cuts.
- Low-friction blade coating glides through wood and protects against rust.
- The Fiber Comp" handle is easy-to-spot, durable and light.
- Blade cover features a belt loop and a reliable locking mechanism for safety while carrying & driving tent stakes with the striking end.

X14 Choppi	ng axe XS bla	ade			Art.no.	1069102	Z	6 4 1 1 5 0 1 2 0 1 6 1 4
Height: 38,7 cm	Length: 3,2cm	Width: 17,3 cm	Weight: 0,79 kg	Retailbox: 4	Oldart.no.	-		6 4 1 1 5 0 1 2 0 1 6 1 4







- Ideal for limbing, kindling, general yard maintenance and carpentry.
- · New improved forged steel blade design ensures clean, easy cuts.
- Proprietary blade-grinding provides a sharp edge, double-hard-ened to maintain its sharp edge longer.
- $\hbox{-} Low-friction\, blade\, coating\, for\, easy\, glide\, through\, \&\, rust\, protection.$
- Ultralight & durable Fiber Comp" shaft construction is virtually unbreakable & offers superior overstrike protection.
- Ergonomic handle provides a neutral, comfortable wrist position during use, with textured SoftGrip" for a comfortable, secure hold.

X18 Chopping axe S blade						1069103	Z	6 4 1 1 5 0 1 2 0 1 6 2 1
Height: 47,5 cm	Length: 3,2cm	Width: 19,2 cm	Weight: 1,12 kg	Retailbox: 4	Oldart.no.	-		6 4 1 1 5 0 1 2 0 1 6 2 1







- · Ideal for chopping kindling, general yard maintenance and carpentry.
- New improved forged steel blade design ensures clean, easy cuts.
- Proprietary blade-grinding provides a sharp edge, double-hardened to maintain its sharp edge longer.
- $\hbox{-} Low-friction \, blade \, coating \, for \, easy \, glide \, through \, \& \, rust \, protection.$
- · Ultralight & durable FiberComp shaft construction is virtually
- unbreakable & offers superior overstrike protection.
- $\cdot \text{Ergonomic handle provides a neutral, comfortable wrist position during use, with textured SoftGrip" for a comfortable, secure hold.}\\$

X24 Chopp	ing axe M bla	ide			Art.no.	1069104	z	
Height: 63,5cm	Length: 3,5 cm	Width: 20,7cm	Weight: 1,59 kg	Retailbox: 4	Oldart.no.	-	Ä	6 411501 201638





- · Ideal for felling trees and all-purpose chopping.
- $\cdot \, \text{New improved forged steel blade design ensures clean, easy cuts.} \\$
- Proprietary blade-grinding provides a sharp edge, double-hardened to maintain its sharp edge longer.
- Low-friction blade coating for easy glide through & rust protection.
- · Safest, undetachable axe head and shaft connection.
- Ultralight & durable FiberComp" shaft construction is virtually unbreakable & offers superior overstrike protection.
- $\cdot \, \mathsf{Perfected} \, \mathsf{weight} \, \mathsf{balance} \, \mathsf{for} \, \mathsf{more} \, \mathsf{power} \, \mathsf{at} \, \mathsf{impact}.$
- Oversized, textured SoftGrip[™] grip zone for comfort and control.

Xsharp [™] Ax	e and Knife S	harpener			Art.no.	1000601	z
Height: 23,5 cm	Length: 4cm	Width: 9cm	Weight: 0,09 kg	Retailbox: 4	Oldart.no.	120740	6 411501 207401










- $\, \cdot \, 2$ sharpeners in 1 for regular maintenace of your Fiskars axes and knives.
- Ceramic grind stone has clearly indicated cutting grooves for either axes or knives.
- $\cdot \, \mathsf{Easy-to-use}, optimised \, \mathsf{sharpening} \, \mathsf{angle} \, \mathsf{for} \, \mathsf{Fiskars} \, \mathsf{blades}.$
- · Convenient portability.

X-series[™] Splitting Axes





- ·Ideal for splitting large logs, more than 30 cm diameter.
- New improved forged steel blade design adds power and makes the blade easier to remove from wood.
- · Proprietary blade-grinding provides a sharp edge, double-hardened to maintain its sharp edge longer.
- · Low-friction blade coating for easy glide through & rust protection.
- · Ultralight & durable FiberComp" shaft construction is virtually $unbreakable\,\&\,offers\,superior\,overstrike\,protection.$
- · Perfected weight balance for more power at impact
- · Oversized, textured SoftGrip™ grip zone for comfort and control.

Kindling tools

The perfect companions to Fiskars axes & hatchets: dedicated tools for the last phase of wood preparation before burning. Fiskars provides a holistic wood preparation solution with high-quality tools designed for every task at hand.

Kindling makers S & L features & benefits

- Effortless to use
 Sharp & durable hardened carbon steel blades for superior cutting performance.
- Blades designed to enhance splitting performance.

- afe design Unique, innovative hands-free design for enhanced user safety.
- · Includes blade cover for safe storage.

- Easy to assemble & dis-assemble.
- Horizontal mounting option for convenient stationary use or used on-the-go, standing steadily on even ground.
- Split simply by hitting the firewood with a Fiskars IsoCore Club hammer or another log.

- Durable construction and materials.
- Prolong the longevity of the tools with regular maintenance and blade sharpening.
- · Spare-parts also available for the blades & bristles.





Wall mounted kindling maker features & benefits

- Effortless to use
 Superior cutting performance with durable Fiskars brush
- Sharp Carbon steel blade with non friction coating.

Suitable for making kindling from firewood, cutting branches or sticks or brush hook used separately for yard clearing

- omfortable & convinient Mount vertically at suitable height for ergonomic stationary
- Light, comfortable and durable Fiber Comp handle.
- · Safety lock for safe storage.



ewith Fiskars WoodXpert Brush Hooks XA3 (1003609) Wall mount compatible v Sold separately or as a set

NEW! Kindling Tools

Launch date 01.09.2025

Outdoor kindling maker L 1079156 Art.no. Height: 32,03 cm Length: 28,1cm Width: 28,1cm Weight: -Retailbox: -Oldart.no. -



- · Ideal for making kindling out of dry firewood quickly and with low
- · Sharp & durable cutting blade that can be sharpened or replaced.
- · Hands-free design for enhanced user safety.
- $\cdot \, \text{Mount horizontally for convenient stationary use or use on-the-go}$
- $standing\ steadily\ on\ even\ ground.\ Includes\ screws\ for\ mounting.$ $\cdot Includes\ multipurpose\ bag\ for\ transporting,\ storing\ or\ protecting\ the\ kindling\ maker\ or\ carrying\ ready-made\ kindling\ on-the-go.$
- · Blade cover for safe storage.

Outdoor kir	ndling maker	S			Art.no.	1079157	3	6411501 600967
Height: 25,8 cm	Length: 16cm	Width: 16cm	Weight: -	Retailbox: -	Oldart.no.	-	7	6 411501 600967



- · Ideal for making kindling out of dry firewood quickly and with low
- $\cdot \, \text{Sharp} \, \& \, \text{durable cutting blade that can be sharpened or replaced}.$
- ${\color{red} \bullet} \, \text{Mount horizontally for convenient stationary use. Includes screws}$ for mounting.
- · Blade cover for safe storage.

Wall mounted kindling maker set						1079159	EAN	6411501 600981
Height: 11,3 cm	Length: 56cm	Width: 8,4cm	Weight: -	Retailbox: -	Oldart.no.	-	Ä	6 4 1 1 5 0 1 6 0 0 9 8 1



- $\cdot \mathsf{Ideal} \, \mathsf{for} \, \mathsf{making} \, \mathsf{kindling} \, \mathsf{out} \, \mathsf{of} \, \mathsf{dry} \, \mathsf{firewood} \, \mathsf{or} \, \mathsf{cutting} \, \mathsf{branches} \,$ $\ quickly \ and \ with \ low \ effort.$
- $\cdot \\ \text{Superior cutting performance with sharp \& durable cutting blade}$ that can be sharpened easily.
- Multi-use: make kindling from firewood, cut branches or sticks or use the brush hook on-the-go in clearing tasks.
- · Mount vertically at suitable height for ergonomic stationary use. Includes screws for mounting.

Kindling wall mount						1079158	Z	6 4 1 1 5 0 1 6 0 0 9 7 4
Height: 11,3 cm	Length: 47,5 cm	Width: 8,4cm	Weight: -	Retail box: -	Oldart.no.	-	Ä	6 411501 600974



- · Combine with Fiskars WoodXpert™ Brush Hook XA3 (1003609) (not included) to make kindling out of dry firewood or cut branches $\,$ quickly and with low effort.
- · Multi-use: make kindling from firewood, cut branches or sticks or



WoodXpert[™] Felling Levers



WoodXpert [™] Felling Lever, L						1015439	EAN	6 4 1 1 5 0 1 2 6 0 5 2 9
Height: 115 cm	Length: 8,6cm	Width: 23cm	Weight: 2,70 kg	Retailbox: 2	Oldart.no.	126052		6 4 1 1 5 0 1 2 6 0 5 2 9





reddot design award winner 2015

- ·For steering large-sized trees when felling.
- · Additionally functions as support for sawing and carrying logs.
- $\cdot \hbox{Forged, hardened steel blade}.$
- Sturdy, yet lightweight, special steel shaft.
 Fast lock interface for log hook and tongs interoperation.

WoodXpert[™] Brush Hooks

Fiskars WoodXpert[™] brush hooks are a great choice for outdoor enthusiasts with a lot of clearing to do. Featuring precision-ground steel blades ith a rust-resistant, low-friction coating, these hooks rip through underbrush and wood with speed and ease.

Features & benefits

- Deep curved blade design is ideal for pull-cuts and lifting branches off the ground
- Ultra-light and durable FiberComp shaft minimises fatigue and makes the shaft virtually unbreakable.
- 3 Hooked handle with SoftGrip[™] for comfortable, non-slip grip
- Made in Finland





FENDRE















WoodXpert[™] Brush Hooks

WoodXpe	WoodXpert [™] Brush Hook (XA3)						N N N N N N N N N N N N N N N N N N N
Height: 55 cm	Length: 2,7cm	Width: 14,5cm	Weight: 0,51kg	Retailbox: 4	Oldart.no.	126004	6 411501 260048
				D	•For cutting	smaller branches fr	om trees.





- For clearing weeds and brush in gardens and forests. For stripping bark from logs.

WoodXpert [™] Brush Hook (XA23)						1003621	Z	6 4 1 1 5 0 1 2 6 0 0 5 5
Height: 94,3 cm	Length: 3,6cm	Width: 14,5 cm	Weight: 1,00 kg	Retail box: 2	Oldart.no.	126005	E/	6 4 1 1 5 0 1 2 6 0 0 5 5





reddot design award winner 2015

- For cutting larger branches from trees / logs.
 For clearing saplings and brush in gardens and forests.
 For light chopping and splitting of firewood.



- Lightweight boron steel hook with a toothed inlay grips logs with ease
- 2 Ergonomic handle with SoftGrip^{*}. Engages all the fingers of the hand comfortably.
- 3 Wiregate clip for safe storage on a belt loop















WoodXpert[™] **Log Tools**

WoodXpert[™]Log Hook 1003624 Art.no. Height: 31cm Length: 4cm Width: 21cm Weight: 0,41kg Retailbox: 4 Oldart.no. 126021









- $\cdot \text{Ideal for lifting, transporting, handling and arranging logs, as well as} \\$ assisting during tree felling.
- ·Includes plastic sheath for easy transport on a tool belt.

WoodXpert	Log Tongs				Art.no.	1003625	z	6 4 1 1 5 0 1 2 6 0 3 1 4
Height: 38,3 cm	Length: 4cm	Width: 18 cm	Weight: 0,69 kg	Retailbox: 4	Oldart.no.	126031		6 4 1 1 5 0 1 2 6 0 3 1 4







- $\cdot \mbox{ldeal for lifting, transporting, handling and arranging logs.} \\ \cdot \mbox{lncludes plastic sheath for easy transport on a tool belt.}$

WoodXpert	[™] Tool Belt				Art.no.	1003626	Z	6 4 1 1 5 0 1 2 6 0 0 9 3
Height: 57cm	Length: 4,5 cm	Width: 9cm	Weight:0,24kg	Retailbox: 4	Oldart.no.	126009		6 4 1 1 5 0 1 2 6 0 0 9 3



- Tool belt for attaching log hooks and tongs. Ergonomic support for the back.
- ·Firm double tightening.

FISKARS XA220

WoodXpert[™] Sappies

Fiskars WoodXpert[™] sappies are ideal for ergonomic, backfriendly handling of logs, e.g., lifting, transporting, arranging and turning logs during wood preparation. Developed with

professional lumberjacks in mind, these tools feature an emphasis on lightweight performance, excellent grip and superior tool blade development, making them ideal for working longer with heavier logs.



Features & benefits

- Hooked steel beak with a toothed inlay ensures solid grip
- Ultralight and durable Fiber Comp shaft minimises fatique and makes the shaft virtually unbreakable
- 3 Hooked handle with SoftGrip for comfortable, non-slip grip











WoodXpert[™] Sappies







WoodXpert [™] Sappie (XA22)						1003623	Z	6411501 260079
Height: 77,5 cm	Length: 3,5 cm	Width: 23cm	Weight: 0,80 kg	Retail box: 2	Oldart.no.	126007		6 4 1 1 5 0 1 2 6 0 0 7 9





- For lifting and transporting larger logs.
- For handling and arranging wood piles.
 For turning of large logs.

Yard clearing Tools

Features & benefits

- Blade curve offers pull cutting for removing suckers and clearing vines
- 2 Hardened steel blade holds its sharp edge
- 3 Coarse saw edge cuts fibrous plants or woody branches
- 4 Finger guard for safety during use
- Textured SoftGrip handles fits the natural shape of your hand











Solid[™] Yard Clearing Tools

Solid [™] Billho	Solid [™] Billhook Saw						
Height: 54cm	Length: 18,8 cm	Width: 4,5 cm	Weight: 0,68 kg	Retailbox: 4	Oldart.no	EA	6 4 1 1 5 0 1 7 0 2 1 4 2



- ${\boldsymbol{\cdot}} \, \mathsf{Designed} \, \mathsf{for} \, \mathsf{fast}, \mathsf{powerful} \, \mathsf{clearing} \, \mathsf{of} \, \mathsf{thick} \, \mathsf{vegetation}.$
- · Blade is curved for quick pull cuts.
- One-handed use leaves other hand free to grab and pile cuttings.
- $\cdot \mathsf{Textured}\,\mathsf{SoftGrip}^{\texttt{w}}\,\mathsf{handle}\,\mathsf{helps}\,\mathsf{prevent}\,\mathsf{blisters}.$

Solid [™] Mach	ete				Art.no.	1051235	z	
Height: 70 cm	Length: 18,8cm	Width: 4,5cm	Weight: 0,89 kg	Retailbox: 4	Oldart.no.	-	120	6 411501 702166



- · Clear large areas of brush, cut thick branches and power through fibrous stems.
- · Curved blade profile prevents blade from sticking.
- One-handed use leaves other hand free to grab and pile cuttings. Textured SoftGrip" handle helps prevent blisters.

Solid [™] Mach	ete Axe				Art.no.	1051236	EAN	
Height: 80,5cm	Length: 18,8 cm	Width: 4,5 cm	Weight: 1,08kg	Retailbox: 4	Oldart.no.	-	73	6"411501"702173



- $\boldsymbol{\cdot}$ Clear thick brush, chop roots, cut branches and more.
- ${\boldsymbol \cdot} \, \mathsf{Axe-like} \, \mathsf{blade} \, \mathsf{head} \, \mathsf{provides} \, \mathsf{powerful}, \mathsf{controlled} \, \mathsf{chopping} \, \mathsf{and} \,$ splitting.

 • Blade is curved for quick pull cuts.

 • One-handed use leaves other hand free to grab and pile cuttings.

- Textured SoftGrip handle helps prevent blisters.

Saws

To make sawing as easy as possible, you need a reliable saw that is up to the task. We have a variety of saws ranging from saws that cut stems and thicker branches to saws with curved noses for cutting in hard-to-reach or difficult positions.

Xtract[™] Saws

Fiskars Xtract" saws feature a unique, retractable mechanism and include an integrated belt clip for safe and easy transport and storage. Hardened steel blades ensure a long lifetime of sharpness, while a SoftGrip" handle with finger guard ensures a safe grip.



Plus Folding saws

Fiskars Plus" folding saws feature three cutting positions to allow you to approach every cut from the best angle. Power Tooth" blades have razor-sharp, triple-ground teeth for quick and clean cutting, and a secure locking mechanism also holds the blade closed for safe storage and transport.



Fixed blade saws

Fiskars fixed blade saws feature a highly efficient tooth profile for fast, accurate sawing. Impulse-hardened blades stay sharper longer, while a SoftGrip" ergonomic curved handle with finger guard ensures a safe and comfortable grip.



Bow Saws

Fiskars bow saws are excellent for sawing stems and thicker branches. A curved nose enables cutting in hard-to-reach or difficult positions. Bow saws also cut on both the push and pull stroke for efficient sawing.



Saws

Fiskars saws have teeth designed especially for wood. They allow you to prune branches and clear foliage in difficult positions safely with a lightweight saw. Fiskars Xtract™ range features a unique retractable mechanism and integrated belt clip making them safe to carry and easy to store.

Xtract[™] Saws

Xtract [™] Garden Saw, L (SW75)						1000614	EAN
Height: 39 cm	Length: 4cm	Width: 9cm	Weight: 0,23 kg	Retailbox: 4	Oldart.no.	123880	6 4 1 1 5 0 1 2 3 8 8 0 1
	F 7	EKFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF	VPA Georgia	eddot design award	·Blade leng	saws fresh wood. yth 255 mm. capacity up to 220 mr	n





		 Efficiently saws fresh woo Blade length 160 mm.
		O .
Geprüfte Sinherheit	reddot design award	 Cut capacity 120 mm.

Xtract [™] Buile	der's Saw (S\	N72)			Art.no.	1000612	
Height: 27,5 cm	Length: 3,5 cm	Width: 9cm	Weight: 0,12 kg	Retailbox: 4	Oldart.no.	123860	6 411501 238603





- · Fine teeth for dry wood, boards and wood strips.
- ·Blade length 160 mm.
- ·Cut capacity 120 mm.

Folding & Fixed Blade Saws

Plus Folding	g Saw SW69				Art.no.	1067553	Z	
Height: 33 cm	Length: 2,8cm	Width: 12 cm	Weight: 0,31kg	Retailbox: 4	Oldart.no.	-	<u> </u>	6" 4 1 1 5 0 1" 2 0 1 3 4 8"





- $\cdot \, \mathsf{Ideal} \, \mathsf{for} \, \mathsf{quick}, \mathsf{clean} \, \mathsf{cuts} \, \mathsf{through} \, \mathsf{thick} \, \mathsf{stems} \, \mathsf{and} \, \mathsf{branches}.$
- $\boldsymbol{\cdot} \textbf{3} \, \text{cutting positions: under cut for clean starting cuts, straight for}$ general cuts and pistol-grip for added leverage.
- •Blade length: 200 mm •Spare part available: 1067555.

Plus Folding		Art.no.	1067552	z				
Height: 26,9 cm	Length: 2,8cm	Width: 12cm	Weight: 0,25 kg	Retailbox: 4	Oldart.no.	-	Ē	6 4 1 1 5 0 1 2 0 1 3 3 1





- $\cdot \, \mathsf{Ideal} \, \mathsf{for} \, \mathsf{quick}, \mathsf{clean} \, \mathsf{cuts} \, \mathsf{through} \, \mathsf{thick} \, \mathsf{stems} \, \mathsf{and} \, \mathsf{branches}.$
- •3 cutting positions: undercut for clean starting cuts, straight for general cuts and pistol-grip for added leverage. ·Blade length: 150 mm
- · Spare part available: 1067554.

Professional Pruning Saw (SW-330)						1020199	Z	
Height: 59 cm	Length: 4,9cm	Width: 16,4cm	Weight: 0,23kg	Retailbox: 4	Oldart.no.	123330	Ä	6 411501 233301





- Lightweight 230 g.Professional quality carbon steel blades, SK5.
- ·Blades for every task.
- · Balanced weight distribution.
- · Hollow grinded blade.
- $\cdot \text{Integrated sawdust removal teeth}.$
- Sturdy grip with SoftGrip*.

 Easy maintainability, all parts are replaceable.

 Spare parts available: 1020202, 1020201, 1020193, 10202197,
- 1020194 and 1020198

Professional Pruning Saw (SW-240)						1020200	Z	
Height: 59 cm	Length: 4,9cm	Width: 16,4cm	Weight: 0,20 kg	Retailbox: 4	Oldart.no.	123240	<u> </u>	6 411501 232403





- ·Lightweight 200 g.
- · Professional quality carbon steel blades, SK5.
- · Blades for every task.
- · Balanced weight distribution.
- · Hollow grinded blade.
- Integrated sawdust removal teeth.Sturdy grip with SoftGrip*.
- · Easy maintainability, all parts are replaceable.
- · Spare parts available: 1020202, 1020201, 1020193, 10202197, 1020194 and 1020198

Fixed Blade Saw (SW84)						1001620	Z	
Height: 50 cm	Length: 2,5cm	Width: 9,5 cm	Weight: 0,34kg	Retailbox: 4	Oldart.no.	123840		6 4 1 1 5 0 1 2 3 8 4 0 5





- · Ideal for clean cuts of branches and stems.
- ·Blade length 320 mm.
- · Cut capacity 150 mm.

21" Bow Say	w (SW30)				Art.no.	1001621	Z	702264 141004
Height: 62,5 cm	Length: 1,9 cm	Width: 21,5 cm	Weight: 0,47 kg	Retailbox: 4	Oldart.no.	124800	Ë	5 7 0 2 2 6 4 1 4 1 0 0 4



- \bullet Excellent for sawing 10-20 cm stems and branches.
- ·Spare part available: 1001706.

24" Bow Sa	w (SW31)				Art.no.	1000615	N N N N N N N N N N N N N N N N N N N
Height: 70 cm	Length: 1,9 cm	Width: 21,5 cm	Weight: 0,60 kg	Retailbox: 4	Oldart.no.	124810	5 702264 141011



- $\bullet \, \text{Excellent for sawing} \, \text{>} 20 \, \text{cm} \, \text{stems} \, \text{and thicker} \, \text{branches}.$
- ·Spare part available: 1001707.

Splitting Tools, Sledge Hammers & Wedges

Sledge Hammer, L						1001619	₽ ∭	
Height: 90cm	Length: 5,6 cm	Width: 14 cm	Weight: 4,1kg	Retailbox: 2	Oldart.no.	120040	6 4	11501 200402





- \cdot Delayed burring and less risk of chipping due to rounded edges on the striking surface.
- ·Less jarring from mis-hits due to rubber mis-hit guard.
- $\cdot \text{Greater resistance and comfort due to fiberglass core and elastomeric, anti-slip, anti-vibration handle. } \\$

Sledge Han	nmer, XL		Art.no.	1001431			
Height: 90cm	Length: 6cm	Width: 15 cm	Weight: 5,1kg	Retailbox: 2	Oldart.no.	120030	6 411501 200303





- \cdot Delayed burring and less risk of chipping due to rounded edges on the striking surface.
- · Less jarring from mis-hits due to rubber mis-hit guard.
- Greater resistance and comfort due to fiberglass core and elastomeric, anti-slip, anti-vibration handle.

Sledge Har	mmer, XXL				Art.no.	1001618	Z	
Height: 90cm	Length: 7cm	Width: 16,5 cm	Weight: 5,8kg	Retail box: 2	Oldart.no.	120028	EA	6 4 1 1 5 0 1 2 0 0 2 8 0





- $\cdot \, \mathsf{Delayed} \, \mathsf{burring} \, \mathsf{and} \, \mathsf{less} \, \mathsf{risk} \, \mathsf{of} \, \mathsf{chipping} \, \mathsf{due} \, \mathsf{to} \, \mathsf{rounded} \, \mathsf{edges} \, \mathsf{on}$ the striking surface.
- Less jarring from mis-hits due to rubber mis-hit guard.
 Greater resistance and comfort due to fiberglass core and elastomeric, anti-slip, anti-vibration handle.

Helicoidal Splitting Wedge SAFE-T						1001615	3	6"411501"200211
Height: 26 cm	Length: 6,5 cm	Width: 6,5 cm	Weight: 2,15 kg	Retailbox: 4	Oldart.no.	120021	 	6 4 1 1 5 0 1 2 0 0 2 1 1





- $\cdot \, \text{Helicoidal shape makes the wood burst more easily, eliminating the} \,$
- need to use several wedges.

 Highly-resistant, polyamide striking surface and metal ring.

 Reduced risk of flying particles also eliminates the need to maintain the striking surface to remove burring.

Spare Striking Surface					Art.no.	1001616	3"157331"221516
Height: 6,5cm	Length: 4,5cm	Width: 6,5cm	Weight: 0,30 kg	Retailbox: 1	Oldart.no.	122151	3 157331 221516



 \cdot Replaceable striking surface for Helicoidal Splitting Wedge SAFE-T (article No 1001615).

Splitting Wedge Drop Forged					Art.no.	1001614	z	6411503 164603
Height: 20,5cm	Length: 5,2cm	Width: 8cm	Weight: 0,71kg	Retail box: 4	Oldart.no.	120010	12	6 411503 164603



- · For splitting difficult logs.
- · Forged steel.
- · Lightweight.

Splitting Wedge Helicoidal						1000600	z
Height: 21cm	Length: 6cm	Width: 4,5 cm	Weight: 2,20 kg	Retail box: 4	Oldart.no.	120020	6 411501 200204



- · Helicoidal shape makes the wood burst more easily, eliminating the need to use several wedges.
- Rounded head helps eliminate material fragmentation.
- Anti-return slot.
- · Forged steel.

Knives

Fiskars designs knives for a range of smaller gardening applications. Their hard-wearing blades are made from stainless steel to ensure years of trouble-free operation.

Utility Knife	(K40)				Art.no.	1001622	z	6"411502"870628"
Height: 22,2cm	Length: 3,3 cm	Width: 9cm	Weight: 0,07kg	Retailbox: 4	Oldart.no.	125860	Ä	6 4 1 1 5 0 2 8 7 0 6 2 8
			■ Dec	ian Zentrum				



Design Zentrum Nordrhein Westfalen Design-Innovation

- · General purpose knife with plastic sheath.
- Ergonomically designed plastic handle with finger guard.
 Stainless steel blade, length 100 mm.

Hooked Grafting Knife (K62)						1001623	EAN	8 008220 020473
Height: 17 cm	Length: 1,2cm	Width: 2,3cm	Weight: 0,05kg	Retailbox: 4	Oldart.no.	125880	E/	8 008220 020473
• FISKARIS					·For taking laterals.	cuttings, picking flov	wers	and vegetables and cutting



- · Handle of recycled plastic attached with a brass rivet.
- ·Stainless steel blade.

Grafting Pe	n Knife (K60))			Art.no.	1001625	z
Height: 16,8cm	Length: 1,2 cm	Width: 2,3cm	Weight: 0,05 kg	Retailbox: 4	Oldart.no.	125900	8 008220 020497



- $\cdot \mathsf{Ideal}\,\mathsf{for}\,\mathsf{grafting}\,\mathsf{and}\,\mathsf{making}\,\mathsf{wooden}\,\mathsf{canes}\,\mathsf{for}\,\mathsf{holding}\,\mathsf{small}$ plants and bushes.
- · Handle of recycled plastic attached with a brass rivet.
- ·Stainless steel blade.

Mineral Wool Knife (K20)					Art.no.	1001626	Z	
Height: 42cm	Length: 1,8 cm	Width: 3,8 cm	Weight: 0,14 kg	Retailbox: 4	Oldart.no.	125870		6 411502 879027



- · For cutting mineral wool.
- · Ergonomically designed handle with finger guard.
- ·Stainless steel blade.

Make watering a joy

Waterwheels p.178

Hoses p.182

Sprinklers p.187

Spray Nozzles p.191


Connectors p.202

Accessories p.214









Choose the right product

for your watering needs


See the packaging symbols for garden size suggestions











Waterwheels

X-series [™] W	aterwheel X	L, automatic	with wheels		Art.no.	1067548	z IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII
Height: 60,0 cm	Length: 26,5 cm	Width: 50,0 cm	Weight: 11,50 kg	Retailbox: 1	Oldart.no.	1025066	6 411501 512598
1	A PRODU	(360°)	omatic 27 meters reach	VI	 Freestand watering ar 	ing placement and 3	ccessory storage locker. 360° rotation for an extra-wide





Height: 55,2cm



Length: 26,5 cm



Width: **50,0 cm**

reddot award 2019 best of the best





Weight: 10,50 kg



Retailbox: 1





· Automatic reel-in hose.

Oldart.no. 1025067

- Horizontal design prevents reel from tipping.
- · Can be wall mounted (wall mount sold separately).

Waterwheel Manual XL with wheels, all-in 1062256 Art.no. Height: 60,2 cm Length: 43,1cm Width: 49,3cm Weight: 6,95 kg Retailbox: 2 Oldart.no. -











- The Waterwheel XL Manual Reel is ready to use with all parts included and pre-installed.
- $\cdot \, \text{Included 13mm} \, \text{(1/2")} \, \text{outlet hose is 20m, connectors, hose nozzle.}$
- $\boldsymbol{\cdot} \textbf{Free-standing placement} \, \text{and} \, 360^{\circ} \, \text{rotation} \, \text{offer extra-wide}$ watering area, while horizontal in-use design prevents tipping.
 Oscillator evenly allocates hose while reeling in.
- · Durable construction for long-lasting use.
- · Universal fit Fits with other brands.

Waterwheel Manual XL with wheels, empty						1062257	z	
Height: 60,2cm	Length: 43,1cm	Width: 49,3cm	Weight: 4,05 kg	Retailbox: 2	Oldart.no.	-	1	6 4 1 1 5 0 1 5 1 2 3 7 6











- ·The Waterwheel XL Manual Reel comes empty, allowing you to choose the hose and accessories.
- •Reel has maximum hose capacity of 19mm (3/4") 30m, 15mm (5/8") 40 m and 13mm (1/2") 50m. •Free-standing placement and 360° rotation offer extra-wide
- watering area, while horizontal in-use design prevents tipping.
- · Oscillator evenly allocates hose while reeling in.
- · Durable construction for long-lasting use.
- $\cdot \text{Universal fit} \text{Fits with other brands}.$

Comfort Waterwheel L, with 30 m hose					Art.no.	1071670	Z	6 4 1 1 5 0 1 5 1 2 8 4 0
Height: 56,6cm Length: 25cm Width: 39,8cm Weight: 6,75kg Retailbox: 1					Oldart.no.	1025065		6 4 1 1 5 0 1 5 1 2 8 4 0











- ${\color{red} \bullet} \, \mathsf{Ready-to-go} \, \mathsf{set} \, \mathsf{with} \, \mathsf{handy} \, \mathsf{accessory} \, \mathsf{storage} \, \mathsf{locker}.$
- $\cdot \textit{Freestanding placement and } 360^{\circ} \textit{rotation for an extra-wide}$ watering area.
- Total reach up to 31,5 m.
- ·Durable 13 mm (1/2") hose.
- · Convenient reel cart for easy movement.
- · Easy to roll-out and recoil the hose.
- $\cdot {\sf Easy} \, to \, operate \, due \, to \, horizontal \, reel \, setting.$

Comfort Waterwheel M, with 20 m hose						1071639	z	
Height: 56,6 cm	Length: 25cm	Width: 39,8 cm	Weight: 5,60 kg	Retailbox: 1	Oldart.no.	1025935		6 4 1 1 5 0 1 5 1 2 8 3 3











- · Ready-to-go set with handy accessory storage locker.
- Freestanding placement and 360° rotation for an extra-wide watering area.
- · Total reach up to 21,5 m.
- · Durable 13 mm (1/2") hose.
- $\boldsymbol{\cdot} \text{Convenient reel cart for easy movement.}$
- Easy to roll-out and recoil the hose.
- Easy to operate due to horizontal reel setting.

Comfort Waterwheel S, with 15m hose Height: 44,4 cm Length: 16,1cm

Width: 39,0 cm

Weight: 3,02 kg Retailbox: 4 Oldart.no. 1025934

Art.no.





FENNIAPRIZE 17

HONOURABLE MENTION

15 360° Universal fit. Fits with other brands.



- · Ready-to-go set with handy accessory storage locker.
- Free horizontal placement and 360° rotation.
- · Total reach up to 15 m.
- Durable 9 mm (3/8") hose.
- $\cdot \text{Lightweight design}.$
- · Easy to roll-out and coil-in the hose.

1071660

- · Easy to operate due to horizontal reel setting.
- · Can be wall mounted (wall mount sold separately).

Solid[™] Waterwheel L, with 30 m hose

Height: 47,8 cm Length: 24,7 cm

Width: 47,8cm

Weight: 6,05 kg

Retailbox: 1

Oldart.no. -

Art.no.













- · Value-priced set contains 13 mm (1/2") hose, reel and accessories.
- Free-standing horizontal placement and 360° rotation offer extra-wide watering area.
- \cdot Total reach up to 31,5 m.
- · Compact size for easy movement.

1057238

1057237

Solid[™] Waterwheel M, with 20 m hose

Height: 47,8 cm

Length: 24,7 cm

Width: 47,8cm

Weight: 4,95 kg

Retailbox: 1

Oldart.no. -

Art.no.














- \cdot Value-priced set contains 13 mm (1/2") hose, reel and accessories.
- $\cdot \textit{Free-standing}\, \textit{horizontal}\, \textit{placement}\, \textit{and}\, 360^{\circ}\, \textit{rotation}\, \textit{offer}$
- extra-wide watering area.
 Total reach up to 21,5 m.
- · Compact size for easy movement.



Ideal for...

Hands-on watering tasks

Convenient manual watering and washing around the garden or patio








Stationary watering set-ups

Maximal efficiency of sprinklers and watering set-ups by sustaining water pressure and flow







Ideal for hands-on watering tasks



X-series [™] garden hose 13mm (1/2") 15m						1076044	8 4 1 1 5 0 1 7 0 6 9 0 4
Height: 7,2cm	Length: 34cm	Width: 34cm	Weight: 2 kg	Retailbox: 5	Oldart.no.	1027104	6 411501 706904











- · Convenient manual watering and washing around the garden or
- · High durability & high tangle resistance.
- Reliable & long-lasting performance.
 Color-coding for easy matching with connectors.
 Universal fit fits with other brands.

X-series [™] garden hose 13mm (1/2") 25m						1076045	z	6 4 1 1 5 0 1 7 0 6 9 1 1
Height: 9cm	Length: 38cm	Width: 38cm	Weight: 3,3 kg	Retailbox: 4	Oldart.no.	1027105		6 4 1 1 5 0 1 7 0 6 9 1 1











- · Convenient manual watering and washing around the garden or patio.
- $\cdot \mbox{High durability} \& \mbox{high tangle resistance}.$
- Reliable & long-lasting performance.
 Color-coding for easy matching with connectors.
- · Universal fit fits with other brands.

X-series [™] garden hose 13mm (1/2") 50m					Art.no.	1076046	Z	6 4 1 1 5 0 1 7 0 6 9 2 8
Height: 18cm Length: 38cm Width: 38cm Weight: 6,6kg Retailbox: 2					Oldart.no.	1027106		6 4 1 1 5 0 1 7 0 6 9 2 8













- · Convenient manual watering and washing around the garden or
- High durability & high tangle resistance.
- · Reliable & long-lasting performance.
- · Color-coding for easy matching with connectors.
- · Universal fit fits with other brands.

Height: 7,2 cm Length: 34 cm Width: 34 cm Weight: 1,8 kg Retailbox: 5 Oldart.no. 1027102	Solid [™] garden hose 13mm (1/2") 15m						1076049	EAN	6 411501 706959
	Height: 7,2 cm	Length: 34cm	Width: 34cm	Weight: 1,8 kg	Retailbox: 5	Oldart.no.	1027102	E/	6" 4 1 1 5 0 1" 7 0 6 9 5 9





Ø









- $\boldsymbol{\cdot} \textbf{Convenient manual watering and washing around the garden or } \\$ patio.
- ·Reliable performance.
- · Long-lasting no matter seasonal strains.
- · Color-coding for easy matching with connectors.
- · Universal fit fits with other brands.

Solid [™] garden hose 13mm (1/2") 25m						1076060	Z	
Height: 9cm Length: 37cm Width: 37cm Weight: 3kg Retailbox: 4						1027103		6 411501 706966











- · Convenient manual watering and washing around the garden or
- Reliable performance.
- · Long-lasting no matter seasonal strains
- $\cdot \hbox{Color-coding for easy matching with connectors}.$ ·Universal fit - fits with other brands.

Ideal for stationary watering set-ups



X-series [™] garden hose 19mm (3/4") 25m						1076047	z	6'41501'706935
Height: 18 cm	Length: 39cm	Width: 39 cm	Weight: 5,7 kg	Retailbox: 2	Oldart.no.	1027110	Ĭ	6 4 1 1 5 0 1 7 0 6 9 3 5











- · Maximal efficiency of sprinklers and watering set-ups by sustaining water pressure and flow.
- · High durability & high tangle resistance.
- · Reliable & long-lasting performance.
- ${\boldsymbol{\cdot}} \operatorname{Color-coding} \operatorname{for} \operatorname{easy} \operatorname{matching} \operatorname{with} \operatorname{connectors}.$
- · Universal fit fits with other brands.

X-series [™] garden hose 19mm (3/4") 50m						1076048	Z	6"411501"706942"
Height: 33cm	Length: 39cm	Width: 39 cm	Weight: 11,4 kg	Retailbox: 2	Oldart.no.	1027111		6 4 1 1 5 0 1 7 0 6 9 4 2











- · Maximal efficiency of sprinklers and watering set-ups by sustaining water pressure and flow.
- · High durability & high tangle resistance.
- · Reliable & long-lasting performance.
- Color-coding for easy matching with connectors.
 Universal fit fits with other brands.

Solid [™] garde	Solid [™] garden hose 19mm (3/4") 15m						z	
Height: 12cm	Length: 38 cm	Width: 38cm	Weight: 3,21kg	Retailbox: 3	Oldart.no.	1027109	Ä	6 411501 706973











- · Maximal efficiency of sprinklers and watering set-ups by sustaining water pressure and flow.
- · Reliable performance.
- $\cdot \text{Long-lasting no matter seasonal strains}.$
- Color-coding for easy matching with connectors.
 Universal fit fits with other brands.

Solid [™] garden hose 19mm (3/4") 25m						1076062	Z	6"411501"706980"
Height: 18 cm	Length: 39cm	Width: 39 cm	Weight: 5,35 kg	Retailbox: 2	Oldart.no.	1027100		6 411501 706980











- · Maximal efficiency of sprinklers and watering set-ups by sustaining water pressure and flow.
- Reliable performance.
 Long-lasting no matter seasonal strains.
- · Color-coding for easy matching with connectors.
- · Universal fit fits with other brands.

Solid [™] garden hose 19mm (3/4") 50m						1076063	Z	6"411501"706997"
Height: 33cm Length: 38cm Width: 39cm Weight: 10,7kg Retailbox: 2					Oldart.no.			6 411501 706997













- · Maximal efficiency of sprinklers and watering set-ups by sustaining water pressure and flow.
- · Reliable performance.
- · Long-lasting no matter seasonal strains.
- · Color-coding for easy matching with connectors.
- · Universal fit fits with other brands.

Hose sets
















- Durable wall-mounting unit, made of FiberComp[®].
 Fasteners included for wall-mounting.

- · Weather resistant.
- $\boldsymbol{\cdot} \textbf{Colour coded for easy matching between hose and connector.}$

Hose Set, 13	8m	Art.no. 1057621	Z	6" 4 1 1 5 0 1" 5 1 1 9 5 9			
Height: 29,5 cm	Length: 26,5 cm	Width: 4,2cm	Weight: 0,41kg	Retailbox: 6	Oldart.no	1 4	6 411501 511959












- ·Connecting hose.
- ·Hose 13mm (1/2") 1.8m.
- Quick hose connector, 13mm-15mm (1/2-5/8") STOP.
- Quick hose connector, 13mm-15mm (1/2-5/8") FLOW. Tap connector Multi with Ø21mm (G 1/2"), Ø265 mm (G 3/4") and Ø333mm (G 1") threads.





Sprinklers

Fiskars sprinklers are easy to use and cover garden sizes from small to extra large, with a wide variety of easily adjustable spray areas.





















- · Provides adjustability to optimize water coverage
- · Intuitive, non-slip controls adjust distance and direction.
- · Infinite flow for full coverage control.
- · Easy, compact storage thanks to pivoting leg, easy cleaning.
- · Coverage max. 17m 19m (325m²)

1070834

· Universal quick connector, works with other brands

Comfort Oscillating sprinkler S-M

Length: 6,0 cm Height: 49,6cm Width: 9,8cm

Weight: 0,48 kg

Retailbox: 6

Oldart.no. -

Art.no.







- Provides adjustability to optimize water coverage
- Intuitive, non-slip controls adjust distance and direction
- · Infinite flow for full coverage control.
- · Easy, compact storage thanks to pivoting leg, easy cleaning.
- ·Coverage max. 15m 19m (285m2).
- · Universal quick connector, works with other brands.

Solid[™] Oscillating sprinkler M

Height: 45,6 cm Length: 5,3cm

Width: 8,3cm

Weight: 0,31kg

Retailbox: 6

1070835

Art.no.

Oldart.no. -













- ·Ideal for even watering of M-sized gardens and lawns.
- ·Intuitive controls adjust distance and direction.
- · Easy, compact storage thanks to pivoting leg, easy cleaning.
- ·Coverage max. 15m 19m (285m2).

1027050

· Universal quick connector, works with other brands.

Pulsating Sprinkler, tripod base, On/Off

Height: 23,7cm

Length: 9,2cm

Width: 24,5cm

Weight: 0,60 kg

Retailbox: 4

Art.no. Oldart.no. -







- · Innovative on/off valve stops water flow, allowing you to stay dry while making adjustments.
- Durable metal head has easy-to-adjust distance control, spray pattern control and rotation control to accurately water any area of your garden.
- · Adjust coverage diameter up to Ø 26 m.
- · Durable tripod base is ideal for hard soil and includes hanging loop for storage.
- · Universal fit Fits with other brands.

1027029

Pulsating Sprinkler, spike base, On/Off

Height: 35,5 cm

Length: 11,2 cm

Width: 18,5 cm

Weight: 0,48 kg


Retailbox: 4

Oldart.no. -

Art.no.







- Innovative on/off valve stops water flow, allowing you to stay dry while making adjustments.
- Durable metal head has easy-to-adjust distance control, spray pattern control and rotation control to accurately water any area of your garden.
- · Adjust watering area up to Ø 26 m.
- · Durable metal spiked base offers added stability.
- Universal fit Fits with other brands.

1023656

Impulse Sprinkler, metal with wheels

Height: 23,5 cm

Length: 8,0 cm

Width: **25,5 cm**

Weight: 0,94kg

Retailbox: 6

Oldart.no. -

Art.no.







- · Durable metal sprinkler has easy-to-adjust distance control, pattern control and rotation control to accurately water any area.
- Pattern adjusts from heavy stream to rain.
- · Adjust spray distance up to Ø 26 m.
- · Metal triangular base adds stability and wheels allow for easy movement around the garden.
- · Universal fit Fits with other brands.

1023658

Impulse Sprinkler, metal

Height: 36,0 cm

Length: 6,6 cm

Width: 19,5 cm

Weight: 0,47kg


Retailbox: 6

Oldart.no. -

Art.no.







- Durable metal sprinkler has easy-to-adjust distance control, pat-
- tern control and rotation control to accurately water any area.
- · Pattern adjusts from heavy stream to rain.
- · Adjust spray distance up to Ø 26 m.
- Metal spike base.
- · Universal fit Fits with other brands.

Whirling Sprinkler, metal with wheels

Length: 8,5 cm Width: 26,5 cm Weight: 0,84 kg Retailbox: 6 Oldart.no. -

Art.no.





Height: 24,0 cm



- · Gentle, even, rain-like watering for small and targeted areas.
- · Durable metal head.
- Triangular base adds stability and wheels allow for easy movement around the garden.
- Watering area up to Ø 13 m.
 Universal fit Fits with other brands.

Stationary Sprinkler, round

Height: 17,5 cm Length: 4,2cm Width: 11,5 cm

Weight: 0,46 kg

Retailbox: 6

1023663 Art.no.





- · Gentle, light, round spray pattern is perfect for small gardens and
- · Round spray pattern with watering area up to 85 meters.
- · Durable metal body.
- ·Rustresistant.

Oldart.no. -

·Universal fit - Fits with other brands.

1023664

Stationary Sprinkler, square

Height: 17,5 cm

Length: 4,2cm

Width: **11,5 cm**


Weight: 0,48kg

Retailbox: 6

Oldart.no. -

Art.no.





- $\cdot \text{Gentle, light, square spray pattern is perfect for small gardens and} \\$
- \bullet Square spray pattern with watering area up to 9 x 9 meters.
- · Durable metal body.
- ·Rust resistant.
- · Universal fit Fits with other brands.

Soaker Hose, 15 m

Height: 38,0 cm

Length: 36,0 cm

Width: 6,5cm

Weight: 1,63 kg

Retailbox: 2

Oldart.no. -

Art.no.


















·Reduce water usage by up to 70%.

1025935

- \cdot 15 m hose length.
- ·Can be cut to right length using scissors. • Flow control valve for adjusting water flow & pressure.
- · Pack includes 5 metal clamps for effortless mounting.
- ·UV protected.



FiberComp[™] Spray guns





Height: 20,4cm

Length: 20,8 cm

Width: 3,7cm

Weight: 0,23 kg

Retailbox: 5









Oldart.no. -

1067193

Art.no.

· Removable water filter and universal fit - fits with other brands


- Comp™ handle with integrated metal for enhanced strength · Offers infinitely adjustable flow and locks for extended use
- · Exchangeable SoftGrip™ nozzle head that provides a jet or rinse

· Features an ergonomic and 2x more durable front-control Fiber-

- Resists damage due to frost and stays warmer than metal handles in cold temperatures
- · Removable water filter and universal fit fits with other brands



Comfort Spray guns



Retailbox: 5



Length: 5,6 cm

Width: 20,0 cm

Height: 20,0 cm



Weight: 0,19 kg

- · Features an ergonomic front control handle which offers infinitely adjustable flow and locks for extended use
- Rotate the exchangeable SoftGrip" nozzle head to select a jet, mist or shower spray pattern
- · Resists damage due to frost and stays warmer than metal nozzles in cold temperatures
- ·Universal fit fits with other brands

Art.no.

Oldart.no. -

Spray gun a	djustable, Fr	ont control			Art.no.	1065484	z	
Height: 20,0 cm	Width: 20,6cm	Oldart.no.	-	Ш	6 411501 512406			







- · Features an ergonomic front control handle which offers infinitely adjustable flow and locks for extended use
- ∙ Rotate the exchangeable SoftGrip™ nozzle head to select a jet or rinse spray pattern
- Resists damage due to frost and stays warmer than metal nozzles in cold temperatures
- · Universal fit fits with other brands



NEW! Comfort Spray guns - Thumb control










- $\cdot \text{Features an ergonomic thumb control handle with infinitely adjustable water flow} \\$
- Rotate the exchangeable SoftGrip[™] nozzle head to select a jet or rinse spray pattern
- Resists damage due to frost and stays warmer than metal nozzles in cold temperatures
- Universal fit fits with other brands

in cold temperatures

· Universal fit - fits with other brands




Watering Wands & Nozzles





- · Durable integrated aluminium shaft and 180° pivoting head
- $\cdot \, \text{Rotate the exchangeable SoftGrip"} \, \text{nozzle head to select a jet, mist}$ or shower spray pattern
- Resists damage due to frost and stays warmer than metal nozzles in cold temperatures
- · Universal fit fits with other brands





Length: 6,8 cm

Width: 3,6cm

Height: 15,8 cm



Retailbox: 8

Weight: 0,06 kg

· Smoothly adjustable spray pattern.

Oldart.no. -


- $\boldsymbol{\cdot} \, \mathsf{Rotate} \, \mathsf{the} \, \mathsf{SoftGrip}^{\scriptscriptstyle \mathsf{T}} \mathsf{nozzle} \, \mathsf{to} \, \mathsf{select} \, \mathsf{jet} \, \mathsf{or} \, \mathsf{rinse} \, \mathsf{spray} \, \mathsf{pattern}.$
- $\boldsymbol{\cdot} \, \text{Resists damage due to frost and stays warmer than metal nozzles} \,$ in cold temperatures.
- Universal fit Fits with other brands.



Spray guns







Solid[™] Spray guns

Solid™Spray gun, multi Art.no. 1070836 Height: 21,0 cm Length: 9,0 cm Width: 19,2 cm Weight: 0,23 kg Retail box: 4 Oldart.no.





- Lightweight handle with front flow control which locks for comfortable extended use
- $\boldsymbol{\cdot}$ Rotate the non-slip nozzle head to select a shower, flat or jet spray pattern.
- Frost resistant when drained and handle stays warmer than metal handles in cold temperatures.
- · Universal fit fits with other brands.

Solid [™] Spray	gun, showe	er	Art.no. 1070837	E 6 4 1 1 5 0 1 5 1 2 7 8 9		
Height: 20,0 cm	Length: 5,6cm	Width: 20,0 cm	Weight: 0,18 kg	Retailbox: 5	Oldart.no	6 411501 512789





- $\,\cdot$ Lightweight handle with front flow control which locks for comfortable extended use.
- Gentle shower pattern is ideal for rain-like watering.
 Frost resistant when drained and handle stays warmer than metal handles in cold temperatures.
- · Universal fit fits with other brands.

Solid [™] Spray gun, adjustable						Art.no. 1070838		
Height: 20,0 cm	Length: 3,7cm	Width: 20,6cm	Weight: 0,18 kg	Retailbox: 5	Oldart.no.	-	6 4 1 1 5 0 1 5 1 2 7 9 6	





- · Lightweight handle with front flow control which locks for comfortable extended use.
- Rotate the non-slip nozzle head to adjust from jet-shower to rinse spray pattern.
- Frost resistant when drained and handle stays warmer than metal handles in cold temperatures.
- $\cdot \, \text{Universal fit--fits with other brands}.$


Nozzle Sets

Comfort Precision Watering starter set





- · Ideal for precise watering of flower beds, grass patches, saplings and any other task that requires very targeted watering.
- $\cdot \, \text{Includes an adapter, a spike sprinkler stand, a spray gun handle and} \\$ a multi-function nozzle head.
- ·Use as a precise stationary sprinkler or as a regular, multi-function spray gun for meeting a variety of watering needs.
- ·On/off/flow control valve on spike sprinkler stand provides addi-



Mix & Match - Handles

FiberComp™ Nozzle handle, Front control Art.no. 1067196 Height: 22,8cm Length: 10,0cm Width: 3,7cm Weight: 0,18kg Retailbox: 4 Oldart.no. Coldart.no. Colda











- Fits with Fiskars nozzle items 1067193, 1067194, 1067195, 1059236, 1059237, 1059238, 1065484, 1065483, 1065482, 1065487, 1065486, 1065485, 1065489 and 1065488.
- Ergonomic and 2x more durable front-control FiberComp" handle with integrated metal for enhanced strength
- Offers infinitely adjustable flow and locks for extended use
 Resists damage due to frost and stays warmer than metal handles in cold temperatures
- · Removable water filter and universal fit fits with other brands

Nozzle/wand handle, Front control						1065490	z	
Height: 22,0 cm	Length: 3,7cm	Width: 10 cm	Weight: 0,12kg	Retailbox: 4	Oldart.no.	-		6 4 1 1 5 0 1 5 1 2 4 6 8









- Fits with Fiskars nozzle items 1067193, 1067194, 1067195, 1059236, 1059237, 1059238, 1065484, 1065483, 1065482, 1065487, 1065486, 1065485, 1065489 and 1065488.
- Ergonomic front-control handle which offers infinitely adjustable flow and locks for extended use
- Resists damage due to frost and stays warmer than metal handles in cold temperatures
- · Universal fit fits with other brands

Nozzle/wand handle, Thumb control						1065491	z	
Height: 23,0 cm	Length: 7,0 cm	Width: 4,0cm	Weight: 0,10 kg	Retailbox: 6	Oldart.no.	-		6 411501 512475










- Fits with Fiskars nozzle items 1067193, 1067194, 1067195, 1059236, 1059237, 1059238, 1065484, 1065483, 1065482, 1065487, 1065486, 1065485, 1065489 and 1065488.
- Ergonomic thumb control handle with infinitely adjustable water flow
- \bullet Resists damage due to frost and stays warmer than metal handles in cold temperatures
- · Universal fit fits with other brands

Mix & Match - Spray gun heads

Width: 7cm





Height: 10,8cm

Spray gun head, 3-functional

Length: 7,8cm



Retailbox: 6

Weight: 0,08 kg

• 3-function SoftGrip" nozzle head with jet, shower or mist pattern.
• Fits with Fiskars nozzles and wands 1065484, 1065483, 1065482, 1065487, 1065486, 1065485, 1065489, 1065488, 1065490, 1065491, 1067193, 1067194, 1067195, 1067196.

1059237

Art.no.


Oldart.no. -


Spray gun head, adjustable nozzle					Art.no.	1059236	z	6'411501'511997
Height: 10,6 cm	Length: 5,1cm	Width: 5,1cm	Weight: 0,06 kg	Retailbox: 8	Oldart.no.	-	É	6 411501 511997






Adjustable SoftGrip nozzle head with jet or rinse spray pattern.
Fits with Fiskars nozzles and wands 1065484, 1065483, 1065482, 1065487, 1065486, 1065485, 1065489, 1065488, 1065490, 1065491, 1067193, 1067194, 1067195, 1067196.





you need from tap to plant



Universal fit

Already own watering products from other brands? No problem. Our watering products are designed to fit with other brands.



Connectors & adapters

Comfort Twin tap connector, On/Off Art.no. 1070577 Height: 20,5cm Length: 5,1cm Width: 15,7cm Weight: 0,22kg Retailbox: 4 Oldart.no.



- Splits one water source into two connections with independent flow control valves.
- \bullet The quick connector ends can be screwed off for $3\!4\!"$ connection possibility (e.g. timers).
- Fits 3 tap thread sizes: Ø 21 mm (G 1/2"), Ø 26.5 mm (G 3/4"), Ø 33.3 mm (G 1").
- · Universal fit fits with other brands.

Comfort 3-way tap connector, On/Off						1070578	z	6 4 1 1 5 0 1 5 1 2 6 9 7
Height: 20,5 cm	Length: 5,1cm	Width: 22,2cm	Weight: 0,31kg	Retailbox: 4	Oldart.no.	-		6 4 1 1 5 0 1 5 1 2 6 9 7




- Splits one water source into three connections with independent
- The quick connector ends can be screwed off for \$'' connection possibility (e.g. timers).
- Fits 3 tap thread sizes: Ø 21 mm (G 1/2"), Ø 26.5 mm (G 3/4"), Ø 33.3 mm (G 1").
- · Universal fit fits with other brands.

Twin tap Connector, multi					Art.no.	1027061	z	411501 510860
Height: 15,8cm	Length: 11,8 cm	Width: 4,5cm	Weight: 0,09 kg	Retailbox: 8	Oldart.no.	-	6	411501 510860





- Tap connector provides secure seal from two hoses to water source
- \cdot Individual flow control valves allow you turn water pressure on or off independently.
- · Includes three thread sizes to fit most common faucets, Ø 21 mm (G 1/2"), Ø 265 mm (G 3/4") and Ø 333 mm (G 1").
- · Easy-to-twist design.
- ·Universal fit Fits with other brands.



Tap connectors











- ·FiberComp™is 2x more durable than standard plastic connectors. · Includes three thread sizes to fit most common faucets, \emptyset 21mm (G 1/2"), Ø 265 mm (G 3/4") and Ø 333 mm (G 1").
- · Easy-to-handle, ergonomic design.
- · Universal fit Fits with other brands.

Tap Connec		Art.no.	1027051	z	6 4 1 1 5 0 1 5 1 0 7 6 1			
Height: 11,6cm	Length: 6,8cm	Width: 4,2cm	Weight: 0,02kg	Retailbox: 8	Oldart.no.	-	EA	6 4 1 1 5 0 1 5 1 0 7 6 1







- · Tap connector provides secure seal from hose to water source.
- \cdot Includes three thread sizes to fit most common faucets, Ø 21 mm (G 1/2"), Ø 265 mm (G 3/4") and Ø 333 mm (G 1").
- $\cdot \mathsf{Easy-to-twist}\, \mathsf{design}.$
- ·Universal fit Fits with other brands.

FiberCom	p [™] Tap Conne	ector G1/2" (2	Art.no. 1027053	EAN		
Height: 11,6cm	Length: 6,8cm	Width: 3,0 cm	Weight: 0,01kg	Retailbox: 12	Oldart.no	6 411501 510785
Fixer		red win	dot award 2019 1/2"	Universal fit. Fits with other brands. 2X MORE	hose.	design.









FiberComp	[™] Tap Connec	ctor G3/4" (26	6.5mm)		Art.no.	1027054	Z	
Height: 11,6cm	Length: 6,8cm	Width: 3,5cm	Weight: 0,01kg	Retailbox: 10	Oldart.no.	-	E/	6 411501 510792
3 au			Ø	Liniversal fit	·Tap conne	ctor provides water-1	tight:	seal from water source to













- FiberComp™ is 2x more durable than standard plastic connectors. ·Fits Ø 265 mm (G 3/4") faucets.
- · Easy-to-handle, ergonomic design.
- · Universal fit Fits with other brands.

FiberComp [™] Tap Connector G1" (33.3mm)					Art.no.	1027055	Z	6 4 1 1 5 0 1 5 1 0 8 0 8
Height: 11,6 cm	Length: 6,8cm	Width: 4,2cm	Weight: 0,01kg	Retailbox: 8	Oldart.no.	-		6 4 1 1 5 0 1 5 1 0 8 0 8











- · Tap connector provides water-tight seal from water source to
- FiberComp™ is 2x more durable than standard plastic connectors.
- ·Fits Ø 333 mm (G 1") faucets.
- · Easy-to-handle, ergonomic design.
- · Universal fit Fits with other brands.

Tap connectors

Comfort Precision Watering adapter set

Length: 4,2cm Width: 6,8cm Weight: 0,05 kg Retailbox: 8

Art.no. Oldart.no. -





Height: 13,2cm



- $\cdot \, \mathsf{Ideal} \, \mathsf{for} \, \mathsf{precise} \, \mathsf{watering} \, \mathsf{of} \, \mathsf{flower} \, \mathsf{beds}, \mathsf{grass} \, \mathsf{patches}, \mathsf{saplings} \,$ and any other task that requires very targeted watering
- · 2-piece set connects watering tools to sprinkler stands, creating precise stationary sprinklers.
- ·Includes universal quick connector adapter with 1/2" thread that connects to spray guns and most standard sprinkler stands, including spike and sled models.
- · Also includes Fiskars special adapter to attach to Fiskars nozzles, wands or pivot connectors.

Tap Connector, indoor M22x1/M24x1

Height: 13,6 cm Length: 6,8cm Width: 4,0 cm

Weight: 0,05 kg

Retailbox: 8

1027062

1070579











- $\cdot \, \mathsf{Durable} \, \mathsf{locking} \, \mathsf{system} \, \mathsf{provides} \, \mathsf{a} \, \mathsf{secure} \, \mathsf{connection} \, \mathsf{from} \, \mathsf{hose} \,$ to indoor faucet.
- Quick release allows you disconnect the hose by pressing two buttons.
- · Includes M22 female and M24 male thread metal adaptors.

Oldart.no. -

Art.no.

Oldart.no. -

· Universal fit - Fits with other brands.

Height: 11,6 cm

Length: 6,8cm

Width: 2,1cm

Weight: 0,01kg

Retailbox: 10

1027060 Art.no.







- $\cdot \, \text{Durable for everyday use to connect any} \, \varnothing \, 21 \, \text{mm} \, (G \, 1/2") \, \text{female}$ thread.
- · Suited for the garden or indoors. · Universal fit - Fits with other brands.
- **Extension Connector** 1027068 Art.no. Width: 3,2cm Height: 11,6 cm Length: 6,8cm Weight: 0,02kg Retailbox: 10 Oldart.no. -





- · For connecting hoses of differing diameters.
- · Works with all types and sizes of Quick Hose Connectors.
- · Universal fit Fits with other brands.

3-way Connector						1027070	Z	
Height: 11,6 cm	Length: 6,8cm	Width: 2,0 cm	Weight: 0,02kg	Retail box: 12	Oldart.no.	-	/ <u>E</u> /	6" 4 1 1 5 0 1" 5 1 0 9 5 2"





- · Directs one watering supply to 2 separate hoses.
- · Works with all types and sizes of Quick Hose Connectors.
- · Universal fit Fits with other brands.

Hose connectors - Flow

FiberComp[™] Quick Connector, 13-15mm (1/2-5/8") FLOW Art.no. 1054786 Width: 3,9cm Weight: 0,03 kg Retailbox: 8 Height: 11,6 cm Length: 6,8 cm Oldart.no. -









- · Lightweight FiberComp™ construction, featuring 2x more durable
- · Frost resistant for all-weather durability.
- $\boldsymbol{\cdot} \textbf{Comfortable grip, even in cold weather, compared to metal}$
- · Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands.

Quick Connector, 13-15mm (1/2-5/8") FLOW					Art.no.	1027072	Z	6 411501 510976
Height: 11,6 cm	Length: 6,8cm	Width: 3,9 cm	Weight: 0,03 kg	Retailbox: 8	Oldart.no.	-		6 4 1 1 5 0 1 5 1 0 9 7 6









reddot award 2019 winner

- · Quick exchange of watering nozzles, wands, sprinklers and other
- $\textbf{\cdot} SoftGrip \texttt{''} touch points ensure secure handling, even when wet.$ ${\color{red} \boldsymbol{\cdot}} \, \text{Comfortable grip, even in cold weather, compared to metal} \,$ watering parts.
- · Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands.

FiberComp	[™] Quick Conr	nector, 19mm	(3/4") FLOW	/	Art.no.	1054787	z	
Height: 11,6 cm	Length: 6,8 cm	Width: 4,6cm	Weight: 0,04 kg	Retailbox: 8	Oldart.no.	-	E	6"411501"511744











- ·Lightweight FiberComp construction, featuring 2x more durable material.
- Frost resistant for all-weather durability.
- $\boldsymbol{\cdot} \text{Comfortable grip, even in cold weather, compared to metal} \\$ watering parts.
- · Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands.

Quick Con	nector, 19mr	m (3/4") FLO	W		Art.no.	1027074	z	
Height: 11,6cm	Length: 6,8cm	Width: 4,6cm	Weight: 0,04kg	Retailbox: 8	Oldart.no.	-	EAN	6 411501 510990
			19 mm (3/4")	Universal fit. Fits with other brands.	hose ends. ∙SoftGrip™	touchpoints ensur	e secu	es, wands, sprinklers and other re handling, even when wet.







- Comfortable grip, even in cold weather, compared to metal watering parts.
- · Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands.

Quick Connector, 9mm (3/8") FLOW						1027071	Z	6 411501 510969
Height: 11,6cm Length: 6,8cm Width: 3,9cm Weight: 0,03kg Retailbox: 8					Oldart.no.	-		6 4 1 1 5 0 1 5 1 0 9 6 9









reddot award 2019

- · Quick exchange of watering nozzles, wands, sprinklers and other hose ends.
- · SoftGrip" touchpoints ensure secure handling, even when wet. · Comfortable grip, even in cold weather compared to metal
- · Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands.

Hose connectors - Stop













- ·Internal stop mechanism stops water flow for exchange of water nozzles, wands, sprinklers and other hose ends.
- · Lightweight FiberComp™ construction, featuring 2x more durable
- · Frost resistant for all-weather durability.
- ${\color{red} \boldsymbol{\cdot}} \, \text{Comfortable grip, even in cold weather, compared to metal} \,$ watering parts.
- Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands.

Quick Connector, 13-15mm (1/2-5/8") STOP					Art.no.	1027079	Z	6"411501"511041
Height: 11,6cm Length: 6,8cm Width: 3,9cm Weight: 0,03kg Retailbox: 8					Oldart.no.	-		6 4 1 1 5 0 1 5 1 1 0 4 1










reddot award 2019





- ·SoftGrip[™] touchpoints ensure secure handling, even when wet. ${\color{red} \bullet} \textbf{Comfortable grip, even in cold weather, compared to metal}$ watering parts.
- · Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands

FiberComp [™] Quick Connector, 19mm (3/4") STOP						1054790	z	
Height: 11,6 cm	Length: 6,8cm	Width: 4,6cm	Weight: 0,04 kg	Retailbox: 8	Oldart.no.	-	M M	6"411501"511768
















 $\textbf{\cdot} Light weight \, Fiber Comp \^{}^{\texttt{w}} \, construction, featuring \, 2x \, more \, durable$

· Internal stop mechanism stops water flow for exchange of water

· Frost resistant for all-weather durability.

nozzles, wands, sprinklers and other hose ends.

- · Comfortable grip, even in cold weather, compared to metal
- Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands.















reddot award 2019

- ·Internal stop mechanism stops water flow for exchange of water nozzles, wands, sprinklers and other hose ends.
- · SoftGrip" touchpoints ensure secure handling, even when wet. · Comfortable grip, even in cold weather, compared to metal
- · Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands.

Hose connectors - On/Off









reddot award 2019 winner



- · Comfortable grip, even in cold weather, compared to metal watering parts.
- · Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands.

Hose Connector, On/Off 19mm (3/4")						1027087	Z	6"411501" 511126
Height: 15,8 cm	Length: 6,8cm	Width: 4,6cm	Weight: 0,08 kg	Retail box: 8	Oldart.no.	-	<u>1</u>	6 4 1 1 5 0 1 5 1 1 1 2 6











reddot award 2019 winner

- ·ON/OFF valve cuts water flow for exchange of water nozzles, wands, sprinklers and other hose ends. $\cdot SoftGrip \lq` touch points \, ensure \, secure \, handling, even \, when \, wet. \\$
- $\boldsymbol{\cdot} \text{Comfortable grip, even in cold weather, compared to metal}$ watering parts.
- · Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands.

Hose Connector, On/Off 9mm (3/8")						1027085	z	
Height: 15,8 cm	Length: 6,8cm	Width: 4,4 cm	Weight: 0,06 kg	Retailbox: 8	Oldart.no.	-	EA	6 411501 511102









reddot award 2019 winner

- ·On/off valve cuts water flow for exchange of water nozzles, wands, sprinklers and other hose ends.
- ·SoftGrip" touchpoints ensure secure handling, even when wet.
- · Comfortable grip, even in cold weather, compared to metal watering parts.
- · Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands.

Hose repairers













- · Lightweight FiberComp™ construction, featuring 2x more durable
- · Frost resistant for all-weather durability.
- $\boldsymbol{\cdot} \text{Comfortable grip, even in cold weather, compared to metal} \\$ watering parts.
- Colour coded for easy connecting to Fiskars hoses.
- ·Universal fit Fits with other brands.

Hose Repairer, 13-15mm (1/2-5/8")					Art.no.	1027064	Z	6 4 1 1 5 0 1 5 1 0 8 9 1
Height: 11,6cm	Length: 6,8cm	Width: 3,6cm	Weight: 0,02kg	Retailbox: 10	Oldart.no.	-		6 4 1 1 5 0 1 5 1 0 8 9 1









- $\boldsymbol{\cdot} \textbf{Comfortable grip, even in cold weather compared to metal}$ watering parts.
- Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands.





















- · Frost resistant for all-weather durability.
- · Comfortable grip, even in cold weather, compared to metal watering parts.
- Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands.

Hose Repai	irer, 19mm (3	/4")			Art.no.	1027066	EAN	6 4 1 1 5 0 1 5 1 0 9 1 4
Height: 11,6 cm	Length: 6,8cm	Width: 4,5 cm	Weight: 0,03kg	Retailbox: 8	Oldart.no.	-	E/	6 411501 510914
			9 19 mm (3/4")	Universal fit. Fits with other brands.		ole grip, even in cold		re handling, even when wet. ther compared to metal









reddot award 2019

- · Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands.

Hose Repairer, 9mm (3/8")						1027063	BAN	
Height: 11,6 cm	Length: 6,8cm	Width: 2,9cm	Weight: 0,02kg	Retail box: 12	Oldart.no.	-		6 4 1 1 5 0 1 5 1 0 8 8 4











- ·SoftGrip™touchpoints ensure secure handling, even when wet.
- Comfortable grip, even in cold weather, compared to metal watering parts.
- · Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands.

Connectors in shelf ready boxes

Quick Connector, 13-15mm (1/2-5/8") LB (min 30) Art.no. 1027073 Length: 3,9 cm Width: 3,9cm Weight: 0,03 kg Height: 6,4cm Retailbox: 30 Oldart.no. -











· Comes in loose box of 1027072 Quick hose connector, 13-15mm (1/2-5/8") FLOW 30 pc without product card, but with EAN sticker. · Universal fit - Fits with other brands.

Please note! The black retail box must be ordered separately, shipped as a set of 4 pcs (flatpacked), Product code: 1027677, EAN code: 6411501511386.

Height: 6,4cm Length: 3,9 cm

Width: 3,9cm

Weight: 0,03 kg

Retailbox: 30

Oldart.no.

Art.no.











- ·Quick exchange of watering nozzles, wands, sprinklers and other
- For hoses with Ø 13-15 mm (1/2-5/8").

1027076

- · Comes in loose box of 30 pc without product card, but with EAN sticker.
- · Universal fit Fits with other brands.

1027075

Please note! The black retail box must be ordered separately, shipped as a set of 4 pcs (flatpacked), Product code: 1027677, EAN code: 6411501511386.

Quick Connector, 19mm (3/4") LB (min 30)

Height: 6,8cm

Length: 4,6 cm

Width: 4,6 cm

Weight: 0,04kg

Retailbox: 30

Art.no. Oldart.no. -

Art.no.













reddot award 2019

· Comes in loose box of 1027074 Quick hose connector, 19mm (3/4") FLOW 30 pc without product card, but with EAN sticker.

Universal fit – Fits with other brands.

Please note! The black retail box must be ordered separately, shipped as a set of 4 pcs (flatpacked), Product code: 1027677, EAN code: 6411501511386.

Quick Connector, 19mm (3/4") LB (min 30)

Height: 6,8cm

Length: 4,6 cm

Width: 4,6 cm

Weight: 0,04kg

Retailbox: 30 Oldart.no. -

1027077









- · Quick exchange of watering nozzles, wands, sprinklers and other hose ends.
- · For hoses with Ø 19 mm (3/4").
- · Comes in loose box of 30 pc without product card, but with EAN
- · Universal fit Fits with other brands.

1027080

Please note! The black retail box must be ordered separately. shipped as a set of 4 pcs (flatpacked), Product code: 1027677, EAN code: 6411501511386.

Quick Connector, 13-15mm (1/2-5/8") STOP LB (min 30)

Height: 6,4cm

Length: 4,6cm

Width: 3.9 cm

Weight: 0,03kg

Retailbox: 30

Oldart.no. -

Art.no











· Comes in loose box of 1027079 Quick hose connector, 13-15mm (1/2-5/8") STOP 30 pc without product card, but with EAN sticker. Universal fit – Fits with other brands.

Please note! The black retail box must be ordered separately,

shipped as a set of 4 pcs (flatpacked), Product code: 1027677, EAN code: 6411501511386

Quick Connector, 13-15mm (1/2-5/8") STOP LB (min 30) Art.no. 1027083 Height: 6,4cm Length: 3,9cm Width: 3,9cm Weight: 0,03kg Retailbox: 30 Oldart.no. Universal fit. 13mm (1/2-5/8"). - Universal fit. 13mm (1/2-5/8"). - For hoses with 0/13-15 mm (1/2-5/8"). - Comes in loose box of 30 pc without product card, but with EAN sticker.











reddot award 2019 winner



· Universal fit - Fits with other brands.

code: 6411501511386.

 Universal fit – Fits with other brands.
 Please note! The black retail box must be ordered separately, shipped as a set of 4 pcs (flatpacked), Product code: 1027677, EAN code: 6411501511386.

Please note! The black retail box must be ordered separately, shipped as a set of 4 pcs (flatpacked), Product code: 1027677, EAN

Quick Connector, 19mm (3/4") STOP LB (min 30)					Art.no.	1027084	Z	6 4 1 1 5 0 1 8 5 1 1 0 9 6
Height: 6,8 cm	Length: 4,6 cm	Width: 4,6cm	Weight: 0,04kg	Retail box: 30	Oldart.no.	-		6 4 1 1 5 0 1 5 1 1 0 9 6










- Internal stop mechanism stops water flow for exchange of water nozzles, wands, sprinklers and other hose ends.
- For hoses with Ø 19 mm (3/4").
- Comes in loose box of 30 pc without product card, but with EAN sticker
- Universal fit Fits with other brands. Please note! The black retail box must be ordered separately, shipped as a set of 4 pcs (flatpacked), Product code: 1027677, EAN code: 6411501511386.

Tap connectors in shelf ready boxes









• Comes in loose box of 1027051 Tap connector, Multi 30 pc withou product card, but with EAN sticker.

· Universal fit – Fits with other brands.

Please note! The black retail box must be ordered separately, shipped as a set of 4 pcs (flatpacked), Product code: 1027677, EAN code: 6411501511386.

Tap Connector G1/2" (21mm) LB (min 30)					Art.no.	1027057	Z	
Height: 4,0 cm	Length: 3,0 cm	Width: 3,0 cm	Weight: 0,01kg	Retailbox: 30	Oldart.no.	-		6" 4 1 1 5 0 1" 5 1 0 8 2 2"







- Tap connector provides water-tight seal from water source to
- ·Fits Ø 21 mm (G 1/2") faucets.
- Easy-to-twist design.Comes in loose box of 30 pc without product card, but with EAN
- sticker.
- $\cdot \, \text{Universal fit} \text{Fits with other brands}.$

Please note! The black retail box must be ordered separately, shipped as a set of 4 pcs (flatpacked), Product code: 1027677, EAN code: 6411501511386.

Tap Connector G3/4" (26.5mm) LB (min 30)					Art.no.	1027058	Z	
Height: 4,0 cm	Length: 3,5 cm	Width: 3,5 cm	Weight: 0,01kg	Retailbox: 30	Oldart.no.	-	E/	6"411501"510839







- Tap connector provides water-tight seal from water source to hose.
- •Fits Ø 265 mm (G 3/4") faucets.
- ·Easy-to-twist design.
- Comes in loose box of 30 pc without product card, but with EAN sticker.
- Universal fit Fits with other brands.

Please note! The black retail box must be ordered separately, shipped as a set of 4 pcs (flatpacked), Product code: 1027677, EAN code: 6411501511386.

Tap Connector G1" (33.3mm) LB (min 30)					Art.no.	1027059	Z	
Height: 4,0 cm	Length: 4,2cm	Width: 4,2cm	Weight: 0,01kg	Retailbox: 30	Oldart.no.	-	Ä	6" 4 1 1 5 0 1" 5 1 0 8 4 6







- Tap connector provides water-tight seal from water source to hose.
- · Fits Ø 333 mm (G 1") faucets.
- ·Easy-to-twist design.
- Comes in loose box of 30 pc without product card, but with EAN sticker.
- · Universal fit Fits with other brands.

Please note! The black retail box must be ordered separately, shipped as a set of 4 pcs (flatpacked), Product code: 1027677, EAN code: 6411501511386.

Extension Connector LB (min 30)						Art.no.	1027069	Z	
Height: 5,2cm Length: 3,2cm Width: 3,2cm Weight: 0,02kg Retailbox: 30					Oldart.no.	-		6 4 1 1 5 0 1 5 1 0 9 4 5	







- $\,\cdot$ Comes in loose box of 1027068 Extension connector 30 pc without product card, but with EAN sticker.
- · Universal fit Fits with other brands.

Please note! The black retail box must be ordered separately, shipped as a set of 4 pcs (flatpacked), Product code: 1027677, EAN code: 6411501511386.

Accessories

Complement your watering set with our easy-to-use accessories for added convenience in storing and spraying.

Timer, dual outlet						1054792	Z	
Height: 22,2 cm	Length: 8,3cm	Width: 15,0 cm	Weight: 0,58 kg	Retailbox: 4	Oldart.no.	-	Ę/	6 4 1 1 5 0 1 5 1 1 7 8 2







- · Program the timer to run two hoses independently or simultane-
- · Watering duration from 1 360 minutes.
- ·Rain delay up to 7 days. · Easy-to-program watering start and stop times, frequency and
- · Tap connector includes three threads to fit most common faucet sizes.
- · Operates with 2xAA batteries (not included), stops watering in case of low battery - low-battery safeguard.

Timer, single outlet					Art.no.	1054791	Z	6 4 1 1 5 0 1 5 1 1 7 7 5
Height: 20,0 cm	Length: 8,3cm	Width: 15,0 cm	Weight: 0,38 kg	Retail box: 4	Oldart.no.	-		6 4 1 1 5 0 1 5 1 1 7 7 5







- · Easy-to-program watering start and stop times, frequency and
- ·Watering duration from 1-360 minutes.
- Rain delay up to 7 days.
- · Multi tap connector includes three threads to fit most common faucet sizes.
- Stops watering in case of low battery low-battery safeguard.
- ·Operates with 2xAA batteries (not included).
- Universal fit Fits with other brands.

Pressure Sprayer, 5 L						1025934	Z	6 4 1 1 5 0 1 5 1 0 6 2 4
Height: 49,5 cm	Length: 18,5 cm	Width: 18,5 cm	Weight: 1,30 kg	Retailbox: 4	Oldart.no.	-	EA	6 4 1 1 5 0 1 5 1 0 6 2 4



- · Light pressure sprayer is ideal for water-based plant treatments and gentle watering of new seedlings.
- Adjustable spray pattern from jet to soft mist.
- Shoulder strap for convenient carrying.5 L net capacity (58 L maximum capacity).
- $\bullet \, \mathsf{Not} \, \mathsf{suited} \, \mathsf{for} \, \mathsf{spray} \, \mathsf{solvents}, \mathsf{aggressive} \, \mathsf{chemicals}, \mathsf{petroleum}$ by-products or food products.

Pressure Sprayer, 1.8 L					Art.no.	1027379	Z,	6 411501 511379
Height: 31,0 cm Length: 12,5 cm Width: 22,0 cm Weight: 0,30 kg Retail box: 9						-		6 4 1 1 5 0 1 5 1 1 3 7 9



- $\cdot \, \text{Light pressure sprayer is ideal for water-based plant treatments} \\$ and gentle watering of new seedlings.
- · Adjustable spray pattern from jet to soft mist.
- $\cdot \, \mathsf{Easy-to-use} \, \mathsf{features} \, \mathsf{include} \, \mathsf{thumb} \, \mathsf{control} \, \mathsf{with} \, \mathsf{lock}, \mathsf{safety} \, \mathsf{valve}$ for pressure stability, and graduated scale on container.
- ·18 L net capacity (2 L maximum capacity).
- · Not suited for spray solvents, aggressive chemicals, petroleum by-products or food products.

Wallmount for X-series [™] Waterwheel XL					Art.no.	1027095	z	6 4 1 1 5 0 1 5 1 1 2 0 1
Height: 27,5 cm	Length: 13,0 cm	Width: 19,5 cm	Weight: 1,45kg	Retailbox: 4	Oldart.no.	-		6 4 1 1 5 0 1 5 1 1 2 0 1



- · Optional wall mount for the Waterwheel XL (1067548 & 1067549).
- Durable FiberComp" body and metal construction.
 Includes wall-mounting fasteners and easy-to-follow instructions.

Wallmount for Comfort Waterwheel S					Art.no.	1020448	z	6 4 1 1 5 0 1 5 1 0 1 2 9
Height: 25,0 cm	Length: 9,5 cm	Width: 3,0 cm	Weight: 0,60 kg	Retailbox: 4	Oldart.no.	-	Ē	6 4 1 1 5 0 1 5 1 0 1 2 9



- · Optional wall mount for the Comfort Waterwheel S (1071660).
- · Durable metal construction.
- $\cdot \ \, \text{Includes wall-mounting fasteners and easy-to-follow instructions}.$

Wallmount for Solid [™] Waterwheel						Art.no. 1059235		6411501 511980
Height: 53,4 cm	Length: 5,0 cm	Width: 7,3 cm	Weight: 0,34 kg	Retailbox: 3	Oldart.no.	-	E/	6 4 1 1 5 0 1 5 1 1 9 8 0



- Optional wall mount for Solid Waterwheel M (1057238) and L (1057237).
- Durable construction.
 Includes wall-mounting fasteners and easy-to-follow instructions.

Sprinkler Adapter						1027089	Z	6 4 1 1 5 0 1 5 1 1 1 4 0
Height: 11,4 cm	Length: 3,8cm	Width: 7,4cm	Weight: 0,02kg	Retailbox: 6	Oldart.no.	-	E/	6 411501 511140



- Replacement part for:
 Stationary sprinkler square (1023664)
 Stationary sprinkler round (1023663)
 Whirling sprinkler metal, with wheels (1023657)
- Impulse sprinkler metal, with wheels (1023656)
- Impulse sprinkler metal (1023658)
- $\cdot \text{Hose connection universal fit} \text{Fits with other brands}.$

O-rings for sprinklers, 4 pcs					Art.no.	1024091	z	6 4 1 1 5 0 1 5 1 0 4 7 1
Height: 11,4 cm	Length: 1,6cm	Width: 7,4cm	Weight: 0,01kg	Retailbox: 6	Oldart.no.	-		6 4 1 1 5 0 1 5 1 0 4 7 1



- ·Includes 4 O-rings.
- ·Replacement part for:
- Stationary sprinkler square (1023664)
- Stationary sprinkler round (1023663)
- Whirling sprinkler metal, with wheels (1023657) Impulse sprinkler metal, with wheels (1023656)
- -Impulse sprinkler metal (1023658)

O-rings for connectors, 4 pcs					Art.no.	1024093	4 1 1 5 0 1 5 1 0 4 9 5
Height: 11,6cm	Length: 1,6 cm	Width: 7,4cm	Weight: 0,01kg	Retail box: 6	Oldart.no.	-	6 4 1 1 5 0 1 5 1 0 4 9 5



- ·Includes 4 O-rings.
- Replacement part for all Fiskars watering products with universal fit: sprinklers, spray guns, connectors, timers etc.

Filter for sprinklers, 2 pcs						1024092	EAN	6 4 1 1 5 0 1 5 1 0 4 8 8
Height: 11,5 cm	Length: 1,6 cm	Width: 7,4cm	Weight: 0,02kg	Retailbox: 6	Oldart.no.	-	Ē	6 4 1 1 5 0 1 5 1 0 4 8 8





- ·Includes 2 filters.
- $\boldsymbol{\cdot} \, \mathsf{Replacement} \, \mathsf{part} \, \mathsf{for} \colon$
- Stationary sprinkler square (1023664) Stationary sprinkler round (1023663)
- Whirling sprinkler metal, with wheels (1023657) - Impulse sprinkler metal, with wheels (1023656)
- Impulse sprinkler metal (1023658)
- Solid oscillating sprinkler M (1070835)

Oscillating Sprinkler maintenance kit					Art.no.	1072123	Z	
Height: 14,0 cm	Length: 2,4cm	Width: 10,8cm	Weight: 0,01kg	Retailbox: 4	Oldart.no.	-		6 411501 512970



- $\cdot \text{Includes a nozzle cleaning tool and a tube filter}.$
- For use with the following Fiskars oscillating sprinklers: X-Series L (1070831) X-Series M (1070832), Comfort L (1070833), Comfort M (1070834).
- · Nozzle cleaning tool removes dirt, scale and debris from clogged nozzles, stores in end cap of sprinkler tube.
- $\cdot \textbf{Rust-resistant filter prevents dirt from entering sprinkler tube from}$ hose



Car Snow Tools

Effortless and innovative snow and ice clearing

High-quality materials and robust constructions ensure long-lasting efficiency across the full offering.

Fiskars X-series[™] and Plus tools innovatively prolong the product lifetime by providing replaceable wearing parts.



Brush (in all items)

Optimised dual zone bristles providing efficient snow clearing while being gentle to the vehicle's surface. Ideally tilted brush head providing even snow clearing

2 Corono

Duo scraper including hard edge for scraping ice and the soft silicone edge for wiping of water, slush and mist

Wiper (only X-series rotating head)

Wiper ideal for water and slush or pushing of snow

NEW! Car Snow Tools

Launch date 01.09.2025

X-series[™] Rotating Brush & Scraper Telescopic 1078492 Art.no. Height: 98,8cm Length: 9,9 cm Width: 13,6 cm Weight: -Retailbox: 4 Oldart.no. -Effortless snow and ice clearing with extendable reach and replaceable wearing parts • Telescopic aluminum shaft with rotating head for both brushing and pushing motions. • Optimised dual zone brush bristles for efficient and gentle snow clearing. · Wiper ideal for water and slush or pushing of snow. · Duo scraper including hard edge for ice scraping and soft edge for wiping of water, slush and mist. · Replaceable wearing parts. X-series[™] Brush & Scraper Telescopic Art.no. 1078493 Height: 88,2 cm Length: 9,9 cm Width: 8,6cm Weight: -Retailbox: 4 Oldart.no. -



 $\label{thm:entropy} \mbox{Effortless snow and ice clearing with extendable reach and research and research$ placeable wearing parts.

- · Telescopic aluminum shaft.
- · Optimised dual zone brush bristles for efficient and gentle snow
- · Duo scraper including hard edge for ice scraping and soft edge for
- wiping of water, slush and mist. · Replaceable wearing parts.

Plus Brush	& Scraper lor	ng			Art.no.	1078494	z
Height: 80 cm	Length: 9,9 cm	Width: 8,3cm	Weight: -	Retailbox: 4	Oldart.no.	-	6 411501 410542
New					 Optimised clearing. Duo scrap wiping of w Durable a 	d dual zone brush bri	g with replaceable wearing parts. istles for efficient and gentle snow dge for ice scraping and soft edge for

Plus Brush & Scraper short						1078495	
Height: 66,1cm	Length: 9,9 cm	Width: 8,3cm	Weight: -	Retailbox: 4	Old art. no.		6 411501 410559
New		>			 Optimised clearing. Duo scrap wiping of wiping of wiping of wiping of wiping all 	dual zone brush bristles	th replaceable wearing parts. s for efficient and gentle snow or ice scraping and soft edge for

Solid [™] Brusł	Solid [™] Brush & Scraper					1078496	z	
Height: 53,1cm	Length: 7,1cm	Width: 9,9cm	Weight: -	Retail box: 6	Oldart.no.	-	EA	6"411501"410566



Comfortable snow and ice clearing.

- · Optimised dual zone brush bristles for efficient and gentle snow
- $\hbox{-} {\tt Duo\,scraper\,including\,hard\,edge\,for\,ice\,scraping\,and\,soft\,edge\,for\,ice\,scraping\,and$ wiping of water, slush and mist.
 Replaceable duo scraper.

Launch date 01.09.2025

Solid [™] Scraper						1078497	Z	6 4 1 1 5 0 1 4 1 0 5 7 3
Height: 32,9 cm	Length: 6,3 cm	Width: 9,9cm	Weight: -	Retail box: 8	Oldart.no.	-	4	6 4 1 1 5 0 1 4 1 0 5 7 3



Comfortable ice clearing.

- · Duo scraper including hard edge for ice scraping and soft edge for wiping of water, slush and mist.
- · Replaceable duo scraper.

X-series [™] /Plus Car Brush Spare head						1078498	z	6 4 1 1 5 0 1 4 1 0 5 8 0
Height: 28,6 cm	Length: 2,5cm	Width: 6,6cm	Weight: -	Retailbox: 6	Oldart.no.	-		6 4 1 1 5 0 1 4 1 0 5 8 0



Replacement part for X-series & Plus car snow brushes.

- $\bullet \, \mathsf{Optimised} \, \mathsf{dual} \, \mathsf{zone} \, \mathsf{brush} \, \mathsf{bristles} \, \mathsf{for} \, \mathsf{efficient} \, \& \, \mathsf{gentle} \, \mathsf{snow}$
- Compatible with 1078492, 1078493, 1078494 and 1078495.

X-series [™] /Pl	X-series*/Plus Car Sweep Spare head						Z	6 4 1 1 5 0 1 4 1 0 5 9 7
Height: 28,6cm	Length: 2,5 cm	Width: 6,3cm	Weight: -	Retailbox: 6	Oldart.no.	-	Ä	6 4 1 1 5 0 1 4 1 0 5 9 7



 $Replacement\,part\,for\,X\text{-}series\,\&\,Plus\,car\,snow\,brushes.$

- Ideal for clearing of water and slush or pushing of snow.
 Compatible with 1078492, 1078493, 1078494 and 1078495.





- Replacement part for all Fiskars car snow brushes.

 Duo scraper including hard edge for ice scraping and soft edge for wiping of water, slush and mist.
- Compatible with 1078492, 1078493, 1078494, 1078495, 1078496 and 1078497.
- ${\boldsymbol{\cdot}}\, {\sf Also\, suitable\, for\, individual\, use.}$

Car & Camping Tools

Solid [™] Car Shovel						1019353	Z	6 4 1 1 5 0 1 4 3 0 7 3 1
Height: 63cm	Length: 10,5cm	Width: 22cm	Weight: 0,50 kg	Retailbox: 6	Oldart.no.	143073	E	6 4 1 1 5 0 1 4 3 0 7 3 1



- · Functional tool for removing snow around the car.
- · Compact enough to fit inside any car.
- · Durable structure.

SnowXpert [™] Car Shovel						1019347	Z	6 4 1 1 5 0 1 4 3 0 7 2 4
Height: 63cm	Length: 10,5 cm	Width: 22cm	Weight: 0,52kg	Retailbox: 6	Oldart.no.	143072		6 4 1 1 5 0 1 4 3 0 7 2 4



- · Stainless steel blade for increased durability.
- Durable composite structure.
- $\cdot \, \text{Lightweight and handy size}.$

Foldable Spade						1000621	Z	6 4 1 1 5 0 3 2 7 5 0 1 9
Height: 24,5 cm	Length: 6,5 cm	Width: 16,5 cm	Weight: 1,04 kg	Retailbox: 4	Oldart.no.	131320	Ш	6 4 1 1 5 0 3 2 7 5 0 1 9





- $\cdot \text{Easily foldable spade} \, \text{and hoe, ideal for camping, sports, etc.} \,$
- $\boldsymbol{\cdot} \textbf{Canvas sheath for safe storage and protection}.$
- Hardened boron steel, aluminium and plastic spade.
 Unfolded the spade is 590 mm in length.

Snow Light Car Shovel						1000740	Z	7"317794"310004
Height: 71cm	Length: 12cm	Width: 25cm	Weight: 0,63kg	Retailbox: 3	Oldart.no.	141020		7 3 1 7 7 9 4 3 1 0 0 0 4



- $\cdot {\sf Aluminium\, shaft\, with\, ergonomic\, plastic\, coating.}$
- · Ergonomically designed handle. · Hardened aluminium blade.

Safety Camping & Car Spade						1001574	z	
Height: 70 cm	Length: 13cm	Width: 20,4cm	Weight: 0,48 kg	Retailbox: 6	Oldart.no.	131520	<u> </u>	6 411503 270007





- $\cdot \, \text{Lightweight spade which floats in water for camping and garden-}$
- · Plastic (PP) handle resists low temperatures.
- Durable aluminium scoop for rigidity and high tensile strength.
- · Hexagonal shaft for extra grip.

Snow Tools





X-series Telescopic & Curved

Features & benefits

- Reinforced blade edge lasts 3x longer and cuts easily into hard-packed snow
- 2 Durable, long wearing materials that withstand temperatures up to -30°C. Made in Finland.

- SLight-weight aluminium shafts & polymer scoops
- Adjustable handle lengths for less back strain

- 6 Advanced new scoop design made with a low-friction material that allows snow to glide
- Textured, non-slip grips for better control and insulation against cold.
- Large handles sized for use with winter gloves. Keeps wrist in comfortable position





X-series[™] Snow Tools

Exceptional performance.

Our top-of-the-line range of snow tool products combines the best of our technologies and ergonomics with the ultimate in durability, offering a best-in-class option that truly improves the perception - and experience - of the activity itself.

X-series [™] Snow shovel	

Height: 132cm Length: 19,5 cm

Width: 36,2cm

Weight: 1,40 kg

Retailbox: 3

1057177

Oldart.no. -

Art.no.

Art.no.

Oldart.no. -







- · Deep scoop for easy shovelling of large amounts of snow.
- · Reinforced blade edge lasts 3x longer.
- · Lightweight tool with an aluminium shaft.
- · Large handle, sized for use with winter gloves.
- $\cdot \text{Textured non-slip grip for better control and insulation against}$
- · Low-friction scoop helps snow glide off.
- · Withstands up to -30°C.

Height: 153,5 cm

Length: 19 cm

Width: 53cm

Weight: 1,58 kg

Retailbox: 3

1057178





- · Wide head for easy pushing of large amounts of snow.
- · Reinforced blade edge lasts 3x longer.
- · Lightweight tool with an aluminium shaft.
- Large D-handle with non-slip SoftGrip™ is sized for use with winter gloves. $\bullet \text{Textured non-slip grip for better control and insulation against}$
- · Low-friction scoop helps snow glide off.
- ·Withstands up to -30°C.

X-series [™] Sr	now roller				Art.no.	1057179	EAN	
Height: 173cm	Length: 11,5 cm	Width: 53cm	Weight: 1,52kg	Retailbox: 3	Oldart.no.	-		6 4 1 1 5 0 1 4 1 0 2 8 3





- · Scoop designed for clearing lighter layers of show by pushing forward in a rolling wave.
- · Reinforced blade edge lasts 3x longer.
- · Lightweight tool with an aluminium shaft.
- · Large handle, sized for use with winter gloves.
- Textured non-slip grip for better control and insulation against
- · Low-friction scoop helps snow glide off.
- ·Withstandsup to -30°C

X-series [™] Car snow shovel					Art.no.	1057393	Z	
Height: 98,5cm	Length: 10 cm	Width: 29cm	Weight: 1kg	Retailbox: 4	Oldart.no.	-		6 4 1 1 5 0 1 4 1 0 3 9 9





- · For efficient clearing of snow around the car
- Deep scoop moves large quantities of snow fast & efficiently.
- · Reinforced blade edge lasts 3x longer.
- · Compact size for easy storage.
- · Lightweight tool with an aluminium shaft.
- · Large handle, sized for use with winter gloves. ·Withstands up to -30°C.

X-series [™] Snow Pusher, Curved						1057186	z	6 4 1 1 5 0 1 4 1 0 3 5 1
Height: 153 cm	Length: 11,5 cm	Width: 53,2cm	Weight: 1,57kg	Retail box: 3	Oldart.no.	-	/	6 4 1 1 5 0 1 4 1 0 3 5 1





- · Wide head for easy pushing of large amounts of snow.
- · Reinforced blade edge lasts 3x longer.
- · Curved shaft helps the user keep the back straight.
- · Lightweight tool with an aluminium shaft.
- $\hbox{-} Large\, \hbox{D-handle with non-slip SoftGrip} \hbox{"is sized for use with winter}$ gloves.
- Textured non-slip grip for better control and insulation against cold.
- · Withstands up to -30°C.

X-series [™] Car Snow Shovel, Telescopic					Art.no.	1057187	ξ
Height: 79,5cm	ength: 15,4 cm	Width: 29cm	Weight: 1,14 kg	Retailbox: 4	Oldart.no.	-	6"411501"410368





- · For efficient clearing of snow around the car.
- Deep scoop moves large quantities of snow fast & efficiently.
- $\cdot \, \text{Reinforced blade edge lasts} \, 3x \, \text{longer}.$
- Telescopic handle adjustable to a compact size for easy storage.
 Lightweight tool with an aluminium shaft.
 Large handle, sized for use with winter gloves.

- · Withstands up to -30°C.

X-series [™] Sr	now Shovel, 7	Telescopic			Art.no.	1057188	EAN	
Height: 120 cm	Length: 19,4cm	Width: 36,2cm	Weight: 1,59 kg	Retailbox: 3	Oldart.no.	-		6 411501 410375





- ${\boldsymbol{\cdot}} \, \mathsf{Deep} \, \mathsf{scoop} \, \mathsf{for} \, \mathsf{easy} \, \mathsf{shovelling} \, \mathsf{of} \, \mathsf{large} \, \mathsf{amounts} \, \mathsf{of} \, \mathsf{snow}.$
- · Reinforced blade edge lasts 3x longer.
- $\cdot \, \text{Adjustable telescopic handle guarantees optimal user ergonom-}$
- · Lightweight tool with an aluminium shaft.
- · Large handle, sized for use with winter gloves.
- Textured non-slip grip for better control and insulation against
- $\cdot \, \text{With stands up to -30°C}.$

X-series [™] Snow Pusher, Telescopic					Art.no.	1057189	z	
Height: 143,4 cm	Length: 9cm	Width: 53,2cm	Weight: 1,79 kg	Retail box: 3	Oldart.no.	-		6 411501 410382





- $\cdot \, \text{The reinforced blade with a stainless steel core makes the tool up} \\$ to 3x more durable.
 • Telescopic shaft with adjustment between 143-163 cm.
- · Lightweight tool with an aluminium shaft.
- · Non-slip grip on both handle and shaft.
- · Resistant up to -30° C.

Other Snow Tools

SnowXpert	[™] Sledge				Art.no.	1003470	z	6411501430212
Height: 149cm	Length: 27,5 cm	Width: 75 cm	Weight: 4,30 kg	Retailbox: 1	Oldart.no.	143021	Ä	6 411501 430212



- · Lightweight snow sledge for larger snow clearance, e.g. yard and parking area.

 Long, sturdy, tubular steel handle for easy use.
- Injection moulded scoop for high stability and lightness.
 Orange reflector for visibility in the dark.

Professional Snow Sledge					Art.no.	1001631	Z	
Height: 149 cm	Length: 33cm	Width: 83cm	Weight: 7,20 kg	Retailbox: 6	Old art. no.	143040		6 411503 237956





- · Tubular steel handle.
- · Tough zinc-coated steel edge.
- · Safety reflectors on handles.
- Orange reflector for visibility in the dark.

lce Iron					Art.no.	1001639	EAN
Height: 147,5 cm	Length: 4cm	Width: 17,5 cm	Weight: 1,40 kg	Retailbox: 4	Oldart.no.	140000	6 411503 239905





- ${\boldsymbol{\cdot}} \, {\sf Designed} \, {\sf for} \, {\sf breaking}, {\sf chipping} \, {\sf and} \, {\sf clearing} \, {\sf ice}.$
- ·Solid, painted blade made of hardened boron steel.
- ·Wooden shaft.
 ·FSC® certified wood.

Snow and 0	Grain Shovel				Art.no.	1001637	Z	
Height: 127 cm	Length: 20 cm	Width: 31cm	Weight: 1,40 kg	Retailbox: 4	Oldart.no.	142000	E/	6"411503" 235280





- ·Birchwood shaft.
- Polypropylene grip.High-quality aluminium blade.FSC° certified wood.

Snow Light Snow Pusher - Aluminium					Art.no.	1001636	Z	
Height: 162,2cm	Length: 12,5 cm	Width: 53,2cm	Weight: 1,60 kg	Retailbox: 4	Oldart.no.	143060		5 905568 800435






- Aluminium shaft with plastic coating.
 Ergonomically designed handle.
 Hardened aluminium blade.



Accessories

Axe and To	ol Gloves Size	e8			Art.no.	1071129	
Height: 33cm	Length: 2,5cm	Width: 10,5 cm	Weight: 0,07 kg	Retail box: 10	Oldart.no.		6"411501"600424
					from injurie using gard · Ideal for h cutters wh and repair, · Gloves are breathabili · Additiona	s that can occur, especien tools or hand actuati andling axes, garden pour le performing wood promote made of artificial leath ty and all-day comfort.	ower tools and hand actuated eparation, general maintenance it projects. eer with backhand mesh for en thumb and index finger, and
Axe and To	ol Gloves Size	e 10			Art.no.	1071150	N
Height: 34cm	Length: 2,5cm	Width: 11,5cm	Weight: 0,08 kg	Retailbox: 10	Oldart.no.		6 411501 600431





- Ideal for handling axes, garden power tools and hand actuated cutters while performing wood preparation, general maintenance and repair, and home improvement projects.
- Gloves are made of artificial leather with backhand mesh for breathability and all-day comfort.
- Additional reinforcement between thumb and index finger, and palm area for enhanced durability.

Axe and To	ol Gloves Siz	e 12			Art.no. 1071151	3
Height: 36cm	Length: 2,5 cm	Width: 12,5cm	Weight: 0,09kg	Retailbox: 10	Oldart.no	6 411501 600448



- $\cdot \text{Fiskars}^* \, \text{Tool} \, \text{and} \, \text{Wood} \, \text{Gloves} \, \text{provide} \, \text{comfort} \, \text{and} \, \text{protection} \, \\ \text{from injuries that can occur, especially when working with axes and} \, \\ \text{using garden tools or hand actuating tools}.$
- · Ideal for handling axes, garden power tools and hand actuated cutters while performing wood preparation, general maintenance and repair, and home improvement projects.
- Gloves are made of artificial leather with backhand mesh for breathability and all-day comfort.
- \cdot Additional reinforcement between thumb and index finger, and palm area for enhanced durability.

Shrub Care	Gloves Size	8			Art.no.	1071152	Z	
Height: 39cm	Length: 2,5cm	Width: 10,5 cm	Weight: 0,08 kg	Retailbox: 10	Oldart.no.	-	E/	6 411501 600455



- $\cdot \text{Fiskars}^{\circ} \, \text{Shrub Care gloves provide the needed hand and wrist coverage to prevent injury or damage, especially while working with holly or berry bushes.}$
- ·Ideal for handling garden tools and hand actuated cutters while working with prickly shrubs.
- Gloves are made of artificial leather with added reinforcement between thumb and index finger, and palm area for enhanced durability.


Shrub Care	Gloves Size	10			Art.no.	1071153	z	
Height: 39,5 cm	Length: 2,5cm	Width: 11,5 cm	Weight: 0,10 kg	Retailbox: 10	Oldart.no.	-	E/	6" 4 1 1 5 0 1" 6 0 0 4 6 2"



- Fiskars* Shrub Care gloves provide the needed hand and wrist coverage to prevent injury or damage, especially while working with holly or berry bushes.
- ·Ideal for handling garden tools and hand actuated cutters while working with prickly shrubs.
- Gloves are made of artificial leather with added reinforcement between thumb and index finger, and palm area for enhanced durability.

Garden Wo	rk Gloves Siz	e 10			Art.no.	1003477	6 4 1 1 5 0 1 6 0 0 0 4 2
Height: 25 cm	Length: 1,5 cm	Width: 12 cm	Weight: 0,07 kg	Retailbox: 10	Oldart.no.	160004	6 411501 600042





 Reinforced for rough manual work
--

Garden Wo	rk Gloves Siz	e8			Art.no.	1003478	8 6 4 1 1 5 0 1 6 0	
Height: 24 cm	Length: 1,5 cm	Width: 11,5 cm	Weight: 0,06 kg	Retailbox: 10	Oldart.no.	160005	6 4 1 1 5 0 1 6 0	0 0 5 9



Non-slip grip with axes and stick tools.
 Reinforced for rough manual work.



Fiskars Pro Hardware Tools

Hardware saws p.240

CarbonMax[™] knives p.248

Hardware knives p.254

PowerGear[™] Aviation Snips p.258

PowerArc[™] Scissors p.262

PowerGear[™] Bolt Cutters p.266

IsoCore[™] **Tools p.268**


Striking Tools p.270

Hammers p.273

Demolition Tools p.275

Iron bars p.276







Hardware tools intro

















Content

237 Hardware Tools

240 Hardware Saws

Handsaws Other saws Replacement blades

248 CarbonMax[™] Knives

Introducing blades that stay sharp 24x longer than the competition Utility Knives

Snap-off utility knives Replacement blades

254 Hardware Knives

258 PowerGear™ Aviation Snips

Make tough jobs dramatically easier with leverage-enhancing tools.

262 PowerArc[™] Scissors

Make cutting easier, especially at the end of the cut where more force is required

Amplify[™] Scissors Classic Hardware Scissors

266 PowerGear™ Bolt Cutters

Make cutting hardened rods up to 30 % easier, especially in the beginning of the cut where more force is required

268 IsoCore[™] Tools

Shock control system absorbs strike shock and vibration to reduce the punishment your body takes, transferring up to 70 % less shock and vibration than wood handles

270 Striking Tools

273 Hammers

275 Demolition Tools

276 Iron bars

Please note! All the measurements portrayed in the catalogue are products in packaging measurements.



Hardware tools

CarbonMax[™] Knives

Introducing blades that stay sharp 24x longer than the competition.

PowerGear[™] Aviation Snips

Make tough jobs dramatically easier with leverage-enhancing tools.

PowerGear[™] Bolt Cutters

Make cutting hardened rod up to 30 % easier, especially at the beginning of the cut where more force is required.

PowerArc[™] Heavy Duty Scissors

Make cutting easier, especially at the end of the cut where more force is required.

IsoCore[™] **Demolition Tools**

Take on extreme projects with the industry's best shock control system.

PowerTooth[™]Saws

Cut faster, straighter, closer & safer.



Pro tool technologies













POS materials

The Fiskars® Pro assortment is supported by a wide range of POS materials, from category-specific top signs and posters, to popups and wobblers, to informative shelfdividers with detailed information about technologies and products.

We also offer a modular display which is easily stacked with our shelf-ready retail packaging.





















Shelf-dividers (200 x 1000 mm)













Wobblers (110 x 200 mm)

Wobblers (110 x 110 mm)










Universal displays (790 x 298 mm)







Retail boxes

Utility knives, claw hammers, aviation snips & heavy duty scissors come in shelf-ready retail packaging.

PowerTooth Universal handsaws

Sharper.

Razor-sharp PowerTooth* blade cuts faster & stays sharp longer.

Tougher.

Full-body metal construction, tested to withstand drops and impacts.

More Comfortable.

Ergonomic design supports multiple grips for whatever the job demands.

and provides a slip-free hold.



Saws

Blade tensioning mechanism that clicks into place for optimal tensioning every time. A secondary grip feature for two-handed power, precision and control. Blade secures in out-front position for cutting in small spaces.




Folding pull saws

Folding mechanism to protect fine delicate teeth and protect user from abrasions with a quick, accessible lock that clicks to communicate a securely locked blade. Hex bolt for intuitive and secure blade replacement.



Compactfoldingsaw

Accepts standard reciprocating saw blades and opens with the flick of the wrist. Intuitive, fast front-loading blade change that fits standard reciprocating saw blades. Ergonomic control positioning for comfort in tight situations.













Jab saw with sheath

Ultra-sharp, sturdy fixed blade with rugged sheath for ultimate safety. PowerTooth™ technology offering precise triple-grinding for razor-sharp teeth and a rasp for smoothing out rough cuts. The reinforced metal pommel end provides reliable resistance against pounding and drops.















Hardware Saws | Handsaws

PowerTooth™ Handsaw, 380mm 9tpi Art.no. 1062930 Height: 49,85cm Length: 4,06cm Width: 17,78cm Weight: 0,51kg Retailbox: 3 Oldart.no.





- Triple-ground saw blade for fast, powerful cuts.
- RapidStart* blade technology offers greater control with virtually no binding for quicker, cleaner cut starts.
- \bullet Middle and heel of blade feature 9 TPI for forceful, smooth cuts through all types of wood, laminate, PVC and more.
- Oversized handle fits gloved hands, and innovative texturing on SoftGrip" handle provides a slip-free hold.
- · Includes blade protector with built-in pencil holder.

PowerTooth [™] Handsaw, 500mm 9tpi						1062919	z	6 4 1 1 5 0 1 2 0 1 1 2 6
Height: 62,55cm	Length: 4,06cm	Width: 17,78 cm	Weight: 0,57kg	Retailbox: 3	Oldart.no.	-		6 4 1 1 5 0 1 2 0 1 1 2 6





- · Triple-ground saw blade for fast, powerful cuts.
- RapidStart* blade technology offers greater control with virtually no binding for quicker, cleaner cut starts.
- Middle and heel of blade feature 9 TPI for forceful, smooth cuts through all types of wood, laminate, PVC and more.
- Oversized handle fits gloved hands, and innovative texturing on SoftGrip* handle provides a slip-free hold.
- · Includes blade protector with built-in pencil holder.


PowerTooth [™] Handsaw, 550mm 7tpi						1062916	z	
Height: 67,31cm	Length: 4,06cm	Width: 17,78cm	Weight: 0,58kg	Retailbox: 3	Oldart.no.	-	Ш	6 411501 201096





- Triple-ground saw blade for fast, powerful cuts.
- RapidStart™ blade technology offers greater control with virtually no binding for quicker, cleaner cut starts.
- Middle and heel of blade features 7 TPI for forceful cuts through all types of wood, laminate, PVC and more.
- Oversized handle fits gloved hands, and innovative texturing on SoftGrip" handle provides a slip-free hold.
- · Includes blade protector with built-in pencil holder.

PowerTooth [™] Handsaw, 550mm 9tpi						1062917	Z	
Height: 67,31cm	Length: 4,06cm	Width: 17,78 cm	Weight: 0,58kg	Retailbox: 3	Oldart.no.	-		6" 4 1 1 5 0 1" 2 0 1 1 0 2"





- · Triple-ground saw blade for fast, powerful cuts.
- RapidStart* blade technology offers greater control with virtually no binding for quicker, cleaner cut starts.
- $\hbox{-Middle and heel of blade feature 9\,TPI for forceful, smooth cuts through all types of wood, laminate, PVC and more. } \\$
- Oversized handle fits gloved hands, and innovative texturing on SoftGrip" handle provides a slip-free hold.
- · Includes blade protector with built-in pencil holder.

PowerTooth [™] Handsaw, 550mm 11tpi					Art.no.	1062918	Z	
Height: 67,31cm	Length: 4,06cm	Width: 17,78 cm	Weight: 0,58kg	Retailbox: 3	Oldart.no.	-		6 411501 201119





- · Triple-ground saw blade for fast, powerful cuts.
- RapidStart" blade technology offers greater control with virtually no binding for quicker, cleaner cut starts.
- Middle and heel of blade feature 11 TPI for smooth, clean cuts through softer wood.
- Over sized handle fits gloved hands, and innovative texturing on SoftGrip $\ddot{}$ handle provides a slip-free hold.
- · Includes blade protector with built-in pencil holder.

Other Saws

TrueTension[™] Hacksaw, 300mm 24tpi 1062931 Art.no. Height: 41,27cm Length: 1,52 cm Width: 18,42cm Weight: 0,83 kg Retailbox: 3 Oldart.no. -· Intuitive tensioning mechanism 'clicks' when optimal tensioning is achieved. • TrueTension "provides confidence in tensioning for frustration-free blade tightening. · Quick, clean cuts on metal, plastic, PVC, conduit, copper pipe, bolts, nails and more. · Blade changes are faster and easier with no loose parts and visible, easily accessible on-tool blade storage ·Innovative texturing on SoftGrip™handle provides a slip-free hold. · Includes one long-lasting, bimetal blade (24 TPI). Replacement blades available (item #1062941). PowerTooth[™] Detail Pull saw, 150mm 19tpi Art.no. 1062932 Height: 40,96 cm Length: 2,79 cm Width: 12,7cm Weight: 0,20 kg Retailbox: 6 Oldart.no. -





- · Secure folding and locking mechanism protects exposed teeth and prevents accidental deployment.
- · Fine-finish, 19 TPI blade offers excellent accuracy and control for detailed, clean cuts.
- ·Flexible for quick, easy and clean flush cuts.
- · Compact size allows for easy access and is ideal for precise cuts.
- · Ideal for use on softer woods.
- ·SoftGrip touchpoints feature innovative texturing that displaces moisture, prevents blisters and provides a slip-free hold.
- · Replacement blades available (item #1062942).

PowerTooth [™] Folding Pull saw, 250mm 13tpi					Art.no.	1062933	Z	
Height: 60,96cm	Length: 2,79cm	Width: 15,24cm	Weight: 0,32kg	Retailbox: 3	Oldart.no.	-	Ä	6 4 1 1 5 0 1 2 0 1 1 6 4





- ·Secure folding and locking mechanism protects exposed teeth and prevents accidental deployment.
- · Optimised 13 TPI blade offers excellent precision and control on softer woods, while allowing for general cuts on 2x4s, PVC and more.
- · Flexible for easy, clean flush cuts.
- · Hooked end provides a secure hold for pulling motion.
- · SoftGrip "touchpoints feature innovative texturing that displaces moisture, prevents blisters and provides a slip-free hold.
- $\boldsymbol{\cdot} \text{Replacement blades available (item \#1062943)}.$

Compact Fo	pact Folding Toolbox Saw, 2 blades Art.no. 1062934							
Height: 33,65 cm	Length: 2,79 cm	Width: 12,7cm	Weight: 0,19 kg	Retailbox: 6	Oldart.no			6"411501"201171"
				Was (E)	•Easily stores in	your toolbelt.		





- · One-handed, flip-open design allows for fast blade deployment with just the flick of a wrist.
- · Quick, easy, front-loading blade changes.
- · Optimal for most 15 cm reciprocating saw blades.
- · SoftGrip "touchpoints feature innovative texturing that displaces moisture, prevents blisters and provides a slip-free hold. · Includes two saw blades with induction-hardened teeth: One
- 13 TPI Power Tooth blade for wood and plastic and one 24 TPI bi-metal blade for metal

PowerTooth	า [™] Jab Saw w	rith Sheath 8t	tpi		Art.no.	1062935	Z	
Height: 38,74 cm	Length: 3,81cm	Width: 15,24 cm	Weight: 0,18 kg	Retailbox: 6	Oldart.no.	-		6 411501 201188





- · Jab saw snaps into sheath for a secure fit. Sheath features a belt clip and hang hole for storage.
- · Triple-ground blade cuts with speed and efficiency with ul-
- tra-sharp tip for piercing quick starts through plasterboards.
- ·Rasp on non-sawing side of blade smooths out rough cuts. · Handle is sized and shaped for optimised comfort and control with textured SoftGrip for a slip-free hold.
- Reinforced metal end protects against pounding and drops.
- · Low-friction blade coating resists rust and dust buildup

Other Saws | Replacement blades

Builder's Sa	w, 233mm				Art.no.	1000612	6'411501'238603
Height: 3,4cm	Length: 40 cm	Width: 8,5cm	Weight: 0,13 kg	Retailbox: 4	Oldart.no.	-	6 411501 238603





- Fine toothing for cutting dry wood. Cuts on the pull stroke.
- · Blade can be safely stored inside the handle when not in use.
- · Features a handy belt clip for easy carrying.
- $\boldsymbol{\cdot} \textbf{SoftGrip}^{\scriptscriptstyle{\mathsf{T}}} \textbf{handle ensures a safe grip during operations}.$
- $\cdot \textit{Finger guard protects fingers from sliding to the blade part}.$

Replacement Blade Hacksaw 300mm 24tpi					Art.no.	1062941	Z	6 4 1 1 5 0 1 2 0 1 2 4 9
Height: 0,64cm	Length: 5,08 cm	Width: 36,83cm	Weight: 0,05kg	Retail box: 12	Oldart.no.	-		6 4 1 1 5 0 1 2 0 1 2 4 9



- · Bi-metal constructed for long-lasting sharpness.
- · Ideal for clean cuts through metal, plastic, PVC and more.
- Fits Fiskars® Pro TrueTension® hacksaw (item #1062931) with ontool blade storage.

Replacement Blade Pull Saw 150mm 19tpi					Art.no.	1062942	EAN	
Height: 0,64cm	Length: 12,7cm	Width: 25,4cm	Weight: 0,09 kg	Retailbox: 12	Oldart.no.	-	E /	6 4 1 1 5 0 1 2 0 1 2 5 6
THE RESERVE OF THE PARTY OF THE					· Ideal for ac · Thin kerf a · Induction · Low-friction · Fits Fiskar	ccurrence. ccurrente, controlled	cuts o uick, vide l blade pull s	clean flush cuts. ong-lasting sharpness. e life and resists rust. aw (item #1062932), which has

Replaceme	Replacement Blade Pull Saw 250mm 13tpi						z
Height: 0,64cm	Length: 12,7cm	Width: 35,56cm	Weight: 0,14 kg	Retailbox: 12	Oldart.no.	-	6 411501 201263
	rown GDS				· Ideal for co 2x4s, PVC a · Thin kerf al · Induction-l · Low-frictio · Fits Fiskars	ntrolled cuts on so nd more. lows flexibility for c nardened teeth pro n coating prolongs s* Pro Folding pull s	TPI for a fine finish. ofter woods as well as general cuts on cuick, clean flush cuts. ovide long-lasting sharpness. s blade life and resists rust. saw (item #1062933), which has an ement mechanism.

Cut faster, straighter, closer & safer.






CarbonMax



Utility Knives



CarbonMax[™] Knives

CarbonMax[™] Compact Folding Utility Knife Art.no. 1062939 Height: 18,42cm Length: 2,13 cm Width: 10,8cm Weight: 0,84 kg Retailbox: 3 Oldart.no. -





- · Smaller than other folding utility knives for ultimate storage in pockets & toolbelts.
- ·One-handed, flip-open design for fast blade deployment.
- · Quick, easy front-loading blade change.
- $\bullet \, \mathsf{Reinforced} \, \mathsf{metal} \, \mathsf{end} \, \mathsf{for} \, \mathsf{sturdy}, \mathsf{reliable} \, \mathsf{resistance} \, \mathsf{against} \, \mathsf{pound-} \, \mathsf{total} \, \mathsf{resistance} \, \mathsf{against} \, \mathsf{pound-} \, \mathsf{total} \, \mathsf{total$ ing and drops.

CarbonMax [™] Safety Utility Knife						1062938	Z	6 4 1 1 5 0 1 2 0 1 2 1 8
Height: 26,04 cm	Length: 2,95 cm	Width: 11,13cm	Weight: 0,23 kg	Retailbox: 3	Oldart.no.	-	Ä	6 4 1 1 5 0 1 2 0 1 2 1 8





- · Auto-retracting blade for safety.
- · Intuitive, one-handed blade deployment.
- · Safety lock prevent accidental blade release.
- $\cdot \, \text{Knife} \, \text{easily hinges open} \, \text{for tool-free blade changes}.$
- ·Reinforced metal end for sturdy, reliable resistance against pounding and drops.

CarbonMax	x [™] Fixed Utili	ty Knife	Art.no.	1027222	EAN		
Height: 25,9 cm	Length: 3cm	Width: 10,9 cm	Weight: 0,20 kg	Retailbox: 6	Oldart.no.	-	6 411501 701404
To				Retail pack	ient, easy p • Reinforce ing and dro • Knife hing • Includes o	rotection. d metal end pro ps. es open for eas ne CarbonMax	oys with the push of a button for conven- ovides reliable resistance against pound- sy blade change with no loose parts. "c" utility blade. dard-sized utility blades.

				Georgifie Sicharheit			
CarbonMa	x [™] Retractabl	e Utility Knife			Art.no.	1027223	A 6 4 1 1 5 0 1 7 0 1 4 1 1
Height: 25,9 cm	Length: 3cm	Width: 10,9cm	Weight: 0,17 kg	Retailbox: 6	Oldart.no.	-	6 411501 701411
	Parameters	9		Retail	when you'r	e in the middle of a ly hinges open witl	orevent accidental blade retraction a job. h no loose parts to keep track of during











- · Reinforced metal end provides sturdy, reliable resistance against pounding and drops.
- $\cdot Includes\, one\, Carbon Max \ \ "utility\, blade.$
- · Accommodates five standard-sized utility blades.

CarbonMax [™] Folding Utility Knife					Art.no.	1027224	Z	6 4 1 1 5 0 1 7 0 1 4 2 8	
Height: 18,5 cm	Length: 3cm	Width: 10,9cm	Weight: 0,17 kg	Retailbox: 6		Oldart.no.	-		6 4 1 1 5 0 1 7 0 1 4 2 8









- $\hbox{-} Dual-locking system prevents accidental blade release without sacrificing blade-change speed.}$
- · Easy, one-handed, flip-open design means knife opens with the
- $\hbox{\bf \cdot} Ergonomic \, design, including \, deep \, grooves \, and \, contouring \, allows \,$
- Reinforced metal end provides sturdy, reliable resistance against pounding and drops.



CarbonMax[™] Painters Utility Knife 1027225 Art.no. Height: 26 cm Length: 3,3cm Width: 10,9 cm Weight: 0,24kg Retailbox: 6 Oldart.no. -· Paint bucket opener allows you to easily open stubborn 18 L paint Retail · Includes #1 size flathead screwdriver bit, perfect for outlet covers and opening paint cans.









- ${\color{red} \boldsymbol{\cdot}} \, \text{Reinforced metal end provides sturdy, reliable resistance against}$ drops and pounding.
 • Knife easily flips open for one-handed deployment.
- Push & slide blade change with magnet for blade security.
- · Accommodates two standard-sized utility blades.

CarbonMax [™] Drywaller Utility Knife					Art.no.	1027226	Z	6"411501"701442"
Height: 26 cm	Length: 3cm	Width: 10,9cm	Weight: 0,21kg	Retailbox: 6	Oldart.no.	-	7	6 4 1 1 5 0 1 7 0 1 4 4 2









- · 2-in-1 tool with a standard blade + jab saw that punches through drywall for electrical boxes & more.
- $\cdot \, \mathsf{Reinforced} \, \mathsf{metal} \, \mathsf{end} \, \mathsf{to} \, \mathsf{knock} \, \mathsf{out} \, \mathsf{drywall} \, \mathsf{pieces}, \mathsf{and} \, \mathsf{to} \, \mathsf{finish}$ sinking screws and nails.

 Both blades deploy from the same end for ease and safety.
- Push & slide blade change includes magnet that secures blade.
- · Top retraction button avoids accidental retraction.
- Knife hinges open for easy access and cleaning.
- $\cdot {\sf Accommodates} \, two \, {\sf standard\text{-}sized} \, {\sf utility} \, {\sf blades} \,$

Snap-off Knives | Changeable Blades



CarbonMa	x [™] Snap-off k	Knife, 18mm			Art.no.	1027227	EAN		
Height: 25,9 cm	Length: 2,6cm	Width: 10,9 cm	Weight: 0,15 kg	Retailbox: 8	Oldart.no.	-	6 411501 701459		
4 1	cares (EDS)			Retail pack	·Integrated captures — ·Reinforced pounding an	segment snapp used blades. I metal end prov	er safely ides stur	ade change with no loose parts. esnaps — and automatically dy, reliable resistance against fility blades.	
CarbonMa	x [™] Snap-off k	(nife, 25mm			Art.no.	1027228	z		
Height: 25,9 cm	Length: 2,9cm	Width: 10,9 cm	Weight: 0,24kg	Retailbox: 6	Oldart.no.	-	EAN	6 411501 701466	







- Offers convenient, front-loading blade change with no loose parts. Integrated segment snapper safely snaps and automatically
- captures used blades.
- $\cdot \dot{\text{Reinforced metal end provides sturdy, reliable resistance against}$ pounding and drops.
- · Accommodates 25 mm snap-off utility blades.

CarbonMax[™] Utility Knife Blades, 5 pack Height: 16,5 cm Width: 7,6 cm Weight: 0,02kg Length: 1cm

1027229 Art.no. Oldart.no. -







- Replacement blades for any CarbonMax™ utility knives.
- · Blade features Fiskars' proprietary, edge-retention coating.
- · Stays sharp up to 24x longer than standard utility blades.
- · Laboratory tested and verified.
- $\cdot \, \mathsf{Blades} \, \mathsf{fit} \, \mathsf{non}\text{-}\mathsf{Fiskars} \, \mathsf{knives} \, \mathsf{as} \, \mathsf{well}.$
- · Pack includes 5 blades.

CarbonMax [™] Snap-off Blades, 18mm, 5 pack						1027232	z	6"411501" 701503"
Height: 17,8 cm	Length: 0,5 cm	Width: 4,8cm	Weight: 0,02kg	Retailbox: 6	Oldart.no.	-	Ē	6 4 1 1 5 0 1 7 0 1 5 0 3

Retailbox: 6





- Replacement blades for CarbonMax[™] 18 mm snap-off utility knives.
- ·Blade features Fiskars' proprietary, edge-retention coating.
- $\cdot \, \text{Stays sharp up to 24x longer than standard utility blades}.$
- $\cdot \text{Laboratory tested and verified}.$
- Blade snaps off cleanly for a new sharp tip.
 Pack includes 5 x 18 mm blades.

CarbonMax [™] Snap-off Blades, 25mm, 5 pack						1027233	E 6 4 1 1 5 0 1 7 0 1 5 1 0	
Height: 21,6 cm	Length: 1,6 cm	Width: 7,6 cm	Weight: 0,09 kg	Retailbox: 6	Oldart.no.	-	Ä	6 4 1 1 5 0 1 7 0 1 5 1 0



- Replacement blades for CarbonMax[™] 25 mm snap-off utility
- ${\bf \cdot} \, {\sf Blade \, features \, Fiskars' \, proprietary, edge-retention \, coating.}$
- Stays sharp up to 24x longer than standard utility blades.
 Laboratory tested and verified.
 Blade snaps off cleanly for a new sharp tip.

- · Pack includes 5 x 25 mm blades.



Hardware Knives

For effective cuts, it's important to keep your knife as sharp as possible. That's why we've integrated a high-quality sharpener into every sheath. This sheath is available for all knives within this range so you'll always have it with you.

The handle has great ergonomics, while innovation in the sheath allows for both left- and right-handed use. The range consists of 5 different colour-coded knives for all your building tasks.



Hardware Knives | Fixed Blades

Builder's Knife with Sharpener (black) 1023617 Art.no. Height: 22,7cm Length: 3,6 cm Width: 4,2cm Weight: 0,09 kg Retailbox: 12 Oldart.no. -



- · High quality blade that lasts longer.
- ·Built-in, easy-to-use sharpener.
- · Sheath reversable for right- or left-handed use.

Universal Knife with Sharpener (orange)					Art.no.	1023618	z	6 4 1 1 5 0 1 5 6 0 1 7 9
Height: 28cm	Length: 3,6 cm	Width: 8cm	Weight: 0,13kg	Retailbox: 8	Oldart.no.	-	1	6 4 1 1 5 0 1 5 6 0 1 7 9



- · High quality blade for general use.
- Built-in, easy-to-use sharpener.
 Sheath reversable for right- or left-handed use.
 3-component ergonomic handle (patented).
- · Stainless steel.

Heavy duty Knife with Sharpener (green)					Art.no.	1023619	Z	6 4 1 1 5 0 1 5 6 0 1 8 6
Height: 28cm	Length: 3,6 cm	Width: 8cm	Weight: 0,15 kg	Retail box: 8	Oldart.no.	-		6 4 1 1 5 0 1 5 6 0 1 8 6



- $\cdot \, \text{Stronger} \, \text{and thicker} \, \text{blade for heavy} \, \text{use}.$
- · Works also as deburring file.
- Built-in, easy-to-use sharpener.
 Sheath reversable for right- or left-handed use.
- · 3-component ergonomic handle (patented).

Craftsman's Knife with Sharpener (red)					Art.no.	1023620	Z	6"411501" 560193
Height: 28cm	Length: 3,6cm	Width: 8cm	Weight: 0,12kg	Retailbox: 8	Oldart.no.	-	E/	6 4 1 1 5 0 1 5 6 0 1 9 3
					·Shorter bl	ade for more precisi	on.	



- ·Built-in, easy-to-use sharpener.
- · Sheath reversable for right- or left-handed use.
- · 3-component ergonomic handle (patented).

Carpenter's Knife with Sharpener (yellow)					Art.no.	1023621	3
Height: 28cm	Length: 3,6cm	Width: 8cm	Weight: 0,15 kg	Retailbox: 8	Oldart.no.	-	6 4 1 1 5 0 1 5 6 0 2 0 9



- · High quality chisel blade.
- · Built-in, easy-to-use sharpener.
- · Sheath reversable for right- or left-handed use.
- · 3-component ergonomic handle (patented).

Other Knives | Fixed Blades

Mineral Wo	ool Knife (K20))			Art.no.	1001626	6"411502"879027"
Height: 42cm	Length: 1,8 cm	Width: 3,8cm	Weight: 0,14 kg	Retailbox: 4	Oldart.no.		6 411502 879027
					•ldeal for cu	ıtting insulating materi	ials such as mineral wool or




 Ideal for cutting insulating materials such as mineral wool or polystyrene.






A tool for every task



Offset aviation snips allow you to keep your hand on top of the sheet for cuts through the center of the sheet. These tools cut at a sharper angle, distancing your hands from sharp, jagged work surfaces.



Ideal for cutting a range of heavy-duty materials.



Shorter cut length increases cutting capacity.



40% MORE POWER

Aviation Snips

Fiskars Pro PowerGear™ aviation snips are ideal for cutting a range of heavy-duty materials, including sheet metal, ductwork, drywall corners, metal studs, siding, soffit, fascia, drip edge, gutters and more.

Equipped with PowerGear patented technology, these tools feature leverage -enhancing gears that give you over 40 % more power, especially during the toughest part of the cut.

PowerGear Aviation Snips (straight cut)

Length: 2,5 cm Width: 10,2 cm

Weight: 0,43 kg

Retailbox: 8

1027207

Art.no.

Oldart.no. -









- · Forged, heat-treated steel blades and handle are 40% stronger for long life and durability.
 • EasyAction handle with optimised span truly fits your grip, for
- more power without sacrificing cut length.
- · Ergonomic, spring-assisted, SoftGrip™ handle reduces hand fatigue and enhances dexterity.
- · Cut capacity: 18-gauge cold-rolled steel, 22-gauge stainless steel; cut length: 38.1mm

PowerGear[™] Aviation Snips (right cut)

Height: 29 cm

Height: 29,5 cm

Length: 2,5 cm

Width: 10.2 cm

Weight: 0,44 kg

Retailbox: 8

Oldart.no. -

Art.no.

Art.no.

Oldart.no. -

1027208







- · Forged, heat-treated steel blades and handle are 40% stronger for long life and durability.
- EasyAction handle with optimised span truly fits your grip, for more power without sacrificing cut length.
- $\hbox{-} Ergonomic, spring-assisted, SoftGrip \hbox{$^{\circ}$} handle \, reduces \, hand \,$ fatigue and enhances dexterity.
- Cut capacity: 18-gauge cold-rolled steel, 22-gauge stainless steel; cut length: 38.1mm.

PowerGear[™] Aviation Snips (left cut)

Height: 29cm

Length: 2,3cm

Width: 10,5 cm

Weight: 0,45 kg

Retailbox: 8

1027209

1027210









- · Forged, heat-treated steel blades and handle are 40% stronger for long life and durability.
- · EasyAction handle with optimised span truly fits your grip, for more power without sacrificing cut length.
- $\hbox{-} Ergonomic, spring-assisted, SoftGrip $^{\tt w}$ handle reduces hand$ fatigue and enhances dexterity
- · Cut capacity: 18-gauge cold-rolled steel, 22-gauge stainless steel; cut length: 38.1mm.

PowerGear[™] Aviation Snips (offset right cut)

Height: 29,5 cm

Length: 3,5 cm

Width: 10,5 cm

Weight: 0,49 kg

Retailbox: 6

Oldart.no. -

Art.no







- · Forged, heat-treated steel blades and handle are 40% stronger for long life and durability.
- · EasyAction handle with optimised span truly fits your grip, for more power without sacrificing cut length.
- $\hbox{-} Ergonomic, spring-assisted, SoftGrip $^{\circ}$ handle reduces hand$ fatigue and enhances dexterity.
- · Cut capacity: 18-gauge cold-rolled steel, 22-gauge stainless steel; cut length: 38.1mm.

PowerGear[™] Aviation Snips (offset left cut) 1027211 Art.no. Height: 29,5 cm Length: 3,5 cm Width: 10,5 cm Weight: 0,48 kg Retailbox: 6 Oldart.no. -







- · Forged, heat-treated steel blades and handle are 40% stronger for long life and durability.
- · EasyAction handle with optimised span truly fits your grip, for $more\,power\,without\,sacrificing\,cut\,length.$
- $\textbf{\cdot} \, \mathsf{Ergonomic}, \mathsf{spring}\text{-}\mathsf{assisted}, \mathsf{SoftGrip}^{\scriptscriptstyle{\mathsf{T}}}\mathsf{handle}\, \mathsf{reduces}\, \mathsf{hand}$ fatigue and enhances dexterity.
- Cut capacity: 18-gauge cold-rolled steel, 22-gauge stainless steel; cut length: 38.1 mm.

PowerGear	[™] Aviation Sn	ips (bulldog)			Art.no.	1027212	z	6"411501"701305
Height: 29,3 cm	Length: 2,5cm	Width: 10,2cm	Weight: 0,43 kg	Retailbox: 8	Oldart.no.	-	7	6 4 1 1 5 0 1 7 0 1 3 0 5




Retail pack



- · Forged, heat-treated steel blades and handle are 40% stronger, while a shorter cut length increases cutting capacity.
- EasyAction[™] handle with optimised span truly fits your grip, for
- more power without sacrificing cut length.

 Ergonomic, spring-assisted, SoftGrip* handle reduces hand
- fatigue and enhances dexterity.
- · Cut capacity: 16-gauge cold-rolled steel, 18-gauge stainless steel; cut length: 25.4 mm.







Heavy-duty Scissors

Fiskars Pro heavy-duty scissors feature power-enhanging technologies, such as PowerArc™ for up to 30% more power, and Amplify™ that cuts up to 2x thicker materials. This makes them ideal for cutting a variety of materials including insulation, duct tape, cardboard, cork, board rope, tar paper, Tyvek, hoses and more. Heavyduty stainless steel blades power through thick materials without separation, while durable construction and high-quality materials guarantee long life.

PowerArc Heavy-duty Scissors, 21cm

Length: 10 cm Width: 22cm

Weight: 0,20 kg

Retailbox: 6

1027204

Art.no.

Art.no.

Art.no.

Oldart.no. -

Oldart.no. -

Oldart.no. -







- · Heavy-duty coined stainless steel blades power through thick materials without separation and won't rust.
- · Serrated blade and extended blade tang improve strength and
- $\bullet \textit{Ergonomic handle with SoftGrip} \texttt{``and strategic texturing enhances}$ comfort.

PowerArc[™] Heavy-duty Scissors, 26 cm

Height: 29,5 cm

Height: 26 cm

Length: 10 cm

Width: 26cm

Weight: 0,26 kg

Retailbox: 6

1027205







- · Heavy-duty coined stainless steel blades power through thick materials without separation and won't rust.
- · Serrated blade and extended blade tang improve strength and
- Ergonomic handle with SoftGrip" and strategic texturing enhances comfort.

Power	Arc [™] Heavy-d	uty Utility Snip		

Height: 26,4cm

Length: 12 cm

Width: 26cm

Weight: 0,21kg

Retailbox: 6

1027206











- Offset Easy Action handle opens automatically, cuts from above or below and keeps your hand away from the materials you're cutting.
- · Heavy-duty stainless steel blades power through thick materials without separation and won't rust.
- · Serrated edge grips slippery materials for better control.
- $\cdot \text{Handle features SoftGrip} \\ \text{`for enhanced dexterity and comfort.}$
- · Easy-open lock protects the blades during transport and storage.

Amplify [™] Scissors, 21 cm					Art.no.	1020224	Z	6411508 891580
Height: 22cm	Length: 2cm	Width: 8cm	Weight: 0,11kg	Retailbox: 5	Oldart.no.	-		6 411508 891580



- · Ideal for cuts through thick, heavy materials like leather, burlap, carpet, canvas, upholstery and more.
- · Amplify "technology senses blade separation when cutting thick materials, forcing them back together for crisp, clean cuts every
- · Floating blade tang transfers energy to the torsion bar, which adjusts the blade to its optimal angle.
- · Soft-grip handle for comfort and control.
- · High quality stainless steel blades hold their sharp edge longer
- ·For right-handed.

Art.no. 1020223 Height: 25 cm Length: 2 cm Width: 9 cm Weight: 0,17 kg Retail box: 5 Oldart.no. Ideal for cuts through thick, heavy materials like leather, burlap, carpet, canvas, upholstery and much more. Premium-grade, stainless steel blades with a precisely-honed edge stay sharp and cut cleanly, all the way to the tip.



- \cdot Thumb and finger loops with ergonomic sculpting for exceptional comfort and control.
- ·Soft-grip handle for comfort and control.
- · High quality stainless steel blades hold their sharp edge longer.
- ·For right-handed.

Hardware S	Scissors, 25 c	m			Art.no.	1020478	3 3 5 9 9 0 0 6 9 9 6 3 8
Height: 32cm	Length: 2cm	Width: 9cm	Weight: 0,13 kg	Retailbox: 6	Oldart.no.	-	3 359900 699638



MADE IN FINLAND

- · Long high-quality stainless steel blades with wire cutting notch.
- · Large ergonomic handle.
- · Ergonomic and durable design.
- · Made in Finland.
- ·For right-handed.



Classic Hardware Scissors



Weight: 0,12 kg



Width: 9cm

Universal scissors 21 cm LH

Length: 2,4cm

Height: 26 cm



Retailbox: 5







Art.no.

- · Scissors for life: 25-year extended guarantee. · Optimal cutting edge and lifelong performance.
- · Superior ergonomics ensuring good grip.

1075037

Oldart.no. 1024886

- Premium craftmanship: finished and tested by hand.
- $\cdot \mathsf{True}\,\mathsf{left}\text{-}\mathsf{handed}\,\mathsf{scissors}\,\mathsf{thanks}\,\mathsf{to}\,\mathsf{the}\,\mathsf{inverted}\,\mathsf{blades}.$
- $\cdot \text{Ideal for a wide variety of cutting needs.}.\\$

0	(const.)			MADE IN FINLAND	Durable stainless steel blades for Faceted grind ensures precise or Impact resistant handle material For left-handed users.	or long-lasting sharpness. outting all the way to the tip.
Large unive	ersal scissor	s 25 cm	Art.no. 1075050			
Height: 32,4 cm	Length: 3cm	Width: 11cm	Weight: 0,18 kg	Retail box: 5	Oldart.no. 1024882	6"424002"019565
	tteles = 0	2		MADE IN FINLAND	Scissors for life: 25-year extended optimal cutting edge and lifelon Large handles with superior ergenemium craftmanship: finished Ideal for a wide variety of cutting Long, durable ground stainless sharpness. Faceted grind on the blades ensthe tip. Impact resistant handle material For right-handed users.	g performance. onomics ensuring good grip. and tested by hand. ineeds. steel blades for long-lasting ures precise cutting all the way to
Small unive	ersal scissor	s 16 cm			Art.no. 1075055	AN
Height: 21,3 cm	Length: 1,6 cm	Width: 8,6cm	Weight: 0,06 kg	Retailbox: 10	Oldart.no. 1024881	6 424002 019619
			·	GUARANTEE 25	Scissors for life: 25-year extends Optimal cutting edge and lifeton Superior ergonomics ensuring of the properties of the pro	g performance. good grip.









- Premium craftmanship: finished and tested by hand.
 Ideal for a wide variety of cutting needs.
- · Durable stainless steel blades for long-lasting sharpness.
- · Faceted grind on the blades for precise cutting all the way to the tip.
- · Impact resistant handle material.
- · For right- and left-handed users.

PowerGear[™] Bolt Cutters

Cut a range of heavy-duty materials including padlocks, chains, rebar, metal rods, threaded rods and more.



Bolt Cutters

Ideal for cutting a range of heavy-duty materials including paddle locks, chains, rebar, metal rod, threaded rod and more, Fiskars Pro Bolt cutters feature PowerGear patented technology - leverage-enhancing gears that give you over 40% more power, especially during the toughest part of the cut. Adjustable eccentric bolts allow you to optimize jaw alignment for optimal cut performance over time.

PowerGear [™] Bolt Cutter, 91 cm						1027216	z	6'41501'701343
Height: 92cm	Length: 5,5 cm	Width: 32cm	Weight: 5,5 kg	Retailbox: 1	Oldart.no.	-	7	6 4 1 1 5 0 1 7 0 1 3 4 3





- Cutting capacity: Cuts soft materials up to 12,7 mm (1/2") (<19 HRC) and hard materials up to 9,5 mm (3/8") (<40 HRC).
- ·Length: 91cm

PowerGear [™] Bolt Cutter, 76 cm						1027215	6 4 1 1 5 0 1 7 0 1 3 3 6
Height: 75 cm	Length: 5cm	Width: 29cm	Weight: 4,45 kg	Retailbox: 1	Oldart.no.	-	6 411501 701336





 \cdot Cutting capacity: Cuts soft materials up to 11,1 mm (7/16") (<19 HRC) and hard materials up to 7,9 mm (5/16") (<40 HRC). \cdot Length: 76 cm

PowerGear	[™] Bolt Cutter,	61cm			Art.no.	1027214	Z	
Height: 61,5 cm	Length: 4,5cm	Width: 21cm	Weight: 3,06 kg	Retailbox: 2	Oldart.no.	-	E/	6"411501"701329"





- · Cutting capacity: Cuts soft materials up to 9,5 mm (3/8") (<19 HRC) and hard materials up to 6,35 mm (1/4") (<40 HRC).
- ·Length: 61cm

PowerGear	[™] Bolt Cutter,	36 cm			Art.no. 102	27213	
Height: 35,5 cm	Length: 4cm	Width: 14,5 cm	Weight: 1,08 kg	Retailbox: 2	Oldart.no	ì	6"411501"701312





- Cutting capacity: Cuts soft materials up to 7,9 mm (5/16") (<19 HRC) and hard materials up to 4,76mm (3/16") (<40 HRC).
- Length: 36 cm



Reduce punishment on your body Patented technology reduces strike shock and vibration up to 70 %, reducing muscle fatigue and joint pain.

Built to last longer

Forged, heat-treated steel head, finished with a rust-resistant coating.

Maximum strike control

Ergonomically contoured grip and perfectly balanced shaft to give the ultimate strike feel.

IsoCore[™]

UP TO SHOCK




Sledge Hammers

Patented IsoCore™ Shock Control System transfers 2x less shock and vibration than wood handles, reducing the punishment your body takes

5x more destructive Induction-hardened, wedge-shaped demolition head concentrates force for maximum destruction, directing debris to the sides and away from the user


Inseparable riveted head

Stainless steel riveted head with steel-reinforced core gives our product unmatched head retention and durability



IsoCore[®] SHOCK

Striking Tools





IsoCore[™] M Club Hammer

IsoCore[™] L Club Hammer

Width: 12,1cm



reddot award 2016

Retailbox: 2





 Wedged demolition face concentrates force for up to 5x more destructive power.

· Sculpted SoftGrip" handle for enhanced comfort and control.

- Extra-large diameter driving face improves strike accuracy. · Forged, heat-treated steel with rust-resistant coating.
- · Sculpted SoftGrip" handle for enhanced comfort and control.
- · Handle flare keeps tool firmly in hand when swinging.
- $\cdot \, \text{Strategic handle texturing for maximum grip helps prevent blisters}.$
- Insulation sleeve captures initial strike shock.

1020218

· Steel-jacketed core improves handle strength.

1020217

Art.no.

Oldart.no. -

· Dual-layer handle features insulating materials to dampen lingering vibration.



Weight: 1,63 kg

reddot award 2016 winner



- · Wedged demolition face concentrates force for up to 5x more
- Extra-large diameter driving face improves strike accuracy.
- · Forged, heat-treated steel with rust-resistant coating. · Sculpted SoftGrip handle for enhanced comfort and control.
- Handle flare keeps tool firmly in hand when swinging
- Strategic handle texturing for maximum grip helps prevent blisters.
- · Insulation sleeve captures initial strike shock.
- Dual-layer handle features insulating materials to dampen lingering

IsoCore [™] XXL Builder's Axe					Art.no.	1020220	EAN	
Height: 92,1cm	Length: 7,6cm	Width: 20,3cm	Weight: 4,23kg	Retailbox: 2	Oldart.no.	-		6"411501"560087





reddot award 2016



- · Optimised blade geometry blasts tough logs apart while the driving face can be struck with another tool to force the wedge
- · Inseparable riveted head will not slide down or snap off. Forged, heat-treated steel with rust-resistant coating.
- · Driving face can be struck with another tool during splitting to help force the wedge.
- · Handle flare keeps tool firmly in hand when swinging.
- · Strategic handle texturing for maximum grip helps prevent blisters
- · Insulation sleeve captures initial strike shock.



Striking Tools

IsoCore [™] LF	Pick				Art.no. 1020166	Z
Height: 91,36 cm	Length: 9cm	Width: 46,89cm	Weight: 3,4 kg	Retail box: 2	Oldart.no	6 411501 560094





- $\cdot \, \text{Head features} \, \text{a pick end for driving through hard surfaces and} \,$ $mattock\,end\,for\,use\,as\,a\,hoe\,in\,tough\,soil.$
- $\cdot \ \text{Inseparable riveted head will not slide down or snap off.}$
- Forged, heat-treated steel with rust-resistant coating.
 Sculpted SoftGrip handle for enhanced comfort and control.
- · Patent-pending, strategic handle texturing features large finger dimples for maximum grip and small dimples where the palm rests to prevent blisters.
- $\cdot Insulation \, sleeve \, captures \, initial \, strike \, shock.$

IsoCore [™] SF	Pick				Art.no.	1062937	6 4 1 1 5 0 1 2 0 1 2 0 1
Height: 36,3 cm	Length: 6,3cm	Width: 14,6 cm	Weight: 1,2 kg	Retailbox: 2	Oldart.no.	-	6 4 1 1 5 0 1 2 0 1 2 0 1





- $\cdot \, \text{Head features a pick end for driving through hard surfaces and a} \,$ mattock end for use as a hoe in tough soil.

 Inseparable riveted head will not slide down or snap off.
- · Forged, heat-treated steel with rust-resistant coating.
- Sculpted SoftGrip* tandle for enhanced comfort and control.
- $\cdot \mbox{Handle texturing improves grip and prevents blisters}.$


IsoCore [™] S N	<i>l</i> laul				Art.no.	1062936	Z	6 4 1 1 5 0 1 2 0 1 1 9 5
Height: 35,89 cm	Length: 5,08 cm	Width: 14,30 cm	Weight: 1,36 kg	Retailbox: 2	Oldart.no.	-		6 411501 201195





- Ideal for splitting small logs and kindling.
 Transfers less shock and vibration than wood-handled mauls, reducing punsishment on your body.
- · Inseparable riveted head will not slide down or snap off, even when swinging with maximum force.
- $\cdot \textit{Forged}, \textit{heat-treated steel with rust-resistant coating}.$

Hammers





IsoCore[™] M Finishing Hammer, Curved Claw




Weight: 0,88 kg





Retailbox: 6





- $\boldsymbol{\cdot} \textbf{Sculpted SoftGrip} \textbf{``handle with texturing helps prevent blisters}$
- while improving comfort and control.
- · Curved claw optimised to make removing nails faster and easier.
- Insulation sleeve captures initial strike shock.

1027202

Art.no.

Oldart.no. -

IsoCore [™] L General Use Hammer					Art.no.	1020214	z	6 4 1 1 5 0 1 8 6 0 0 1 8
Height: 34,3cm	Length: 3,8cm	Width: 14,6 cm	Weight: 0,91kg	Retailbox: 4	Oldart.no.	-	7	6 4 1 1 5 0 1 5 6 0 0 1 8







reddot award 2016



- · Ideal for driving small nails into visible surfaces without damaging the surrounding area.
- ·Sculpted SoftGrip™ handle with texturing helps prevent blisters while improving comfort and control.
- · Magnetic nail-starter groove allows you to start nails with one hand in hard places.
- · Rip claw pulls nails quickly and easily.
- · Insulation sleeve captures initial strike shock.

				OCTION AS				
IsoCore [™] L	Hammer, Cu	Art.no.	1027203	Z				
Height: 34cm	Length: 3,2cm	Width: 13,4cm	Weight: 0,78 kg	Retailbox: 6	Oldart.no.	-	E/	6 4 1 1 5 0 1 7 0 1 2 1 3
			Retail		job site or a	round the house.		variety of common tasks on the uring helps prevent blisters





pack



reddot award 2016



- while improving comfort and control.
- · Curved claw optimised to make removing nails faster and easier.
- · Insulation sleeve captures initial strike shock.

IsoCore [™] XL General Use Hammer					Art.no.	1020215	Z	6"411501"560025"
Height: 39,4 cm	Length: 3,8cm	Width: 14,6 cm	Weight: 0,86 kg	Retailbox: 4	Oldart.no.	-		6 411501 560025






reddot award 2016



- ·Ideal for driving small nails into visible surfaces without damaging the surrounding area.
- Sculpted SoftGrip™ handle with texturing helps prevent blisters while improving comfort and control.
- · Magnetic nail-starter groove allows you to start nails with one hand in hard places.
- · Rip claw pulls nails quickly and easily.
- $\cdot Insulation\, sleeve\, captures\, initial\, strike\, shock.$



precision strikes.

· Insulation sleeve captures initial strike shock.



Demolition Tools

Fiskars Pro demolition tools are great for a variety of demolishing tasks and feature patented IsoCore™ shock control technology to reduce shock and vibration by up to 70%.

IsoCore [™] LE	Demolition To	ool			Art.no.	1027221	z	6 4 1 1 5 0 1 7 0 1 3 9 8
Height: 75 cm	Length: 3,5 cm	Width: 15cm	Weight: 2,60 kg	Retailbox: 2	Oldart.no.	-	1	6 4 1 1 5 0 1 7 0 1 3 9 8




- $\cdot lsoCore^{\times} shock control system transfers 30\% less vibration than wood handles.$
- $\bullet \, \mathsf{Board} \, \mathsf{bender} \, \& \, \mathsf{straightener} \, \mathsf{to} \, \mathsf{reuse} \, \mathsf{and} \, \mathsf{straighten} \, \mathsf{boards}.$
- SoftGrip™ handle with texturing for improved grip.
- Chisel & pry to easily remove tile, striking face for pounding.
- · Demo edge maximizes striking force.
- Striking & struck face lets you position and strike to target tight spaces.
- ·Claw for easily pulling nails.

IsoCore [™] M Demolition Tool					Art.no.	1027220	Z	
Height: 46,2 cm	Length: 3cm	Width: 14,2 cm	Weight: 1,38 kg	Retailbox: 4	Oldart.no.	-	Ē	6 4 1 1 5 0 1 7 0 1 3 8 1





- ·IsoCore" shock control system transfers 30% less vibration than wood handles.
- $\bullet \, \text{Board bender} \, \& \, \text{straightener} \, \text{to reuse} \, \text{and straighten} \, \text{boards}.$
- •SoftGrip™ handle with texturing for improved grip.
- · Chisel & pry to easily remove tile.
- Demo edge maximizes striking force.
- · Claw for easily pulling nails.
- · Handle flare keeps the tool firmly in hand when swinging.



Iron bars

Iron Bar, 5 k	g				Art.no.	1027234	E A N
Height: 120 cm	Length: 2,9cm	Width: 2,9 cm	Weight: 4,97kg	Retailbox: 1	Oldart.no.	-	6 4 1 1 5 0 1 7 0 1 5 2 7

- For levering, moving loads, dislodging stones & digging.
 Octagonal cross-section for better grip.
 Made of high quality & durable carbon steel.

- Hardened ends to ensure user safety when using the bar to strike.

Iron Bar, 6 k	g				Art.no.	1027235	EAN	6411501701534
Height: 135 cm	Length: 3cm	Width: 3cm	Weight: 5,97kg	Retailbox: 1	Oldart.no.	-	"	6 4 1 1 5 0 1 7 0 1 5 3 4

- · For levering, moving loads, dislodging stones & digging.
- ·Octagonal cross-section for better grip.
- · Made of high quality & durable carbon steel.
- Hardened ends to ensure user safety when using the bar to strike.

Iron Bar, 7 kg					Art.no.	1027236	4 1 1 5 0 1 7 0 1 5 4 1
Height: 150 cm	Length: 3,1cm	Width: 3,1cm	Weight: 7,01kg	Retailbox: 1	Oldart.no.	-	6 411501 701541

- For levering, moving loads, dislodging stones & digging.
 Octagonal cross-section for better grip.
 Made of high quality & durable carbon steel.
 Hardened ends to ensure user safety when using the bar to strike.



Maintenance | Spare Parts

Maintenance Kit					Art.no.	1001640	6 4 1 1 5 0 1 9 6 9 9 0 3
Height: 19,7 cm	Length: 3,3 cm	Width: 10,5cm	Weight: 0,15 kg	Retailbox: 4	Oldart.no.	110990	6 411501 969903





·Includes a maintenance guidebook, diamond file and oil.

• Detailed instructions using pictures and symbols for sharpening, oiling, washing, storage and more.





- ·SW-68 (1067552)
- · For quick, clean cuts on thick stems and branches.
- 7 TPI blade for fast cutting.
- •Blade lenght: 15 cm

Spare Blade For Folding Saw SW69				Art.no.	1067555	6 4 1 1 5 0 1 2 0 1 3 6 2	
Height: 29,4cm	Length: 0,4cm	Width: 8cm	Weight: 0,08 kg	Retailbox: 4	Oldart.no.	-	6 411501 201362



- ·SW-69 (1067553)
- $\cdot \mbox{For quick, clean cuts on thick stems and branches}.$
- ·7 TPI blade for fast cutting. ·Blade lenght: 20 cm

Handle Kit for Pruning Saw (SW240 & SW330)						1020202	ş	6"411501"233325
Height: 22cm	Length: 2,2cm	Width: 11cm	Weight: 0,16 kg	Retailbox: 4	Oldart.no.	123332	Ä	6 4 1 1 5 0 1 2 3 3 3 2 5



Handle kit for use with: •SW-330 (article No 1020199). •SW-240 (article No 1020200).

- ·Sturdy grip with SoftGrip".
- ·Screw and nut.

Scabbard Kit for Pruning Saw (SW240 & SW330)					Art.no.	1020201	ξ	
Height: 42cm	Length: 5,5 cm	Width: 9cm	Weight: 0,18 kg	Retailbox: 4	Oldart.no.	123331	6 411501	233318



Scabbard kit for use with:

- •SW-330 (article No 1020199).
- ·SW-240 (article No 1020200).
- ·Scabbard with left- and right-side mounting.
- ·Usable with WoodXpert "tool belt (Article No 1003626).

Curved Replacement Blade (CC33)


Height: 43,4cm Length: 0,3cm

Width: 7,1cm

Weight: 0,10 kg Retailbox: 4

Art.no.

Oldart.no. 123336



1020193

- ·SW-240 (article No 1020200).
- · General cutting, fast pruning with fewer strokes.
- · Pitch of teeth 4 mm.





Height: 43,4 cm Length: 0,3cm

Width: 7,1cm

Weight: 0,09 kg

Retailbox: 4

1020197 Art.no.

Oldart.no. 123338





- ·SW-330 (article No 1020199).
- · SW-240 (article No 1020200).
- · Fruit trees and trees with loose bark.
- · Pitch of teeth 2,5 mm.



Height: 34cm

Width: 5,3cm Length: 0,3cm

......

Weight: 0,06 kg

Retailbox: 4

Art.no. 1020194

Oldart.no. 123246





Replacement blade for use with:

- · SW-330 (article No 1020199).
- · SW-240 (article No 1020200).
- · General cutting.

 Pitch 	of teeth	n 4 mm.

Straight Replacement Blade (SF24)

Height: 34 cm

Length: 0,3cm

Width: 5,3 cm

Weight: 0,07 kg

Retailbox: 4

Oldart.no. 123248

Art.no.

1020198





Replacement blade for use with:

- ·SW-330 (article No 1020199).
- ·SW-240 (article No 1020200).
- · Fruit trees and trees with loose bark. · Pitch of teeth 2,5 mm.

Spare	Blade	for Bo	w Saw	(SW30)
Opaio	Diado	.0. 00	11 0011	(01100)

Height: 63cm Length: 0,1cm

Width: 4cm

Weight: 0,05 kg

Retailbox: 5

1001706 Art.no

Oldart.no. 124807





Replacement blade for use with: · 21" Bow Saw SW30 (article No 1001621).

Spare Blade for Bow Saw (SW31)					Art.no.	1001707	Z
Height: 67,1cm	Length: 0,1cm	Width: 4cm	Weight: 0,05kg	Retailbox: 5	Oldart.no.	124817	0 0 4 6 5 6 1 1 0 0 6 8 1



Replacement blade for use with: • 24" Bow Saw SW31 (article No 1000615).

Blade, spring, screw, lock (P961)					Art.no.	1064258	Z	6 4 1 1 5 0 1 7 0 4 3 8 2
Height: 27cm	Length: 3,5 cm	Width: 17cm	Weight: 0,07kg	Retailbox: 4	Oldart.no.	-	Ä	6 4 1 1 5 0 1 7 0 4 3 8 2



Blade, spring, screw and lock for use with:
• X-series ** Pruner bypass L P961 (article No 1057175).

Blade, spring, screw, lock (P941)					Art.no.	1064259	6 4 1 1 5 0 1 7 0 4 3 9 9
Height: 27cm	Length: 3,5 cm	Width: 17cm	Weight: 0,06kg	Retailbox: 4	Oldart.no.	-	6 4 1 1 5 0 1 7 0 4 3 9 9



Blade, spring, screw and lock for use with:
•X-series" Pruner anvil L P941 (article No 1057174).
•PowerGear" X Pruner anvil PX93 (1023629).

Blade, spring, screw, lock (P921)					Art.no.	1064260	Z	6411501704405
Height: 27cm	Length: 3,5 cm	Width: 17cm	Weight: 0,06kg	Retail box: 4	Oldart.no.	-	Ä	6 4 1 1 5 0 1 7 0 4 4 0 5



Blade, spring, screw and lock for use with:

·X-series" Pruner bypass M P921 (article No 1057173).

·PowerGear" X Pruner bypass L PX94 (1023628).

Blade, Spring, Bolt, Screw (P90)					Art.no.	1026278	2	
Height: 27cm	Length: 3,5 cm	Width: 17cm	Weight: 0,10 kg	Retail box: 4	Oldart.no.	-	6 424002 008521	J



Blade, spring, bolt, screw for use with: • Pro Pruner P90 (article No 1001530).

Blade, Lock	,ScrewKit,N	/1&L(PB8)			Art.no. 1026280	z	6 424002 008545
Height: 27cm	Length: 2cm	Width: 17 cm	Weight: 0,12 kg	Retailbox: 4	Oldart.no	ПР	6 4 2 4 0 0 2 0 0 8 5 4 5



Blade, lock, screw kit for use with:

- Pro Tools Pruner PB8 M (article No 1020204).
- · Pro Tools Pruner PB8 L (article No 1020203).

Handle Kit, M (PB8)						26282	6 4 2 4 0 0 2 0 0 8 5 6 9
Height: 27cm	Length: 2,2cm	Width: 17 cm	Weight: 0,08kg	Retailbox: 4	Oldart.no	[7]	6 424002 008569





Handle kit for use with:

· Pro Tools Pruner PB8 M (article No 1020204).

Handle Kit, L (PB8)					Art.no.	1026283	EAN	6,424002,008576
Height: 27cm	Length: 2,5 cm	Width: 17 cm	Weight: 0,09 kg	Retailbox: 4	Oldart.no.	-		6 4 2 4 0 0 2 0 0 8 5 7 6



Handle kit for use with:

· Pro Tools Pruner PB8 L (article No 1020203).

Blade, Screws (L102, L72, L76)					Art.no.	1026284	Z	
Height: 27cm	Length: 2cm	Width: 17cm	Weight: 0,14 kg	Retailbox: 4	Oldart.no.	-		6 424002 008583



Blade, screws for use with:

- Quantum Lopper bypass Scissor SL102 (article No 1001436).

 PowerGear Lopper bypass Scissor SL72 (article No 1001555).

 PowerGear Lopper bypass Scissor ML76 (article No 1001553).

Blade, Screws (L104, L108, LX94, LX98, L78, L94, L98)					Art.no. 1026285	5 2	
Height: 27cm	Length: 2,6cm	Width: 17 cm	Weight: 0,29 kg	Retailbox: 4	Oldart.no)	6 4 2 4 0 0 2 0 0 8 5 9 0



- Blade, screws for use with:

 Quantum Lopper bypass ML104 (article No 1001438) and bypass LL108 (article No 1001435).
- · PowerGear™X Lopper bypass M L X94 (article No 1020187) and bypass LLX98 (article No 1020188).
- PowerGear Lopper bypass Hook LL78 (article No 1000584).
 PowerGear Steel Lopper bypass ML94 (article No 1001549) and bypass LL98 (article No 1001548).

Blades Anvil, Screw (L109, LX99, L93, L99)					Art.no.	1026286	Z	6 4 2 4 0 0 2 0 0 8 6 0 6
Height: 27cm	Length: 2,2cm	Width: 17cm	Weight: 0,25 kg	Retailbox: 4	Oldart.no.	-	Ä	6 424002 008606



Blades anvil, screw for use with:

- ·Quantum Lopper anvil L L109 (article No 1001437).
- ·PowerGear™X Lopper anvil L LX99 (article No 1020189).
- PowerGear Steel Lopper Anvil M L93 (article No 1001550).
 PowerGear Steel Lopper Anvil L L99 (article No 1001547).

Blade, Screw (L70, L74, L90, L92, LX92)					Art.no.	1026288	z	6"424002"008620
Height: 27cm	Length: 2cm	Width: 17cm	Weight: 0,14 kg	Retailbox: 4	Oldart.no.	-		6 424002 008620



Blade, screw for use with:

- Power Gear "Lopper bypass Hook Head S L70 (article No 1002104).
- $\cdot \text{PowerGear} \text{``Lopper bypass Hook ML74 (article No 1000582)}.$
- · PowerGear™ Steel Steel Lopper bypass XS L90 (article No
- 1001552).
- •PowerGear™ Steel Lopper bypass S L92 (article No 1001551).
- ·PowerGear™X Lopper bypass S LX92 (article No 1020186).

Blades, Anvil, Screw (L71)					Art.no.	1026290	8 4 2 4 0 0 2 0 0 8 6 4 4
Height: 27cm	Length: 2,5cm	Width: 17 cm	Weight: 0,18 kg	Retailbox: 4	Oldart.no.	-	6 4 2 4 0 0 2 0 0 8 6 4 4



Blades, anvil, screw for use with:

 ${\boldsymbol{\cdot}} \operatorname{PowerGear} {}^{\scriptscriptstyle{\mathsf{M}}} \operatorname{Lopper} \operatorname{anvil} \operatorname{SL71} (\operatorname{article} \operatorname{No} 1001556).$

Blades, Anvil, Screw (L77)					Art.no.	1026292	Z	6 4 2 4 0 0 2 0 0 8 6 6 8
Height: 27cm	Length: 3,1cm	Width: 17cm	Weight: 0,37kg	Retail box: 4	Oldart.no.	-		6 424002 008668



Blades, anvil, screw for use with:

 ${\color{red} \bullet} \mathsf{PowerGear}^{^{\bowtie}} \mathsf{Lopper} \, \mathsf{anvil} \, \mathsf{LL77} \, (\mathsf{article} \, \mathsf{No} \, \mathsf{1000583}).$

Blade, Spring, Chain link for Tree pruners					Art.no.	1026293	ξ	
Height: 27cm	Length: 2,2cm	Width: 17cm	Weight: 0,07kg	Retailbox: 4	Oldart.no.	-	6 424002 008	



- Blade, spring, chain link for use with:

 PowerGear Tree pruners UP82 (article No 1001558) / UP84 (article No 1001557) / UP86 (article No 1000598/1073084).
- ·PowerGear™X Tree pruners UPX82 (article No 1023625) / UPX86 (article No 1023624).
- Fiskars Telescopic tree pruner UPN86 (1073084).

Spare Cutting Head (UPX82, UPX86)					Art.no.	1026295	z	6"424002"008699
Height: 24 cm	Length: 8,2cm	Width: 10 cm	Weight: 0,44 kg	Retailbox: 4	Oldart.no.	-		6 424002 008699





- Spare cutting head for use with:

 PowerGear" X Tree pruner UPX82 (article No 1023625).

 PowerGear" X Telescopic Tree pruner UPX86 (article No 1023624).

Internal Rope & Roll Cord (UP86)					Art.no.	1027526	z	6411501 150356
Height: 27cm	Length: 2,6cm	Width: 17cm	Weight: 0,12 kg	Retailbox: 4	Old art. no.	-	Ш	6 4 1 1 5 0 1 1 5 0 3 5 6



For use with Universal Cutters Tree Pruner Bypass Telescopic UP86 (article No 1000598/1073084).

Internal Rope & Roll Cord (UP82)					Art.no.	1027525	6'411501' 150349
Height: 27cm	Length: 2,6cm	Width: 17cm	Weight: 0,09 kg	Retailbox: 4	Oldart.no.	-	6 4 1 1 5 0 1 1 5 0 3 4 9



For use with Universal Cutters Tree Pruner Bypass UP82 (article No 1001558).

Handle and Rope Set (UPX86)					Art.no.	1026296	Z	6 4 2 4 0 0 2 0 0 8 7 0 5
Height: 24cm	Length: 8,2cm	Width: 10 cm	Weight: 0,19 kg	Retailbox: 4	Oldart.no.	-		6 424002 008705



• PowerGear™ X Telescopic tree pruner UPX86 (article No 1023624).

Handle and Rope Set (UPX82)					Art.no.	1026297	EAN	
Height: 24cm	Length: 8,2cm	Width: 10 cm	Weight: 0,16 kg	Retailbox: 4	Oldart.no.	-	 	6 4 2 4 0 0 2 0 0 8 7 1 2



Handle and rope set for use with:
• PowerGear" X Tree pruner UPX82 (article No 1023625).

QuikDrill [™] Plus [™] Part,S					Art.no.	1000637	3 9 0 5 5 6 8 3 4 7 1 7 6
Height: 14,5 cm	Length: 2cm	Width: 10 cm	Weight: 0,14 kg	Retailbox: 2	Oldart.no.	134717	5 905568 347176



- Spare blades for use with:
 QuikDrill" Garden Drill S (article No 1000636).
 Working diameter 100 mm.

QuikDrill [™] Plus [™] Part, L					Art.no.	1000641	5 9 0 5 5 6 8 3 4 7 3 7 4
Height: 22cm	Length: 2cm	Width: 15cm	Weight: 0,55 kg	Retailbox: 2	Oldart.no.	134737	5 905568 347374



- Spare blades for use with:
 QuikDrill" Garden Drill L (article No 1000640).
 Working diameter 200 mm.

Classic Dutch Hoe blade, 230 mm						1014821	EAN
Height: 0,5 cm	Length: 30cm	Width: 10 cm	Weight: 0,094kg	Retailbox: 1	Oldart.no.		6 4 1 1 5 0 1 3 6 8 1 6 4
2	1	2			Spare blad	e for Classic Dutch ho	pe




Opaic	blade for	Ciassic	Dutoillioc

Classic Hoe blade, 185 mm				Art.no.	1023110	z		
Height: 0,2 cm	Length: 30 cm	Width: 10 cm	Weight: 0,065 kg	Retailbox: 10	Oldart.no.	-	Ä	5 702261 012109



Spare blade for Classic hoe

The right tool for each task



Gardening - general



Made in Finland



Weather proof



Frost resistant



Frost resistant up to -30°C



From S - M sized hands



From S-L sized hands



From M - L sized hands



Left -& righthanded use



Righthanded use only



Pocket



Locking system



Double locking system



Cutting diameter



Product size

Gardening - general materials & technologies



SoftGrip™



TruGrip™



Non-slip grip



Lightweight



SmartFit™



Steel (Newicon)



Steel



Stainless steel



Boron steel



Steel parts





Fiber Comp[™] (2x more durable)



Aluminium



Dura frame®



Cotton fabric



EaseCut"



Power Step™







Power <u>G</u>ear[™]



Spare parts





MORE POWER

Power Lever[™]

Gardening - plant care maintenance



Maintenance: Wash with water & brush



Maintenance: Wipe with cloth



Spare parts symbol



Oil



Maintenance:
Oiling connections



Maintenance: Sharpening direction & Fiskars sharpening tool

Plant Care



Bypass blades-**Promotes** growth



Bypass blades function



Anvil blades-Stunts growth



Anvil blades function



Optimised cutting power



Optimised cutting power



Optimised powertip



Non-Stick blade coating



FingerLoop



CrMov blade material



Ultrablade® coating



TruEdge[™] blade



PTFE coating



Coated blade, general





Blade toothing & Sawing direction




Hollow grind blade (branch saw)



Universal snip



For flowers



Telescopic length



Telescopic max.reach



PowerReel mechanism

Yard Care



Power Clean"





Car & Snow Tools



Reflectors (sledge)



Double bladed (ice scraper)



Floating (camping & car spade)



Stainless steel (carshovel)



UP TO

MORE

DURABLE

Zinc coated steeledge (sledge)



Non-sticky scoop (sledge)



Telescopic/ extendable length



Boron steel (ice iron)

Lawn Care



180° angle (grass shears)



360° cutting angle (Grass shears)



Anti-jamming (grass shears)



Weed puller usage:
Press into ground



Weed puller usage: Tilt



Weed puller usage: Release



Telescopic length



Pop-up bags sizes



Tearresistant (Pop-up bags)



Waterresistant (Pop-up bags)

Soil Care



Hardness 52 HRC (hay fork)



Hardness 52 HRC (manure fork)



QuikDrillS, usage1



QuikDrillS, usage2



QuikDrill M, usage 1



QuikDrillM, usage2



QuikDrill L, usage 1



QuikDrillL, usage2



Aerator rake spike



Flexible prongs (rakes)



Shovel profile



Spade profile



Boron steel (shovels)



Boron steel (pointed

spades)



Boron steel (rounded spades)



Step board (spades)




Drop shape shaft (spades)



Construction spade



Double hand usage



Aeration (rakes)

QuikFit[®]



QuikFit



Universal adapter, connection diameter



Universal adapter, universal connection



Telescopic reach



Spiker (Sharp blade)

Wood Preparation



Sharp blade (axes)



Chopping axe



Chopping axefor branches



Felling axe



Splitting



Splitting log size (axes)



Balanced



Ceramic (axe & knife sharpener)



Push&pull (axe & knife sharpener)





Reinforced (Wood



Sharp steel blade (knives)



Blade length



Product length



hooks)



Xpert)



Belt clip (knives)



Finger guard (knives)









Grafting (knives)





Universal usage



Woodcarving (knives)



Sappie XA22



Felling lever usage



Log size (log splitter)



Log tongs usage (LT6)



Sappie XA2



Finger guard (bow saws)



Finger guard, D-handle (saws)



Finger guard (saws)





Belt clip (saws)



Maintenance saws: Oiling



Maintenance saws: Wipe with cloth



Push& pull blade (bowsaw)



Pullblade, usage (saws)



Pull blade (saws)



Sliding blade (saws)



Special rubber (sledge hammers)



Drop forged (splitting wedge)



Helicoidal (splitting wedge)



Safety warning (axes)



Safety gear



Safety glasses



Safety gloves



Safety instructions (wood prep)



Safe area wedge

Watering – general



Hose connection diameter 9 mm



Hose connection diameter 13-15 mm



Hose connection diameter 19 mm



Garden size recommendation



Frost resistant when drained



Universal fit. Fits with other brands.



Pressure resistancy



Rust resistancy



Rotation capability

Waterwheels



Easy wallmounting



Easy wallmounting



Auto On/Off function



Automatic reel-in function

Hoses



Product length



UV resistant



Pressure resistance



Long lasting



High durability



Time saving



70% less water



Can be cut



Flow control

Connectors



Tap connector connection size in inch & mm



Twin tap, hose On/Off



Watering stop

Spray Guns & Nozzles



Easy to use / connect



Ergonomic grip pattern




Water flow



Water flow



Water flow, Solid



Spray pattern, Adjustable, hard to wide



Front control flow



Thumb control flow



Spray pattern, 3-function, hard jet



Spray pattern, 3-function, mist



Spray pattern, 3-function, shower



Spray pattern, Multi, mist



Spray pattern, Multi, shower



Spray pattern, Multi, bubble spray



Spray pattern, Multi, flat spray



Spray pattern, Multi, hardjet



Spray pattern, 4-function



Spray pattern, Spraygun



Spray pattern, 3-function

Sprinklers



Watering area S, round



Watering area S, square



Watering area M



Watering



Watering area XL



On/Off



Adjustable distance and rotation



Adjustable width



Adjustable



Adjustable length

Pressure Sprayers & Timers



Up to 5L capacity



Safety valve



Timing duration capability



Auto Off function



Instant watering



Watering frequency



Dual outlet



Single outlet















Fiskars has championed the ageless principles of high quality and intuitive design since 1649. We empower every enthusiast to follow their passions and create the life they want. We believe that making our daily activities enjoyable and inspiring builds happiness and wellbeing that extends beyond our homes – to our families, our friends and our communities.

COOKING | GARDENING | CRAFTING

