

# FISKARS®



## The garden catalogue

2017





**Over 365 years of history are proof of our commitment to quality. Fiskars products are ingeniously functional, uniquely user-friendly, impressively long-lasting and aesthetically iconic.**

# Fiskars



92



08




51



12




84



61



78



103



20

## New products & innovations

### 6 Wood Preparation

Axes · Handling and preparation tools · Saws · Forestry Tools · Knives

### 20 Soil Care

#### Shovels, spades & forks

Xact™ · SmartFit™ · Ergonomic™ · Light™ · Solid™

#### Soil care tools

Ergonomic™ · Light · Solid™

#### QuikDrill™

#### Nursery tools

Premium Planters™ · Solid™ · Inspiration™

### 44 Lawn Care

#### Rakes

Ergonomic™ · Light · Solid™ · Classic

### Grass shears

PowerLever™ · Servo-System™

### Weed pullers

SmartFit™ · Xact™ · Light

### Reel Mowers StaySharp™

### Solid yard tools

### 58 Plant Care

#### Scissors

#### Pruners PowerGear™ ·

PowerStep™ · Pro Pruner ·

SmartFit™ · PowerLever™ ·

Fingerloop · SingleStep™ ·

Quantum™ · Inspiration™

#### Loppers PowerGear™ ·

PowerStep™ · SmartFit™ ·

SingleStep™ · Quantum™

#### Hedge shears PowerGear™ ·

SmartFit™ · PowerLever™ ·

SingleStep™ · Quantum™

#### Tree pruners

### 78 Fiskars QuikFit™

Click & Reach · Click & Clean · Click & Grow

### 91 Fiskars Car tools

SnowXpert™ · Solid™

### 93 Fiskars Snow tools

SnowXpert™ · Snow Light

### 97 Children's Tools

### 99 Accessories

### 101 Maintenance

### 103 Spare Parts

**Please note!** All the measurements portrayed in the catalogue are packaging measurements.

# New products



## New innovative companions for 2017

### NEW FOR 2017

Our novelties will tackle anything, whether it's thick or thin branches, bushes or shrubberies. These guys will work with you, side by side, for years to come.

### PowerGearX

Next generation PowerGear X series combines the best of Fiskars existing technology and new innovations. Market leading performance. Ultra durable yet light weight. Effortless to use.



New



UP TO  
**3X**  
MORE  
POWER

**Feel the power.  
Enjoy the moment.**

**New Fiskars PowerGear™ Tools.**

For more inspiration go to [fiskars.com](https://www.fiskars.com)

**FISKARS®**

# Wood preparation

The background of the image is a blurred photograph of a chainsaw in operation. The chainsaw's body is dark, and its handle is a bright orange. The saw is cutting through a piece of wood, with a white, powdery substance (likely wood dust or a protective coating) being ejected from the cut. The overall scene is out of focus, emphasizing the action of wood preparation.



**Axes p.8**

**WoodXpert™ p.12**

**Saws p.14**

**Forestry tools p.16**

**Knives p.18**

# X-Series axes

Fiskars next generation splitting axes are a true evolution of craftsmanship –purpose-designed for one strike splits of even the thickest logs. The special blade geometry and finish is complemented by a light sturdy shaft and perfect balance. Pick your size according to the task at hand.



## KEY BENEFITS

- ✓ 35 degree convex cutting bevel angle for splitting axes - the convex shape strengthens the edge to make it less sensitive to fracture
- ✓ Perfect balance between head and shaft for the most safe, comfortable and efficient swing
- ✓ Ultralight and durable FiberComp™ shaft minimizes fatigue and makes the axe virtually unbreakable
- ✓ Optimal anti-shock surface structure ensures a comfortable, firm grip
- ✓ Hooked end of the handle prevents the axe from slipping out of the hand
- ✓ Comes with a plastic sheath for easy carrying and storage





## CHOPPING AXES



<3-10cm

X5

XXS



<3-10cm

X7

XS



<3-10cm

X10

S



10-20cm

X11

S



20-30cm

X17

M



20-30cm

X21

L



>30cm

X25

XL



>30cm

X27

XXL



## Chopping vs. splitting

### Chopping axes

Fiskars next generation chopping axes serve all manner of woodwork, chopping, carpentry and pruning. The range delivers a wonderful package of minimalist design and sharp-edged functionality with the right fit for all wood preparation tasks. Pick your size according to the task at hand.

The Universal Chopping Axe's thin, wide edge ensures a clean, easy cut in fresh, resinous wood, like spruce or pine.

### Splitting axes

Fiskars next generation splitting axes are a true evolution of craftsmanship –purpose-designed for one strike splits of even the thickest logs. The special blade geometry and finish is complemented by a light sturdy shaft and perfect balance. Pick your size according to the task at hand.

The Splitting Axe features a unique cutting edge that easily slices into the wood, which the thick axe blade then pushes apart.

# Splitting axes

## Fiskars Splitting Axe S\_X11


Height: **33 mm** Length: **490 mm** Width: **198 mm** Weight: **1180 g** Retail box: **4** Art. no. **1015640**

Old art. no. **122443**

EAN



- For small size logs <20 cm
- New 3D grip for increased safety and swing speed
- New extended 25 years warranty via web registration
- Product: 33 x 444 x 151 mm



## Fiskars Splitting Axe M\_X17


Height: **38 mm** Length: **650 mm** Width: **208 mm** Weight: **1630 g** Retail box: **4** Art. no. **1015641**

Old art. no. **122463**

EAN



- For medium size logs >20 cm
- New 3D grip for increased safety and swing speed
- New extended 25 years warranty via web registration
- Product: 36 x 600 x 165 mm



## Fiskars Splitting Axe L\_X21


Height: **38 mm** Length: **760 mm** Width: **208 mm** Weight: **1740 g** Retail box: **2** Art. no. **1015642**

Old art. no. **122473**

EAN



- New model with perfected balance and high swing speed
- For medium size logs 20- 30cm
- New 3D grip for increased safety and swing speed
- New extended 25 yrs warranty via web registration
- Product: 36 x 709 x 165 mm



## Fiskars Splitting Axe XL\_X25


Height: **45 mm** Length: **774 mm** Width: **235 mm** Weight: **2540 g** Retail box: **2** Art. no. **1015643**

Old art. no. **122483**

EAN



- For large logs > 30 cm
- New 3D grip for increased safety and swing speed
- New extended 25 years warranty via web registration
- Product: 40 x 725 x 191 mm



## Fiskars Splitting Axe XXL\_X27


Height: **45 mm** Length: **964 mm** Width: **235 mm** Weight: **2700 g** Retail box: **2** Art. no. **1015644**

Old art. no. **122503**

EAN



- For extra large logs > 30 cm
- New 3D grip for increased safety and swing speed
- New extended 25 years warranty via web registration
- Product: 40 x 925 x 191 mm




# Chopping axes

<b>Fiskars Camping Axe XXS_X5</b>					Art. no. <b>1015617</b>	EAN 6 4 1 150 1 2 1123 1
Height: <b>32 mm</b>	Length: <b>260 mm</b>	Width: <b>172 mm</b>	Weight: <b>630 g</b>	Retail box: <b>4</b>	Old art. no. <b>121123</b>	




- For kindling small wood for camp fire
- Redesigned blade cover for easy transportability
- New extended 25 years warranty via web registration
- Product: 28 x 231 x 130 mm



<b>Fiskars Chopping Axe XS_X7</b>					Art. no. <b>1015618</b>	EAN 6 4 1 150 1 2 1423 2
Height: <b>34 mm</b>	Length: <b>399 mm</b>	Width: <b>172 mm</b>	Weight: <b>700 g</b>	Retail box: <b>4</b>	Old art. no. <b>121423</b>	




- For chopping small wood for camp fire
- Redesigned blade cover for easy transportability
- New extended 25 years warranty via web registration
- Product: 33 x 354 x 130 mm



<b>Fiskars Chopping Axe S_X10</b>					Art. no. <b>1015619</b>	EAN 6 4 1 150 1 2 1443 0
Height: <b>34 mm</b>	Length: <b>473 mm</b>	Width: <b>194 mm</b>	Weight: <b>1100 g</b>	Retail box: <b>4</b>	Old art. no. <b>121443</b>	



- For carpentry and small wood work
- Redesigned blade cover for easy transportability
- New extended 25 years warranty via web registration
- Product: 33 x 445 x 152 mm



## Choose the right size for you



### 1. LENGTH TEST


Grab the axe on the shaft below the blade. Turn the shaft towards your armpit and if the end of the shaft reaches the armpit the axe is too long

### 2. WEIGHT TEST

Grab the axe at the end of the shaft and let the head rest towards the ground. Lift the head up with a wrist turn close to your body as pivotal point (axe is vertically in your hand at the end of the movement) If you can't lift the axe this way, the axe is too heavy.


# WoodXpert™ wood handling tools

Fiskars WoodXpert™ wood handling tools are designed for axe owners. These new tools support tasks related to firewood preparation. The design emphasis in these new tools has been placed on lightweight performance, excellent grip and superior tool blade development.

<b>WoodXpert™ XA3 Brush hook</b>					Art. no. <b>1003609</b>	EAN 
Height: -	Length: <b>505 mm</b>	Width: <b>120 mm</b>	Weight: <b>450 g</b>	Retail box: <b>4</b>	Old art. no. <b>126004</b>	




- For cutting smaller branches from trees.
- For clearing weeds and brush in gardens and forest.
- For stripping bark from logs.

<b>WoodXpert™ XA23 Brush hook</b>					Art. no. <b>1003621</b>	EAN 
Height: -	Length: <b>950 mm</b>	Width: <b>132 mm</b>	Weight: <b>990 g</b>	Retail box: <b>2</b>	Old art. no. <b>126005</b>	




- For cutting larger branches from trees / logs.
- For clearing saplings and brush in gardens and forest.
- For light chopping and splitting of firewood.

<b>WoodXpert™ XA2 Sappie</b>					Art. no. <b>1003622</b>	EAN 
Height: -	Length: <b>348 mm</b>	Width: <b>160 mm</b>	Weight: <b>310 g</b>	Retail box: <b>4</b>	Old art. no. <b>126006</b>	



- For carrying and lifting smaller logs.
- For handling and arranging wood piles.
- For turning of small logs.

<b>WoodXpert™ XA22 Sappie</b>					Art. no. <b>1003623</b>	EAN 
Height: -	Length: <b>785 mm</b>	Width: <b>230 mm</b>	Weight: <b>880 g</b>	Retail box: <b>2</b>	Old art. no. <b>126007</b>	



- For lifting and transporting larger logs.
- For handling and arranging wood piles.
- For turning of large logs.

**WoodXpert™ Log Hook**Art. no. **1003624**

Height: -

Length: **303 mm**Width: **193 mm**Weight: **610 g**Retail box: **4**Old art. no. **126021**

EAN



6 4 1 1 5 0 1 2 6 0 2 1 5



- For lifting and transporting logs.
- For handling and arranging logs.
- For assisting tree felling.
- With plastic sheath for easy carrying with Tool Belt.

**WoodXpert™ Log Tongs**Art. no. **1003625**

Height: -

Length: **303 mm**Width: **180 mm**Weight: **780 g**Retail box: **4**Old art. no. **126031**

EAN



6 4 1 1 5 0 1 2 6 0 3 1 4



- For lifting and transporting logs.
- For handling and arranging logs.
- With plastic sheath for easy carrying with Tool Belt.

**WoodXpert™ Tool Belt**Art. no. **1003626**

Height: -

Length: **570 mm**Width: **90 mm**Weight: **320 g**Retail box: **4**Old art. no. **126009**

EAN



6 4 1 1 5 0 1 2 6 0 0 9 3



- Tool belt to attach Log hook and Log tongs.
- Ergonomic support for the back.
- Firm double tightening.

**WoodXpert™ Felling lever - M**Art. no. **1015438**

Height: -

Length: **700 mm**Width: **86 mm**Weight: **2160 g**Retail box: **4**Old art. no. **126051**

EAN



6 4 1 1 5 0 1 2 6 0 5 1 2



- For steering the medium size tree felling.
- Additionally functions as support for sawing and carrying logs.
- Blade drop forged hardened steel.
- Shaft sturdy, but light weight special steel.
- Fast lock interface for log hook and tongs interoperation.

**WoodXpert™ Felling lever - L**Art. no. **1015439**

Height: -

Length: **1150 mm**Width: **86 mm**Weight: **2867 g**Retail box: **2**Old art. no. **126052**

EAN




6 4 1 1 5 0 1 2 6 0 5 2 9



- For steering the large size tree felling.
- Additionally functions as support for sawing and carrying logs.
- Blade drop forged hardened steel.
- Shaft sturdy, but light weight special steel.
- Fast lock interface for log hook and tongs interoperation.


## Xtract™ saws

Fiskars saws have teeth designed especially for wood. They allow you to prune branches and clear foliage in difficult positions safely with a lightweight saw. Fiskars Xtract™ range features a unique retractable mechanism and integrated belt clip making them safe to carry and easy to store.

<b>Xtract™ Garden Saw (L) SW75</b>					Art. no. <b>1000614</b>	EAN  6 4 1 1 5 0 1 2 3 8 8 0 1
Height: -	Length: <b>330 mm</b>	Width: <b>65 mm</b>	Weight: <b>230 g</b>	Retail box: <b>4</b>	Old art. no. <b>123880</b>	




- Efficiently saws fresh wood.
- Blade length 255 mm.
- Large cutting capacity up to 220 mm.

<b>Xtract™ Garden Saw (S) SW73</b>					Art. no. <b>1000613</b>	EAN  6 4 1 1 5 0 1 2 3 8 7 0 2
Height: -	Length: <b>223 mm</b>	Width: <b>50 mm</b>	Weight: <b>130 g</b>	Retail box: <b>4</b>	Old art. no. <b>123870</b>	



- Efficiently saws fresh wood.
- Blade length 160 mm.
- Cutting capacity 120 mm.

<b>Xtract™ Builder's Saw SW72</b>					Art. no. <b>1000612</b>	EAN  6 4 1 1 5 0 1 2 3 8 6 0 3
Height: -	Length: <b>223 mm</b>	Width: <b>50 mm</b>	Weight: <b>130 g</b>	Retail box: <b>4</b>	Old art. no. <b>123860</b>	



- Fine teeth for dry wood, boards and wood strips.
- Blade length 160 mm.
- Cutting capacity 120 mm.

# Saws

## Fixed Blade Saw SW84

Art. no. **1001620**

Height: -	Length: <b>500 mm</b>	Width: <b>95 mm</b>	Weight: <b>300 g</b>	Retail box: <b>4</b>
-----------	-----------------------	---------------------	----------------------	----------------------

Old art. no. **123840**

EAN



- Blade 330 mm.
- Cutting capacity 220 mm.

## 21" Bow Saw SW30

Art. no. **1001621**

Height: -	Length: <b>625 mm</b>	Width: <b>215 mm</b>	Weight: <b>500 g</b>	Retail box: <b>4</b>
-----------	-----------------------	----------------------	----------------------	----------------------

Old art. no. **124800**

EAN



- Excellent for sawing 10-20 cm stems and branches.

## 24" Bow Saw SW31

Art. no. **1000615**

Height: -	Length: <b>700 mm</b>	Width: <b>215 mm</b>	Weight: <b>650 g</b>	Retail box: <b>4</b>
-----------	-----------------------	----------------------	----------------------	----------------------

Old art. no. **124810**

EAN



- Excellent for sawing >20 cm stems and thicker branches.

# Other wood handling tools

<b>Log Splitter</b>					Art. no. <b>1001617</b>	EAN 6 4 1 1 5 0 1 2 1 1 0 0 2
Height: -	Length: <b>980 mm</b>	Width: <b>70 mm</b>	Weight: <b>6120 g</b>	Retail box: <b>2</b>	Old art. no. <b>121100</b>	



- For splitting logs effectively, effortlessly and safely.
- Variable weight - removable 1kg counter weight.
- The user's back remains perfectly straight and therefore less effort and strength is required.

<b>Sledge Hammer XL</b>					Art. no. <b>1001431</b>	EAN 6 4 1 1 5 0 1 2 0 0 3 0 3
Height: -	Length: <b>900 mm</b>	Width: <b>150 mm</b>	Weight: <b>5180 g</b>	Retail box: <b>2</b>	Old art. no. <b>120030</b>	



- Delayed burring and less risk of chipping due to rounded edges on the striking surface.
- Less jarring from miss hits due to rubber miss-hit guard.
- Greater resistance and comfort due to fiberglass core and elastomeric anti-slip as well as anti-vibration handle.

<b>Splitting Wedge Drop Forged</b>					Art. no. <b>1001614</b>	EAN 6 4 1 1 5 0 3 1 6 4 6 0 3
Height: -	Length: <b>153 mm</b>	Width: <b>45 mm</b>	Weight: <b>700 g</b>	Retail box: <b>4</b>	Old art. no. <b>120010</b>	



- For splitting difficult logs.
- Forged steel.
- Light weight.

<b>Splitting Wedge Helicoidal</b>					Art. no. <b>1000600</b>	EAN 6 4 1 1 5 0 1 2 0 0 2 0 4
Height: -	Length: <b>200 mm</b>	Width: <b>40 mm</b>	Weight: <b>2200 g</b>	Retail box: <b>4</b>	Old art. no. <b>120020</b>	



- No need to use several wedges as the helicoidal shape makes the wood burst more easily.
- No material fragmentation due to rounded head.
- Anti-return slot.
- Forged steel.

<b>Helicoidal Splitting Wedge SAFE-T</b>					Art. no. <b>1001615</b>	EAN 6 4 1 1 5 0 1 2 0 0 2 1 1
Height: -	Length: <b>240 mm</b>	Width: <b>65 mm</b>	Weight: <b>2400 g</b>	Retail box: <b>4</b>	Old art. no. <b>120021</b>	



- No need to use several wedges as the helicoidal shape makes the wood burst more easily.
- Highly resistant polyamide striking surface and metal ring.
- Reduced risk of flying particles therefore no need to maintain the striking surface to remove burring.




**Spare Striking Surface**Art. no. **1001616**

Height: -

Length: **65 mm**Width: **65 mm**Weight: **300 g**Retail box: **1**Old art. no. **122151**


EAN



- Replaceable striking surface for Helicoidal Splitting Wedge SAFE-T (article No. 1001615).

## Knives


Fiskars designs knives for a range of smaller gardening applications. Their hard-wearing blades are made from stainless and carbon steel to ensure years of trouble-free operation.

<b>Utility Knife K40</b>					Art. no. <b>1001622</b>	 EAN 6 4 1 1 5 0 2 8 7 0 6 2 8
Height: -	Length: <b>225 mm</b>	Width: <b>50 mm</b>	Weight: <b>70 g</b>	Retail box: <b>4</b>	Old art. no. <b>125860</b>	




• Design Zentrum  
Nordrhein Westfalen  
Design-Innovation

- General purpose knife with plastic sheath.
- Ergonomically designed plastic handle with finger guard.
- Blade of stainless steel, length 100 mm.

<b>Hooked Grafting Knife K62</b>					Art. no. <b>1001623</b>	 EAN 8 0 0 8 2 2 0 0 2 0 4 7 3
Height: -	Length: <b>170 mm</b>	Width: <b>23 mm</b>	Weight: <b>50 g</b>	Retail box: <b>4</b>	Old art. no. <b>125880</b>	




- For taking cuttings, picking flowers and vegetables and cutting laterals.
- Handle of recycled plastic attached with a brass rivet.
- Blade of stainless steel.

<b>Grafting Pen Knife K60</b>					Art. no. <b>1001625</b>	 EAN 8 0 0 8 2 2 0 0 2 0 4 9 7
Height: -	Length: <b>168 mm</b>	Width: <b>23 mm</b>	Weight: <b>50 g</b>	Retail box: <b>4</b>	Old art. no. <b>125900</b>	



- Ideal for grafting and making wooden canes for holding small plants and bushes.
- Handle of recycled plastic attached with a brass rivet.
- Blade of stainless steel.

<b>Mineral Wool Knife K20</b>					Art. no. <b>1001626</b>	 EAN 6 4 1 1 5 0 2 8 7 9 0 2 7
Height: -	Length: <b>420 mm</b>	Width: <b>38 mm</b>	Weight: <b>160 g</b>	Retail box: <b>4</b>	Old art. no. <b>125870</b>	



- For cutting mineral wool.
- Ergonomically designed handle with finger guard.
- Blade of stainless steel.





# Soil care

Spades, shovels  
& forks **p.23**

Soil care tools **p.31**

QuikDrill™ **p.35**

Nursery Tools **p.38**

# Fiskars digging

To make digging as easy as possible you need a reliable spade suitable for the task. That is why we have developed a variety of spades and shovels. We have spades for digging in hard soil, for edging and planting. We also have light spades for soft soil. We have shovels for ideal for moving sand, soil and snow. In short, we have a shedload of shovels and spades.



## Xact™

Gardening is a demanding pastime. Fiskars Xact™ digging tools will give you that extra push to take your gardening to a whole new level and make digging a truly pleasurable experience. Fiskars Xact digging tools fit you – combining the right length with lightweight material and durability.

## SmartFit™

This range of telescopic tools have an adjustable shaft length which extends from 1050 mm to 1250 mm. The spades, shovels and forks can be comfortably used at a range of heights. The welded connection between the blade and the shaft ensures rigid durability and longevity while its boron steel construction adds extra strength.

## Ergonomic™

Beautifully designed and realized, Fiskars Ergonomic™ is a perfect selection of tools for digging, shovelling and composting – all for the most discerning gardener.

## Light

The new beautiful Light range offers you a selection of lightweight tools for planting, cultivating, raking and other gardening tasks. Fiskars versatile range of soil rakes, hoes and cultivators are ideal for weed control, moving soil, creating narrow furrows for planting seeds and bulbs and even harvesting root crops.

# Xact™ spades & shovels

<b>Xact™ Digging Spade Medium</b>					Art. no. <b>1003684</b>	EAN 6 4 1 1 5 0 1 3 1 4 8 2 6
Height: -	Length: <b>1080 mm</b>	Width: <b>190 mm</b>	Weight: <b>1800 g</b>	Retail box: <b>4</b>	Old art. no. <b>131482</b>	



reddot design award  
best of the best 2014

- For digging in hard and rocky soil.
- Pointed sharpened blade with step board cuts easily through soil layers and roots.
- For height of users 160 - 175 cm.

<b>Xact™ Digging Spade Large</b>					Art. no. <b>1003683</b>	EAN 6 4 1 1 5 0 1 3 1 4 8 3 3
Height: -	Length: <b>1200 mm</b>	Width: <b>190 mm</b>	Weight: <b>1900 g</b>	Retail box: <b>4</b>	Old art. no. <b>131483</b>	



reddot design award  
best of the best 2014

- Best tool for digging in hard and rocky soil.
- Pointed sharpened blade with step board cuts easily through soil layers and roots.
- For height of users 175 - 195 cm.

<b>Xact™ Edging &amp; Planting Spade Medium</b>					Art. no. <b>1003682</b>	EAN 6 4 1 1 5 0 1 3 1 4 8 0 2
Height: -	Length: <b>1080 mm</b>	Width: <b>190 mm</b>	Weight: <b>1850 g</b>	Retail box: <b>4</b>	Old art. no. <b>131480</b>	



reddot design award  
best of the best 2014

- For normal garden soil (grass layer, soft ground).
- Sharpened blade with step board is perfect for digging planting holes, edging beds and removing small amounts of soil.
- For height of users 160 - 175 cm.

<b>Xact™ Edging &amp; Planting Spade Large</b>					Art. no. <b>1003681</b>	EAN 6 4 1 1 5 0 1 3 1 4 8 1 9
Height: -	Length: <b>1200 mm</b>	Width: <b>190 mm</b>	Weight: <b>1950 g</b>	Retail box: <b>4</b>	Old art. no. <b>131481</b>	



reddot design award  
best of the best 2014

- For normal garden soil (grass layer, soft ground).
- Sharpened blade with step board is perfect for digging planting holes, edging beds and removing small amounts of soil.
- For height of users 175 - 195 cm.

<b>Xact™ Shovel Large</b>					Art. no. <b>1003688</b>	EAN 6 4 1 1 5 0 1 3 2 4 8 0 1
Height: -	Length: <b>1300 mm</b>	Width: <b>224 mm</b>	Weight: <b>2100 g</b>	Retail box: <b>4</b>	Old art. no. <b>132480</b>	



reddot design award  
best of the best 2014

- The shovel with broad scoop is best for lifting and moving bulk materials, such as soil, sand or snow.
- Easier shovelling due to upright shaft.

# Xact™ forks

<b>Xact™ Soil Work Fork Medium</b>					Art. no. <b>1003686</b>	EAN 6 4 1 1 5 0 1 3 3 4 8 0 0
Height: -	Length: <b>1080 mm</b>	Width: <b>184 mm</b>	Weight: <b>1700 g</b>	Retail box: <b>4</b>	Old art. no. <b>133480</b>	



- For loosening and turning over compacted soil.
- Move easily tuft of grass when bordering or planting or use for aerating the lawn and raking out stones and weeds.
- For height of users 160 - 175 cm.
- The tines can be pushed easily into the ground not stopped by stones, weed or roots.

<b>Xact™ Soil Work Fork Large</b>					Art. no. <b>1003685</b>	EAN 6 4 1 1 5 0 1 3 3 4 8 1 7
Height: -	Length: <b>1200 mm</b>	Width: <b>184 mm</b>	Weight: <b>1800 g</b>	Retail box: <b>4</b>	Old art. no. <b>133481</b>	



- For loosening and turning over compacted soil.
- Move easily tuft of grass when bordering or planting or use for aerating the lawn and raking out stones and weeds.
- For height of users 175 - 195 cm.
- The tines can be pushed easily into the ground not stopped by stones, weed or roots.

<b>Xact™ Composting Fork Large</b>					Art. no. <b>1003687</b>	EAN 6 4 1 1 5 0 1 3 3 4 8 2 4
Height: -	Length: <b>1200 mm</b>	Width: <b>184 mm</b>	Weight: <b>1700 g</b>	Retail box: <b>4</b>	Old art. no. <b>133482</b>	




- For lifting, turning and spreading loose material like grass, hay, weeds, leaves, compost and other garden waste.
- The thin and sharp tines that are more widely spaced and curved than in a garden fork can be pushed easily into the compost and chunky material doesn't get stuck in the tines.
- Upright shaft helps the composting task.
- Suitable for all heights of users.

## Xact™

Extreme durability with lightweight, ergonomic design. Right fit to user with Medium and Large shaft size.

- Easy penetration to soil
- Ergonomic shaft angle
- Sharp, light and durable EaseCut™ Blade
- Nonslip step board
- Lightweight material structure, FiberComp™ Shaft



**Less strain on back**  
Medium and Large length



**Control and comfort**  
Push-Pull handle for better control, SoftGrip™ material.



# SmartFit™ spades, shovels & forks

## SmartFit™ Digging Spade

Art. no. **1001567**

Height: -	Length: <b>1054 mm</b>	Width: <b>190 mm</b>	Weight: <b>1620 g</b>	Retail box: <b>4</b>
-----------	------------------------	----------------------	-----------------------	----------------------

Old art. no. **131300**

EAN



- Pointed sharpened cutting edge for digging in hard soil and to mix and turn soil.
- Length of spade can be adjusted between 1054-1250 mm.

## SmartFit™ Edging & Planting Spade

Art. no. **1000620**

Height: -	Length: <b>1054 mm</b>	Width: <b>191 mm</b>	Weight: <b>1660 g</b>	Retail box: <b>4</b>
-----------	------------------------	----------------------	-----------------------	----------------------

Old art. no. **131310**

EAN



- Straight, sharpened cutting edge for edging and planting.
- For various gardening tasks like planting, edging or shovelling.
- Length of spade can be adjusted between 1054-1250 mm.

## SmartFit™ Fork

Art. no. **1000630**

Height: -	Length: <b>1165 mm</b>	Width: <b>193 mm</b>	Weight: <b>1530 g</b>	Retail box: <b>4</b>
-----------	------------------------	----------------------	-----------------------	----------------------

Old art. no. **133320**

EAN



- For loosening and turning over compacted soil.
- Move easily tuft of grass when bordering or planting.
- Use also for aerating the lawn or rake out stones and weeds.
- Length of fork can be adjusted between 1165-1256 mm.

## SmartFit™

### ADJUSTABLE SHAFT LENGTH

- For various tasks from planting and digging to shovelling
- Maximize comfort with right tool length for user and task
- Easy locking mechanism
- Large D-shaped handle fits all hand sizes
- Rigid connections and durable boron steel material



# Ergonomic™ spades, shovels & forks

<b>Ergonomic™ Garden Spade Pointed</b>					Art. no. <b>1001568</b>	EAN 5 905568 020024
Height: -	Length: <b>1250 mm</b>	Width: <b>195 mm</b>	Weight: <b>2100 g</b>	Retail box: <b>4</b>	Old art. no. <b>131410</b>	



- For digging in hard and rocky soil.
- Easy penetration through soil layers and roots.
- Angeled shaft and handle for reduced strain on back, hands and wrists.
- Plastic coating on shaft for maximised comfort and grip.
- Boron steel material for strength.

<b>Ergonomic™ Garden Spade Rounded</b>					Art. no. <b>1001411</b>	EAN 5 905568 020017
Height: -	Length: <b>1250 mm</b>	Width: <b>195 mm</b>	Weight: <b>2100 g</b>	Retail box: <b>4</b>	Old art. no. <b>131400</b>	



- For digging planting holes, edging beds and removing small amounts of soil.
- Angeled shaft and handle for reduced strain on back, hands and wrists.
- Plastic coating on shaft for maximised comfort and grip.
- Boron steel material for strength.

<b>Ergonomic™ Shovel</b>					Art. no. <b>1001579</b>	EAN 5 905568 020031
Height: -	Length: <b>1320 mm</b>	Width: <b>235 mm</b>	Weight: <b>2100 g</b>	Retail box: <b>4</b>	Old art. no. <b>132400</b>	



- For moving sand, gravel and other bulky materials.
- Angeled shaft and handle for reduced strain on back, hands and wrists.
- Plastic coating on shaft for maximised comfort and grip.
- Boron steel material for strength.

<b>Ergonomic™ Garden Fork</b>					Art. no. <b>1001413</b>	EAN 5 905568 902108
Height: -	Length: <b>1210 mm</b>	Width: <b>210 mm</b>	Weight: <b>2200 g</b>	Retail box: <b>4</b>	Old art. no. <b>133400</b>	



- For loosening and turning over compacted soil.
- Use also for aerating the lawn or rake out stones and weeds.
- Angeled shaft and handle for reduced strain on back, hands and wrists.
- Plastic coating on shaft for maximised comfort and grip.
- Boron steel material for strength.

<b>Ergonomic™ Compost Fork</b>					Art. no. <b>1001695</b>	EAN 5 905568 902504
Height: -	Length: <b>1370 mm</b>	Width: <b>220 mm</b>	Weight: <b>1850 g</b>	Retail box: <b>4</b>	Old art. no. <b>133430</b>	



- For lifting, turning and spreading loose material like grass, hay, weeds, leaves, compost and other garden waste.
- Angeled shaft and handle for reduced strain on back, hands and wrists.
- Plastic coating on shaft for maximised comfort and grip.
- Boron steel material for strength.

## Light spades, shovels & forks

<b>Light Digging Spade</b>					Art. no. <b>1019605</b>	EAN 6 4 1 1 5 0 1 3 1 5 1 3 7
Height: <b>10 mm</b>	Length: <b>1050 mm</b>	Width: <b>17 mm</b>	Weight: <b>1120 g</b>	Retail box: <b>4</b>	Old art. no. <b>131513</b>	



- Light digging spade with pointed cutting edge for easier penetration to soil.
- For light digging in normal to loose garden soil.

<b>Light Planting Spade</b>					Art. no. <b>1019601</b>	EAN 6 4 1 1 5 0 1 3 1 5 0 3 8
Height: <b>10 mm</b>	Length: <b>1050 mm</b>	Width: <b>17 mm</b>	Weight: <b>1220 g</b>	Retail box: <b>4</b>	Old art. no. <b>131503</b>	



- Light planting spade for digging planting holes, edging beds and removing small amounts of soil.
- Ideal for light digging in normal to loose garden soil.

<b>Light Shovel</b>					Art. no. <b>1019602</b>	EAN 6 4 1 1 5 0 1 3 2 5 0 3 7
Height: <b>20 mm</b>	Length: <b>1230 mm</b>	Width: <b>24 mm</b>	Weight: <b>1220 g</b>	Retail box: <b>4</b>	Old art. no. <b>132503</b>	



- Light shovel with broad scoop is an easy to handle tool for lifting and moving soil, mulch or snow.

<b>Light Digging Fork</b>					Art. no. <b>1019603</b>	EAN 6 4 1 1 5 0 1 3 3 5 0 3 6
Height: <b>100 mm</b>	Length: <b>1130 mm</b>	Width: <b>180 mm</b>	Weight: <b>1230 g</b>	Retail box: <b>4</b>	Old art. no. <b>133503</b>	




- Light fork for loosening and turning over soil, harvesting and composting.

## Light digging tools

The Garden Light range offers you a selection of lightweight tools for planting, cultivating, raking and other gardening tasks. Versatile range of soil rakes, hoes and cultivators are ideal for weed control, moving soil, creating narrow furrows for planting seeds and bulbs and even harvesting root crops.

- The oval-shaped aluminium shaft is lightweight
- Optimal anti-shock surface structure ensures a comfortable, firm grip
- Plastic sleeve maximises the grip and insulates from cold



# Solid™ spades, shovels & forks

<b>Solid™ Spade Pointed</b>					Art. no. <b>1003455</b>	EAN 6 4 1 1 5 0 1 3 1 4 1 3 0
Height: -	Length: <b>1170 mm</b>	Width: <b>180 mm</b>	Weight: <b>1820 g</b>	Retail box: <b>4</b>	Old art. no. <b>131413</b>	



- All-purpose digging spade with pointed and sharpened cutting edge.

<b>Solid™ Spade Rounded</b>					Art. no. <b>1003456</b>	EAN 6 4 1 1 5 0 1 3 1 4 0 3 1
Height: -	Length: <b>1170 mm</b>	Width: <b>180 mm</b>	Weight: <b>1890 g</b>	Retail box: <b>4</b>	Old art. no. <b>131403</b>	



- Straight and sharpened cutting edge for cutting grass and moving and mixing soil.

<b>Solid™ Shovel</b>					Art. no. <b>1003457</b>	EAN 6 4 1 1 5 0 1 3 2 4 0 3 0
Height: -	Length: <b>1270 mm</b>	Width: <b>235 mm</b>	Weight: <b>2150 g</b>	Retail box: <b>4</b>	Old art. no. <b>132403</b>	



- For moving sand, gravel and other bulky materials.

<b>Solid™ Fork</b>					Art. no. <b>1003458</b>	EAN 6 4 1 1 5 0 1 3 3 4 2 3 7
Height: -	Length: <b>1220 mm</b>	Width: <b>170 mm</b>	Weight: <b>2100 g</b>	Retail box: <b>4</b>	Old art. no. <b>133423</b>	



- For loosening and turning over compacted soil.
- Use also for aerating the lawn or raking out stones and weeds.

<b>Solid™ Compost Fork</b>					Art. no. <b>1003459</b>	EAN 6 4 1 1 5 0 1 3 3 4 3 3 6
Height: -	Length: <b>1270 mm</b>	Width: <b>220 mm</b>	Weight: <b>1800 g</b>	Retail box: <b>4</b>	Old art. no. <b>133433</b>	



- For lifting, turning and spreading loose material like grass, hay, weeds, leaves, compost and other garden waste.

## Classic spades, shovels & forks

Fiskars Classic tools are originals with timeless design and attention to detail. They get better with time and adapt to your way of working. After a few years you start wondering how long you've had them, because it feels like they have always been there.

<b>Classic Perennial Spade</b>					Art. no. <b>1003689</b>	EAN 6 4 1 1 5 0 1 3 1 7 8 0 3
Height: -	Length: <b>1050 mm</b>	Width: <b>160 mm</b>	Weight: <b>1500 g</b>	Retail box: <b>4</b>	Old art. no. <b>131780</b>	



- This perennial spade is optimal for planting flowers or smaller plants.

<b>Classic Digging Spade</b>					Art. no. <b>1003690</b>	EAN 6 4 1 1 5 0 1 3 1 8 3 0 5
Height: -	Length: <b>1060 mm</b>	Width: <b>195 mm</b>	Weight: <b>1830 g</b>	Retail box: <b>4</b>	Old art. no. <b>131830</b>	



- Pointed gardener spade for digging in hard soil.
- Easy penetration through soil layers and roots.

<b>Classic Gardener Spade</b>					Art. no. <b>1003691</b>	EAN 6 4 1 1 5 0 1 3 1 7 9 0 2
Height: -	Length: <b>1060 mm</b>	Width: <b>195 mm</b>	Weight: <b>1900 g</b>	Retail box: <b>4</b>	Old art. no. <b>131790</b>	



- Optimal for normal garden soil with grass layer and soft ground.
- Perfect for digging bigger planting holes, edging beds and removing small amounts of soil.

<b>Classic Shovel</b>					Art. no. <b>1003694</b>	EAN 6 4 1 1 5 0 1 3 2 7 3 0 7
Height: -	Length: <b>1268 mm</b>	Width: <b>230 mm</b>	Weight: <b>1900 g</b>	Retail box: <b>4</b>	Old art. no. <b>132730</b>	



- Shovel has a broad scoop which facilitates moving bulk materials, such as soil, sand or mulch.

<b>Classic Digging Fork</b>					Art. no. <b>1003692</b>	EAN 6 4 1 1 5 0 1 3 3 7 5 0 4
Height: -	Length: <b>1105 mm</b>	Width: <b>205 mm</b>	Weight: <b>1800 g</b>	Retail box: <b>4</b>	Old art. no. <b>133750</b>	



- Best tool for loosening and turning over compacted soil in planting beds or vegetable garden.
- Move easily tuft of grass when bordering or planting and use also for aerating the lawn or rake out stones and weeds.
- The tines can be pushed easily into the ground not stopped by stones, weed or roots.


<b>Classic Potato Fork</b>					Art. no. <b>1003693</b>	EAN 6 4 1 1 5 0 1 3 3 8 3 0 3
Height: -	Length: <b>1260 mm</b>	Width: <b>320 mm</b>	Weight: <b>2800 g</b>	Retail box: <b>2</b>	Old art. no. <b>133830</b>	



- Optimal when harvesting potatoes or other vegetables or turning over soil in vegetable garden.
- The tines are rounded to protect the vegetables from damaging.

# Fiskars Cultivating tools

Fiskars cultivating tools are designed for comfortable planting, cultivating, weeding and seeding. The three different ranges offer a wide selection of tools from weeders to rose rakes.



## **ERGONOMIC™**

A perfect selection of ergonomic tools for the most discerning gardener.



## **LIGHT**

A beautiful, versatile range of light tools.



## **SOLID**

All-purpose, basic garden tools.

## Ergonomic™ soil tools

### Ergonomic™ Soil Rake

Height: -	Length: <b>1540 mm</b>	Width: <b>358 mm</b>	Weight: <b>660 g</b>	Retail box: <b>4</b>	Art. no. <b>1000652</b>	EAN 5 905568 800244
					Old art. no. <b>135510</b>	



- Soil rake for preparing planting beds, smoothing down soil and other general gardening tasks like raking branches or spreading mulch.

### Ergonomic™ Cultivator

Height: -	Length: <b>1630 mm</b>	Width: <b>125 mm</b>	Weight: <b>640 g</b>	Retail box: <b>4</b>	Art. no. <b>1001301</b>	EAN 7 317791 116661
					Old art. no. <b>136510</b>	



- Cultivator for loosening and tilling the soil before planting.

### Ergonomic™ Hoe

Height: -	Length: <b>1550 mm</b>	Width: <b>185 mm</b>	Weight: <b>530 g</b>	Retail box: <b>4</b>	Art. no. <b>1000675</b>	EAN 7 317791 112601
					Old art. no. <b>136500</b>	




- Hoe for removing weeds between rows of plants or breaking up the soil for cultivation.

## Fiskars Ergonomic™

Beautifully designed and realised, Fiskars Ergonomic™ is a perfect selection of tools for cultivating, planting, digging, shovelling and composting – all for the most discerning gardener.

- The spades, shovels and forks have angled shafts and handles for reduced strain on back, hand and wrist
- Plastic coating on shaft to maximize grip and comfort
- Boron steel material for strength





# Light soil tools

<b>Light Soil Rake</b>					Art. no. <b>1019608</b>	EAN 6 4 1 1 5 0 1 3 5 5 2 3 2
Height: <b>75 mm</b>	Length: <b>1570 mm</b>	Width: <b>360 mm</b>	Weight: <b>680 g</b>	Retail box: <b>4</b>	Old art. no. <b>135523</b>	



- Light soil rake for preparing planting bends, levelling soil, cleaning and spreading.
- Durable hardened head with 14 prongs for raking in larger areas.

<b>Light Rose Rake</b>					Art. no. <b>1019607</b>	EAN 6 4 1 1 5 0 1 3 5 5 0 3 4
Height: <b>60 mm</b>	Length: <b>1600 mm</b>	Width: <b>250 mm</b>	Weight: <b>650 g</b>	Retail box: <b>4</b>	Old art. no. <b>135503</b>	



- Light rose rake for cleaning and spreading soil in small spaces around salad and under plants.
- Special rake form of hardened steel to rake between and under plants.

<b>Light Weeding Knife</b>					Art. no. <b>1019604</b>	EAN 6 4 1 1 5 0 1 3 6 5 4 3 9
Height: <b>25 mm</b>	Length: <b>1600 mm</b>	Width: <b>80 mm</b>	Weight: <b>490 g</b>	Retail box: <b>4</b>	Old art. no. <b>136543</b>	



- Light weeding knife for removing weeds from patio or tight places in vegetable or flower bed.
- Steel head in knife shape to fit in tight places.

<b>Light Weeder</b>					Art. no. <b>1019610</b>	EAN 6 4 1 1 5 0 1 3 6 5 6 3 7
Height: <b>55 mm</b>	Length: <b>1720 mm</b>	Width: <b>150 mm</b>	Weight: <b>680 g</b>	Retail box: <b>4</b>	Old art. no. <b>136563</b>	



- Light weeder for removing weeds from vegetable bed and larger areas.
- Sharp steel blade to remove weeds.

<b>Light Cultivator</b>					Art. no. <b>1019611</b>	EAN 6 4 1 1 5 0 1 3 6 5 7 3 6
Height: <b>110 mm</b>	Length: <b>1640 mm</b>	Width: <b>90 mm</b>	Weight: <b>625 g</b>	Retail box: <b>4</b>	Old art. no. <b>136573</b>	



- Light cultivator for loosening compacted soil.
- Sharp hardened steel prongs to penetrate soil easily when cultivating.

## Light Hoe

Art. no. **1019609**Height: **95 mm**Length: **1580 mm**Width: **185 mm**Weight: **490 g**Retail box: **4**Old art. no. **136553**

EAN



- Light hoe for removing weeds and loosening soil in vegetable bed and under plants.
- Steel blade with sharp edges to reach under plants.

## Light series

This beautiful range offers you a selection of lightweight tools for planting, cultivating, raking and other gardening tasks.

Al  
Aluminium

SoftGrip™

### KEY BENEFITS

- ✓ Hole for easy storage
- ✓ Drop-shaped soft grip handle for optimal grip
- ✓ The oval-shaped aluminium shaft is lightweight
- ✓ Optimal anti-shock surface structure ensures a comfortable, firm grip
- ✓ Plastic sleeve maximises the grip and insulates from cold



## Solid™ soil tools

### Solid™ Cultivator

Height: - Length: **1640 mm** Width: **117 mm** Weight: **660 g** Retail box: **4**

Art. no. **1016034**

Old art. no. **135714**

EAN



- Easy to use tool for loosening and tilling the soil before planting.
- Hardened carbon steel blade.
- Aluminium handle.

### Solid™ Hoe

Height: - Length: **1550 mm** Width: **185 mm** Weight: **620 g** Retail box: **4**

Art. no. **1016035**

Old art. no. **135713**

EAN



- Efficient tool for removing weeds between rows of plants or breaking up the soil for cultivation.
- Hardened carbon steel blade.

### Solid™ Soil Rake

Height: - Length: **1540 mm** Width: **358 mm** Weight: **670 g** Retail box: **4**

Art. no. **1016036**

Old art. no. **135715**


EAN



- All purpose soil rake for preparing planting beds, smoothing down soil and other general gardening tasks like aking branches or spreading mulch.
- Hardened carbon steel blade.
- Aluminium handle.


# QuikDrill™

Fiskars QuikDrill™ makes many garden tasks simpler, easier and more precise. It is a handy tool for many uses when planting flowers or bushes or when aerating and fertilizing the ground.

<b>QuikDrill™ Garden Drill S</b>					Art. no. <b>1000636</b>	 EAN 5 905568 347107
Height: -	Length: <b>1110 mm</b>	Width: <b>500 mm</b>	Weight: <b>2100 g</b>	Retail box: <b>2</b>	Old art. no. <b>134710</b>	




- For planting bulbs, aerating and fertilizing soil and installing small posts.
- Drilling hole width 100 mm.

<b>QuikDrill™ Garden Drill M</b>					Art. no. <b>1000638</b>	 EAN 5 905568 347206
Height: -	Length: <b>1110 mm</b>	Width: <b>500 mm</b>	Weight: <b>2300 g</b>	Retail box: <b>2</b>	Old art. no. <b>134720</b>	



- For perennial planting, aerating and mixing compost and installing medium sized posts.
- Drilling hole width 150 mm.

<b>QuikDrill™ Garden Drill L</b>					Art. no. <b>1000640</b>	 EAN 5 905568 347305
Height: -	Length: <b>1110 mm</b>	Width: <b>500 mm</b>	Weight: <b>2500 g</b>	Retail box: <b>2</b>	Old art. no. <b>134730</b>	



- For planting hedges and trees, drilling compost holes and installing large posts.
- Drilling hole width 200 mm.

**QuikDrill™ PlusPart S**Art. no. **1000637**Height: - Length: **145 mm** Width: **100 mm** Weight: **150 g** Retail box: **2**Old art. no. **134717**

EAN



• Working diameter 100 mm.

**QuikDrill™ PlusPart M**Art. no. **1000639**Height: - Length: **185 mm** Width: **120 mm** Weight: **320 g** Retail box: **2**Old art. no. **134727**

EAN



• Working diameter 150 mm.

**QuikDrill™ PlusPart L**Art. no. **1000641**Height: - Length: **220 mm** Width: **150 mm** Weight: **580 g** Retail box: **2**Old art. no. **134737**

EAN



• Working diameter 200 mm.



# Classic soil tools

<b>Classic Cultivator</b>					Art. no. <b>1003695</b>	EAN 6 4 1 1 5 0 1 3 6 7 0 0 6
Height: -	Length: <b>1690 mm</b>	Width: <b>125 mm</b>	Weight: <b>900 g</b>	Retail box: <b>4</b>	Old art. no. <b>136700</b>	



- Dual tool for cultivating, breaking up soil deep down and removing weeds before planting.

<b>Classic Hoe</b>					Art. no. <b>1003704</b>	EAN 6 4 1 1 5 0 1 3 6 7 8 0 8
Height: -	Length: <b>1610 mm</b>	Width: <b>165 mm</b>	Weight: <b>700 g</b>	Retail box: <b>4</b>	Old art. no. <b>136780</b>	



- Optimal for removing weeds between rows of plants or breaking up the soil surface.

<b>Classic Potato Hoe</b>					Art. no. <b>1003709</b>	EAN 6 4 1 1 5 0 1 3 6 7 5 0 1
Height: -	Length: <b>1200 mm</b>	Width: <b>124 mm</b>	Weight: <b>1200 g</b>	Retail box: <b>4</b>	Old art. no. <b>136750</b>	



- Dig up potatoes and other vegetable without harming the vegetables.

<b>Classic Lawn Edger</b>					Art. no. <b>1003707</b>	EAN 6 4 1 1 5 0 1 3 6 8 6 0 7
Height: -	Length: <b>1042 mm</b>	Width: <b>237 mm</b>	Weight: <b>1100 g</b>	Retail box: <b>4</b>	Old art. no. <b>136860</b>	



- Optimal for cutting straight edges on planting beds and lawn.
- After cutting straight line with lawn edger, remove the weeds or blocks of soil with help of spade, fork or cultivator.

<b>Classic Soil Rake</b>					Art. no. <b>1003705</b>	EAN 6 4 1 1 5 0 1 3 5 7 6 0 1
Height: -	Length: <b>1680 mm</b>	Width: <b>360 mm</b>	Weight: <b>1000 g</b>	Retail box: <b>4</b>	Old art. no. <b>135760</b>	



- Optimal for loosening up soil in planting beds and other general gardening tasks like raking branches or spreading mulch.

# Fiskars Nursery tools

Fiskars nursery tools are ergonomically designed for comfortable planting, cultivating, weeding and seeding. They are designed with rounded edges to minimise soil and root damage.



#### **PREMIUM PLANTERS**

Ergonomically designed for comfortable planting



#### **SOLID**

Lightweight and rust-free nursery tools



#### **INSPIRATION**

Lightweight tools in inspirational colours

## Premium Planters™ nursery tools

Fiskars nursery tools are ergonomically designed for comfortable planting, cultivating, weeding and seeding. They are designed with rounded edges to minimise soil and root damage.

<b>Premium Planters™ Trowel</b>					Art. no. <b>1000726</b>	EAN 6 4 1 1 5 0 1 3 7 2 0 0 0
Height: -	Length: <b>320 mm</b>	Width: <b>87 mm</b>	Weight: <b>130 g</b>	Retail box: <b>4</b>	Old art. no. <b>137200</b>	



- For planting and transplanting in hard ground.

<b>Premium Planters™ Transplanter</b>					Art. no. <b>1000727</b>	EAN 6 4 1 1 5 0 1 3 7 2 1 0 9
Height: -	Length: <b>334 mm</b>	Width: <b>70 mm</b>	Weight: <b>120 g</b>	Retail box: <b>4</b>	Old art. no. <b>137210</b>	



- For planting and weeding in hard ground.
- Perfect for use in narrow bed layouts and on balconies.

<b>Premium Planters™ Cultivator</b>					Art. no. <b>1000728</b>	EAN 6 4 1 1 5 0 1 3 7 2 2 0 8
Height: -	Length: <b>300 mm</b>	Width: <b>80 mm</b>	Weight: <b>140 g</b>	Retail box: <b>4</b>	Old art. no. <b>137220</b>	



- For aerating and loosening soil in hard ground.

<b>Premium Planters™ Weed Fork</b>					Art. no. <b>1000729</b>	EAN 6 4 1 1 5 0 1 3 7 2 3 0 7
Height: -	Length: <b>304 mm</b>	Width: <b>78 mm</b>	Weight: <b>130 g</b>	Retail box: <b>4</b>	Old art. no. <b>137230</b>	



- For planting and weeding whilst protecting roots.



# Solid™ nursery tools

## Solid™ Planters Trowel

Height: - Length: **291 mm** Width: **83 mm** Weight: **96 g** Retail box: **16**

Art. no. **1000694**

Old art. no. **137000**

EAN



- Ideal for planting and transplanting.
- Lightweight and durable FiberComp™ material.
- Rust-proof.
- Hanging hole for easy storage.

## Solid™ Planters Transplanter

Height: - Length: **291 mm** Width: **70 mm** Weight: **82 g** Retail box: **16**

Art. no. **1000695**

Old art. no. **137010**

EAN



- Ideal for planting and weeding.
- Perfect for use in narrow bed layouts and on balconies.
- Lightweight and durable FiberComp™ material.
- Rust-proof.
- Hanging hole for easy storage.

## Solid™ Planters Cultivator

Height: - Length: **276 mm** Width: **76 mm** Weight: **89 g** Retail box: **16**

Art. no. **1001600**

Old art. no. **137020**

EAN



- Ideal for aerating and loosening soil.
- Lightweight and durable FiberComp™ material.
- Rust-proof.
- Hanging hole for easy storage.

## Solid™ Planters Weed Fork

Height: - Length: **263 mm** Width: **78 mm** Weight: **89 g** Retail box: **16**

Art. no. **1000696**

Old art. no. **137030**

EAN



- Ideal for planting and weeding whilst protecting roots.
- Lightweight and durable FiberComp™ material.
- Rust-proof.
- Hanging hole for easy storage.

## Solid™ Planters Hoe

Height: - Length: **322 mm** Width: **199 mm** Weight: **168 g** Retail box: **16**

Art. no. **1001601**

Old art. no. **137040**

EAN



- Ideal for multiple planting and weeding tasks.
- Lightweight and durable FiberComp™ material.
- Rust-proof.
- Hanging hole for easy storage.

# Inspiration™ nursery tools

**Note!**  
Inspiration pruners  
on page 74-75


Fiskars nursery tools are ergonomically designed for comfortable planting, cultivating, weeding and seeding. They are designed with rounded edges to minimise soil and root damage.

<b>Inspiration™ Trowel Ruby</b>					Art. no. <b>1003665</b>	EAN 6 4 1 1 5 0 1 3 7 1 3 0 0
Height: -	Length: <b>291 mm</b>	Width: <b>83 mm</b>	Weight: <b>96 g</b>	Retail box: <b>4</b>	Old art. no. <b>137130</b>	



- Ideal for planting and transplanting.

<b>Inspiration™ Cultivator Ruby</b>					Art. no. <b>1003668</b>	EAN 6 4 1 1 5 0 1 3 7 1 3 2 4
Height: -	Length: <b>276 mm</b>	Width: <b>76 mm</b>	Weight: <b>89 g</b>	Retail box: <b>4</b>	Old art. no. <b>137132</b>	



- Ideal for aerating and loosening soil.

<b>Inspiration™ Planters Hoe Ruby</b>					Art. no. <b>1003671</b>	EAN 6 4 1 1 5 0 1 3 7 1 3 4 8
Height: -	Length: <b>322 mm</b>	Width: <b>199 mm</b>	Weight: <b>168 g</b>	Retail box: <b>4</b>	Old art. no. <b>137134</b>	



- Ideal for multiple planting and weeding tasks.

**Inspiration™ Trowel Lucy**Art. no. **1003667**Height: - Length: **291 mm** Width: **83 mm** Weight: **96 g** Retail box: **4**Old art. no. **137131**

EAN



- Ideal for planting and transplanting.

**Inspiration™ Cultivator Lucy**Art. no. **1003670**Height: - Length: **276 mm** Width: **76 mm** Weight: **89 g** Retail box: **4**Old art. no. **137133**

EAN



- Ideal for aerating and loosening soil.

**Inspiration™ Planters Hoe Lucy**Art. no. **1003696**Height: - Length: **322 mm** Width: **199 mm** Weight: **168 g** Retail box: **4**Old art. no. **137135**

EAN



- Ideal for multiple planting and weeding tasks.



Find Inspiration™ pruners on page 66.

More Inspiration tools  
in our Kitchen catalogue  
or on our website at:

[www.fiskars.com/scissors](http://www.fiskars.com/scissors)



# Lawn care

Rakes [p.46](#)

Grass shears [p.49](#)

Weedpullers [p.51](#)

Reel Mowers [p.53](#)

## Ergonomic™ & Light rakes

### Ergonomic™ Rake for lawn and leaves

Art. no. **1000660**Height: - Length: **1810 mm** Width: **585 mm** Weight: **800 g** Retail box: **4**Old art. no. **135570**

EAN



- Wide rake for working on large lawn areas.
- Sturdy flexible tines with specific geometry prevents twigs and leaves from getting caught.

### Light Leaf Rake

Art. no. **1019606**Height: - Length: **1720 mm** Width: **51 mm** Weight: **590 g** Retail box: **4**Old art. no. **135563**

EAN



- Light leaf and lawn rake for cleaning the lawn and yard.
- Sturdy and flexible tines prevent twigs and leaves from getting caught.

## Solid rakes

Solid Leaf and lawn rake features an impressively lightweight design that makes every stroke effortless. Durable plastic tines are great for raking up and yard cleaning in general - season after season. If raking the lawn is your goal, these garden hand tools will not let you down.




#### SOLID XL

- Featuring an integral aluminum shaft and a 65 cm broad yet lightweight strong plastic head with flexible tines is deal for raking larger lawns and yards.



#### SOLID L

- Wide rake for working on large lawn areas.
- Sturdy and flexible tines prevent twigs and leaves from getting caught



#### SOLID M

- Medium-sized all-purpose rake for working around trees or under bushes.
- Sturdy tines work well on rooty and uneven surfaces



#### SOLID UNIVERSAL

- For raking loose grass and branches
- Great for preparing planting beds
- Lightweight durable aluminium handle

# Solid™ rakes

<b>Solid™ Leaf Rake XL</b>					Art. no. <b>1015645</b>	EAN 6 4 1 1 5 0 1 3 5 0 9 0 9
Height: -	Length: <b>1735 mm</b>	Width: <b>646 mm</b>	Weight: <b>800 g</b>	Retail box: <b>5</b>	Old art. no. <b>135090</b>	



- Extra wide head (65cm) allows to rapidly rake large areas.
- Easier raking due to new durable aluminium shaft.
- 27 flat, rigid and curved plastic tines prevent leaves from sliding up and blocking the head.

<b>Solid™ Leaf Rake L</b>					Art. no. <b>1003465</b>	EAN 6 4 1 1 5 0 1 3 5 0 1 6 9
Height: -	Length: <b>1710 mm</b>	Width: <b>520 mm</b>	Weight: <b>580 g</b>	Retail box: <b>5</b>	Old art. no. <b>135016</b>	



- Wide rake for working on large lawn areas.
- Sturdy and flexible tines with specific geometry prevent twigs and leaves from getting caught.
- Lightweight but durable aluminium handle.

<b>Solid™ Leaf Rake M</b>					Art. no. <b>1003464</b>	EAN 6 4 1 1 5 0 1 3 5 0 2 6 8
Height: -	Length: <b>1700 mm</b>	Width: <b>415 mm</b>	Weight: <b>560 g</b>	Retail box: <b>5</b>	Old art. no. <b>135026</b>	



- Medium-sized all-purpose rake for working in smaller areas like around trees or under bushes.
- Sturdy tines work well on rooty and uneven surfaces.
- Lightweight but durable aluminium handle.

<b>Solid™ Universal Garden Rake</b>					Art. no. <b>1003466</b>	EAN 6 4 1 1 5 0 1 3 5 0 6 6 4
Height: -	Length: <b>1640 mm</b>	Width: <b>410 mm</b>	Weight: <b>600 g</b>	Retail box: <b>5</b>	Old art. no. <b>135066</b>	



- For raking long, loose grass or branches and for preparing planting beds.
- Levelling function to even the soil bed.
- Lightweight but durable aluminium handle.

<b>Solid™ Shaft</b>					Art. no. <b>1014913</b>	EAN 6 4 1 1 5 0 1 3 5 0 0 1 5
Height: -	Length: <b>1600 mm</b>	Width: <b>28 mm</b>	Weight: <b>350 g</b>	Retail box: <b>10</b>	Old art. no. <b>135001</b>	



- Lightweight and durable aluminum construction.
- Compatible with Solid rakes heads (article No. 1014914, 1014915 & 1014917).
- Spare part for rakes (article No. 1003465, 1003464 & 1003466).

# Solid™ rakes

<b>Solid™ Leaf Rake Head L</b>					Art. no. <b>1014915</b>	EAN 6 4 1 1 5 0 1 3 5 0 1 4 5
Height: -	Length: <b>228 mm</b>	Width: <b>520 mm</b>	Weight: <b>230 g</b>	Retail box: <b>10</b>	Old art. no. <b>135014</b>	



- Wide rake for working on large lawn areas.
- Sturdy and flexible tines with specific geometry prevent twigs and leaves from getting caught.
- Complementary to Solid Shaft (article No. 1014913).
- Spare part for rake (article No. 1003465).

<b>Solid™ Leaf Rake Head M</b>					Art. no. <b>1014914</b>	EAN 6 4 1 1 5 0 1 3 5 0 2 4 4
Height: -	Length: <b>212 mm</b>	Width: <b>415 mm</b>	Weight: <b>196 g</b>	Retail box: <b>10</b>	Old art. no. <b>135024</b>	



- Medium-sized all-purpose rake for working in smaller areas like around trees or under bushes.
- Sturdy tines work well on rooty and uneven surfaces.
- Complementary to Solid Shaft (article No. 1014913).
- Spare part for rake (article No. 1003464).

<b>Solid™ Universal Garden Rake</b>					Art. no. <b>1014917</b>	EAN 6 4 1 1 5 0 1 3 5 0 6 4 0
Height: -	Length: <b>152 mm</b>	Width: <b>410 mm</b>	Weight: <b>250 g</b>	Retail box: <b>10</b>	Old art. no. <b>135064</b>	



- For raking long, loose grass or branches and for preparing planting beds.
- Levelling function to even the soil bed.
- Complementary to Solid Shaft (article No. 1014913).
- Spare part for rake (article No. 1003466).

<b>Fiskars Leaf Rake XL</b>					Art. no. <b>1001584</b>	EAN 3 1 5 7 3 3 1 3 5 5 9 1 4
Height: -	Length: <b>1735 mm</b>	Width: <b>646 mm</b>	Weight: <b>1000 g</b>	Retail box: <b>5</b>	Old art. no. <b>135591</b>	



- Extra wide head (65 cm) and wooden shaft.
- Flat, rigid and curved plastic tines prevent leaves from sliding up and blocking the head.
- Rounded edges make it suitable for all types of terrain.

<b>Classic Leaf Rake</b>					Art. no. <b>1003708</b>	EAN 6 4 1 1 5 0 1 3 5 8 2 0 2
Height: -	Length: <b>1980 mm</b>	Width: <b>470 mm</b>	Weight: <b>1300 g</b>	Retail box: <b>4</b>	Old art. no. <b>135820</b>	



- For all raking tasks in the garden from raking leaves to removing grass cuttings from the lawn.



# Fiskars Grass shears

Fiskars Grass Shears are ergonomically designed with unique user friendly features. The ingenious Servo-System™ technology prevents the blades from jamming. The blades are made from hardened stainless steel for long durability.



#### **POWERLEVER™**

Cutting head adjusts up to 270°



#### **SERVO-SYSTEM™**

Cutting head adjusts up to 360°



#### **SERVO-SYSTEM™**

Cutting head adjusts up to 360°

# Grass shears

<b>PowerLever™ Grass And Hedge Shear GS53</b>					Art. no. <b>1001565</b>	EAN 6 4 1 1 5 0 2 9 6 7 1 0 6
Height: -	Length: <b>899 mm</b>	Width: <b>201 mm</b>	Weight: <b>1380 g</b>	Retail box: <b>4</b>	Old art. no. <b>113710</b>	



- For cutting grass, hedges and small bushes.
- Cuts up to 10 mm at the base of the blade and reaches up to 2,5 meters.
- Cutting head adjusts up to 270°.

<b>Servo-System™ Grass Shear, Long GS46</b>					Art. no. <b>1000590</b>	EAN 6 4 1 1 5 0 1 9 6 6 9 0 2
Height: -	Length: <b>1035 mm</b>	Width: <b>240 mm</b>	Weight: <b>600 g</b>	Retail box: <b>4</b>	Old art. no. <b>113690</b>	



- For trimming lawn edges standing up.
- Cutting angle adjustable 360°.
- Ergonomic handle with finger protection.
- Servo-System™ technology prevents the blades from jamming.

<b>Servo-System™ Grass Shear GS42</b>					Art. no. <b>1000589</b>	EAN 6 4 1 1 5 0 1 9 6 6 8 0 3
Height: -	Length: <b>344 mm</b>	Width: <b>42 mm</b>	Weight: <b>260 g</b>	Retail box: <b>4</b>	Old art. no. <b>113680</b>	



- For trimming lawn edges and hedges.
- Cutting angle adjustable 360°.
- Ergonomic handle with finger protection.
- Servo-System™ technology prevents the blades from jamming.

<b>SmartFit Grass Shear GS40</b>					Art. no. <b>1023632</b>	EAN 6 4 1 1 5 0 1 1 2 0 1 0 6
Height: <b>118 mm</b>	Length: <b>345 mm</b>	Width: <b>34 mm</b>	Weight: <b>250 g</b>	Retail box: <b>5</b>	Old art. no. -	



- For trimming lawn edges and hedges.
- Cutting angle adjustable 360 degrees.
- Ergonomic handle with finger protection.

<b>Grass Shear S50</b>					Art. no. <b>1000557</b>	EAN 6 4 1 1 5 0 1 1 1 0 9 0 9
Height: -	Length: <b>260 mm</b>	Width: <b>70 mm</b>	Weight: <b>100 g</b>	Retail box: <b>3</b>	Old art. no. <b>111090</b>	



- For trimming lawn edges and hedges.
- SoftGrip™ cover in upper handle for increased comfort.
- Precise and easy cutting thanks to adjustable blade tension and power-saving spring mechanism.

# The new and improved weed pullers

Fiskars has three weed puller models to choose from. The sturdy Xact™ with ergonomic handle design, SmartFit that fits different size users due to it's adjustable shaft and the Light Series with ease of use and light aluminium construction.



**XACT™**  
Ergonomic grip design



**SMARTFIT™**  
Adjustable shaft length



**LIGHT SERIES**  
Light weight aluminium

# Weedpullers

<b>SmartFit™ Weed puller</b>					Art. no. <b>1020125</b>	EAN 6 4 1 1 5 0 1 3 9 9 6 0 1
Height: <b>1000 mm</b>	Length: <b>1000 mm</b>	Width: <b>30 mm</b>	Weight: <b>1250 g</b>	Retail box: <b>4</b>	Old art. no. <b>139960</b>	



- For removing any root weeds ergonomically and effortlessly.
- Telescopic aluminum shaft can be adjusted between 990-1190 mm.
- Large D-shaped handle fits to all hands sizes.

<b>Xact™ Weed puller</b>					Art. no. <b>1020126</b>	EAN 6 4 1 1 5 0 1 3 9 9 5 0 2
Height: <b>1000 mm</b>	Length: <b>1000 mm</b>	Width: <b>30 mm</b>	Weight: <b>950 g</b>	Retail box: <b>4</b>	Old art. no. <b>139950</b>	




- For removing any root weeds effortlessly.
- Ergonomically designed handle.

<b>Light Weed puller</b>					Art. no. <b>1020127</b>	EAN 6 4 1 1 5 0 1 3 9 9 4 0 3
Height: <b>900 mm</b>	Length: <b>900 mm</b>	Width: <b>30 mm</b>	Weight: <b>900 g</b>	Retail box: <b>4</b>	Old art. no. <b>139940</b>	



- Light Weed Puller for removing any root weeds ergonomically and effortlessly.

## Easy and effective weeding



1 Push the weed puller blades around the weed.



2 Press the pedal with your foot to the ground. Then remove your foot and pull the shaft.



3 Pull the weeder up and eject. Let the weeds fly.

# Fiskars StaySharp™

The Fiskars StaySharp™ Max reel mower promotes greener, healthier lawns by cutting each blade of grass cleanly with a scissor-like action. This minimizes the lawn's moisture loss and reduces exposure to disease.



The Reel Mower lets you cut grass without noise, uncomfortable vibrations and the hazards associated with power driven rotary blades. It is one of the most environmentally friendly ways to cut your lawn.

- Long-lasting performance due to StaySharp™ cutting system using precision-ground, hardened steel blades to cut grass without touching
- Ergonomic, height-adjustable handle with padded grip for more comfort
- Forward grass discharge

# Reel Mowers

<b>StaySharp Max Reel Mower</b>					Art. no. <b>1000591</b>	EAN 6 4 1 1 5 0 1 1 3 8 8 0 4
Height: -	Length: <b>1220 mm</b>	Width: <b>610 mm</b>	Weight: <b>23,50 kg</b>	Retail box: <b>1</b>	Old art. no. <b>113880</b>	



- 2x more cutting power compared to standard reel mowers.
- 60% easier to push than other reel mowers.
- Cut height adjustable between 2 -10 cm.
- Compatible with grass catcher.

<b>StaySharp Plus Reel Mower</b>					Art. no. <b>1015649</b>	EAN 6 4 1 1 5 0 1 1 3 8 8 2 9
Height: -	Length: <b>1220 mm</b>	Width: <b>610 mm</b>	Weight: <b>18,60 kg</b>	Retail box: <b>1</b>	Old art. no. <b>113872</b>	



- 75% more cutting power compared to standard reel mowers.
- 40% easier to push than other reel mowers.
- Cut height adjustable between 4 -10 cm.

<b>StaySharp Grass Catcher</b>					Art. no. <b>1000592</b>	EAN 6 4 1 1 5 0 1 1 3 8 8 3 5
Height: -	Length: <b>550 mm</b>	Width: <b>540 mm</b>	Weight: <b>1900 g</b>	Retail box: <b>1</b>	Old art. no. <b>113883</b>	



- Simple tool-free assembly to Fiskars StaySharp™ Max Mower.
- Effective capacity of approximately 18 litres.
- UV and mildew resistant polyester screen and heavy duty steel frame for long lasting performance.

# Solid™ yard tools

## Solid™ Lawn Edger

Height: - Length: **1090 mm** Width: **230 mm** Weight: **1850 g** Retail box: **3**

Art. no. **1011617**

Old art. no. **5371**

EAN



7 3 1 7 7 9 7 0 3 5 0 0 3



- Durable all steel.
- Optimal for cutting straight edges on lawn and planting beds.

## Solid™ All Purpose Yard Broom

Height: **80 mm** Length: **1590 mm** Width: **380 mm** Weight: **680 g** Retail box: **4**

Art. no. **1003467**

Old art. no. **135541**

EAN



6 4 1 1 5 0 1 3 5 5 4 1 6



- All-purpose yard broom for cleaning pavements, patios and other yard areas.
- Featuring Fiskars PowerClean™ combing soft and hard bristles for efficient sweeping.
- Modern design.

## Solid™ Gripper

Height: - Length: **870 mm** Width: **240 mm** Weight: **400 g** Retail box: **5**

Art. no. **1015681**

Old art. no. **148522**

EAN



6 4 1 1 5 0 1 4 8 5 2 2 9



- Easy to collect debris from the ground in an ergonomic standing position.
- Rubber pads grip easily on to paper, leaves, stick and other debris.
- Steel shaft.

# Plant care







Scissors [p.58](#)

Pruners [p.60](#)

Loppers [p.67](#)

Hedge Shears [p.73](#)

Tree pruners [p.76](#)

# The icon

The iconic Classic scissors are a symbol of Fiskars and of our Finnish design heritage



## Features & benefits

### 1 Sharp blades

Specially developed blade grinding ensures high-precision cutting and keeps the blades sharp longer

### 2 Easy cleaning

handles are injection molded onto the blades insuring easy and hygenical cleaning

### 3 Supreme ergonomics

Handles are designed under strong consideration of the natural movement of the hand resulting in enhanced comfort and cutting control

### 4 Best materials

Made of the best quality materials, Classic scissors offer outstanding comfort, performance and durability

### 5 Quality control

Each product is manually tested before leaving the factory ensuring you get only the first class scissors.

## Scissors

Fiskars orange handled scissors are design classics that have been popular for more than four decades. Our selection of garden scissors are excellent for precise cutting and trimming tasks. The carbon steel blades easily cut through materials from fine wire to flower stems.

<b>Universal Garden Scissors 24 cm S94</b>					Art. no. <b>1001538</b>	EAN 6 4 1 1 5 0 1 1 1 0 5 0 3
Height: <b>29 mm</b>	Length: <b>248 mm</b>	Width: <b>93 mm</b>	Weight: <b>180 g</b>	Retail box: <b>5</b>	Old art. no. <b>111050A</b>	



- For cutting flowers and plants.
- Handles made from impact-resistant PBT.

<b>Universal Garden Scissors 21 cm S90</b>					Art. no. <b>1001539</b>	EAN 6 4 1 1 5 0 1 1 1 0 4 0 4
Height: <b>21 mm</b>	Length: <b>212 mm</b>	Width: <b>80 mm</b>	Weight: <b>80 g</b>	Retail box: <b>5</b>	Old art. no. <b>111040A</b>	



- For cutting flowers and plants.
- Handles made from impact-resistant PBT.

<b>Universal Garden Scissors 18 cm S92</b>					Art. no. <b>1000555</b>	EAN 6 4 1 1 5 0 1 1 1 0 3 0 5
Height: <b>25 mm</b>	Length: <b>185 mm</b>	Width: <b>80 mm</b>	Weight: <b>70 g</b>	Retail box: <b>5</b>	Old art. no. <b>111030</b>	



- For cutting flowers and plants.
- Handles made from impact-resistant PBT.
- Serrated lower blade for better control, preventing the flower or plant from slipping forwards.

<b>Floral Scissors S28</b>					Art. no. <b>1001544</b>	EAN 6 4 1 1 5 0 1 9 3 2 0 0 6
Height: <b>20 mm</b>	Length: <b>192 mm</b>	Width: <b>75 mm</b>	Weight: <b>60 g</b>	Retail box: <b>5</b>	Old art. no. <b>111010</b>	



- For cutting flowers and sprouts.
- Serrated lower blade for better control, preventing the flower or plant from slipping forwards.

# Pick the right pruner



## PowerGearX™

- Patented PowerGear™ mechanism makes cutting 3,5 times easier compared to standard mechanisms
- Blades made from extra hard, corrosion resistant steel (CrMoV) ensures that they stay sharper longer
- Unique rotating handle movement ensures that all fingers are used simultaneously and exert an equal but reduced pressure for maximum power and less effort on every cut



## PowerStep™

- Allows to cut thin and thick branches with the same tool, without compromising on the performance
- Thin branches are cut in one easy snip – thicker branches in 2 or 3 gradual steps to reduce the force needed per stroke
- Mechanism automatically sets the applicable amount of strokes



## SmartFit™

- Optimal reach thanks to adjustable length of the handles
- Lightweight product, comfortable to use
- Ergonomic design
- Optimally shaped to fit the hand
- Fits your need - multi-purpose usage with adjustability of cutting capacity
- Fits small to large hands



## PowerLever™

- Lightweight FiberComp™ handles designed for small and medium-sized hands
- Reduced cutting effort and ability to use all fingers simultaneously thanks to patented PowerLever™ mechanism
- Easier cutting and cleaning due to non-stick PTFE PowerLever Pruners coating on the upper blade to reduce friction



## Fingerloop

- Lightweight and strong FiberComp™ handles with SoftGrip™ for added comfort and safety
- Fingers are protected by the loop in the lower handle
- Corrosion resistant, stainless steel blades



## SingleStep™

- Lightweight and durable handles made from polypropylene
- Comfortable grip due to sturdy handles
- Steady cutting action due to well-balanced design



## Quantum™

- High-quality aluminium body balanced by comfortable cork TruGrip™ handles
- Clean, accurate cutting thanks to TruEdge™ blade technology including precision ground hardened steel and anti-friction coating

## PowerGear™ pruners

Fiskars PowerGear™ is a versatile family of tools that include pruners, loppers and hedge shears to cover most of the cutting needs in the garden. The ingenious gear mechanism which boosts the power of the cut is complemented by sharp, quality steel blades and lightweight, durable FiberComp™ handles.

### PowerGear X Pruner M Bypass PX92

Art. no. **1023630**Height: **40 mm** Length: **205 mm** Width: **69 mm** Weight: **230 g** Retail box: **4**

Old art. no. -

EAN



6 4 1 150 1 110 14 5



- For cutting of fresh branches up to Ø 20 mm.
- Unique PowerGear™ mechanism makes cutting up to 3,5 times easier vs standard mechanisms.
- Light-weight and durable FiberComp construction and blades from extra hard, corrosion resistant steel (CrMoV) with PTFE coated upper blade for ultimate performance.
- Conformed SoftGrip™ handles for optimum comfort and balance.
- Optimized for small and medium hand sizes.

### PowerGear X Pruner L Anvil PX93

Art. no. **1023629**Height: **40 mm** Length: **215 mm** Width: **75 mm** Weight: **260 g** Retail box: **4**

Old art. no. -

EAN



6 4 1 150 1 110 13 8



- For heavy cutting of hard branches up to Ø 26 mm.
- Unique PowerGear™ mechanism makes cutting up to 3,5 times easier vs standard mechanisms.
- Light-weight and durable FiberComp construction and blades from extra hard, corrosion resistant steel (CrMoV) with PTFE coated upper blade for ultimate performance.
- Conformed SoftGrip™ handles for optimum comfort and balance.
- Optimized for medium and large hand sizes.

### PowerGear X Pruner L Bypass PX94

Art. no. **1023628**Height: **40 mm** Length: **215 mm** Width: **75 mm** Weight: **250 g** Retail box: **4**

Old art. no. -

EAN



6 4 1 150 1 110 12 1



- For heavy cutting of fresh branches up to Ø 26 mm.
- Unique PowerGear™ mechanism makes cutting up to 3,5 times easier vs standard mechanisms.
- Light-weight and durable FiberComp construction and blades from extra hard, corrosion resistant steel (CrMoV) with PTFE coated upper blade for ultimate performance.
- Conformed SoftGrip™ handles for optimum comfort and balance.
- Optimized for medium and large hand sizes.

## Anvil or bypass?



### BYPASS

Both blade and counter blade press into the wood to make a clean cut with less compression damage (cutting blade bypasses counter blade in a scissors-like action). Possible to cut close to the stem. Best suitable for fresh wood.





### ANVIL


Upper blade is forced through the wood with greater pressure as the anvil blade supports the branch and spreads the pressure until the cut is complete. Best suitable for dry or dead wood.

# PowerStep™, Pro & SmartFit™ pruners


There are a multitude of different plants and tasks in the modern gardens and consequently also gardeners with day-to-day varying needs. The PowerStep™ pruner adjusts to optimal power assistance level for cutting of both thin and thick branches, and the SmartFit™ pruner optimizes the combination of cutting speed and branch thickness. Pro Pruner has been designed according to the traditional form and with special features appreciated by professional gardeners.

<b>PowerStep™ Pruner Anvil P83</b>					Art. no. <b>1000575</b>	EAN  6 4 1 1 5 0 1 1 1 6 7 0 3
Height: <b>18 mm</b>	Length: <b>190 mm</b>	Width: <b>85 mm</b>	Weight: <b>140 g</b>	Retail box: <b>4</b>	Old art. no. <b>111670</b>	







reddot design award  
best of the best 2009




fennia prize  
good design grows global  
HONORARY MENTION


- For cutting twigs and branches up to Ø 24 mm when reduced peak efforts are needed.
- Increased comfort due to FiberComp™ handles and Soft-Grip™ covered upper handle.
- Anvil blade made from FiberComp™ (a fiberglass reinforced polyamide) for increased durability.


<b>Pro Pruner P90</b>					Art. no. <b>1001530</b>	EAN  8 0 0 8 2 2 0 0 2 9 6 2 9
Height: <b>20 mm</b>	Length: <b>230 mm</b>	Width: <b>70 mm</b>	Weight: <b>270 g</b>	Retail box: <b>4</b>	Old art. no. <b>111960</b>	



- Blades are side supported to ensure that they stay in line when cutting thick branches up to Ø 26 mm.
- Includes a wire cutter to spare the blades.
- Adjustable tightening with nut locking ring to help ensure constantly precise cutting.

<b>SmartFit™ Pruner Bypass P68</b>					Art. no. <b>1001424</b>	EAN  6 4 1 1 5 0 1 1 1 6 1 0 9
Height: <b>20 mm</b>	Length: <b>208 mm</b>	Width: <b>70 mm</b>	Weight: <b>190 g</b>	Retail box: <b>4</b>	Old art. no. <b>111610</b>	






reddot design award  
winner 2013

- Multi-purpose pruner enables quick snipping of thinner branches as well as cutting of thicker branches up to Ø 24 mm.
- Safety in use and storage due to the convenient locking mechanism accessible with one hand.
- Comfortable SoftGrip™ handles.

<b>Fiskars One Pruner Bypass</b>					Art. no. <b>1023649</b>	EAN  6 4 1 1 5 0 1 1 1 0 1 5 2
Height: <b>18 mm</b>	Length: <b>195 mm</b>	Width: <b>68 mm</b>	Weight: <b>141 g</b>	Retail box: <b>24</b>	Old art. no. <b>111143</b>	



- Robust and durable construction
- Light weight and small size

NOTE: To be sold in displays only, single items not packaged for shelving.

## PowerLever™ pruners

Fiskars PowerLever™ range of three pruners and one hedge shear offers a neat ergonomic package of cutting power. Lightweight FiberComp™ bodies are complemented by sharp cutting blades and the two-handed pruners offer great reach and ease of cutting in thorny bushes.

<b>PowerLever™ Pruner Bypass P54</b>					Art. no. <b>1001531</b>	EAN 6 4 1 1 5 0 1 9 6 3 4 0 6
Height: <b>24 mm</b>	Length: <b>173 mm</b>	Width: <b>66 mm</b>	Weight: <b>130 g</b>	Retail box: <b>4</b>	Old art. no. <b>111340</b>	



fennia prize  
good design grows global  
HONORARY MENTION

- For easy cutting twigs and branches up to Ø 20 mm.
- Ultra light weight and operation due to the FiberComp™ construction and the PowerLever™ mechanism.
- Fits especially smaller hand sizes.

<b>PowerLever™ Pruner Anvil P53</b>					Art. no. <b>1001532</b>	EAN 6 4 1 1 5 0 1 9 6 3 3 0 7
Height: <b>24 mm</b>	Length: <b>173 mm</b>	Width: <b>67 mm</b>	Weight: <b>130 g</b>	Retail box: <b>4</b>	Old art. no. <b>111330</b>	



fennia prize  
good design grows global  
HONORARY MENTION

- For easy cutting twigs and branches up to Ø 20 mm.
- Ultra light weight and operation due to the FiberComp™ construction and the PowerLever™ mechanism.
- Fits especially smaller hand sizes.
- Increased durability due to anvil configuration.

<b>PowerLever™ Two Hand Pruner (M) P56</b>					Art. no. <b>1001537</b>	EAN 6 4 1 1 5 0 1 9 6 6 4 0 7
Height: <b>24 mm</b>	Length: <b>403 mm</b>	Width: <b>115 mm</b>	Weight: <b>320 g</b>	Retail box: <b>4</b>	Old art. no. <b>111640</b>	




fennia prize  
good design grows global  
HONORARY MENTION

- Optimised for cutting twigs and branches up to Ø 20 mm when you need to reach further.
- Ultra light weight and operation due to the FiberComp™ construction and the PowerLever™ mechanism.

## Fingerloop pruners


Fiskars Fingerloop range of two pruners and one snip offer a neat and ergonomic way to prune branches and perform basic cutting tasks without excessive hand strain. The signature loop handle engages the power of all fingers in the cut while the SoftGrip™ inlays give an extra level of comfort for extended work in the garden when pruning.

<b>Fingerloop Universal Snip SP45</b>					Art. no. <b>1001533</b>	 EAN 6 4 1 1 5 0 1 9 6 4 5 0 2
Height: <b>24 mm</b>	Length: <b>218 mm</b>	Width: <b>76 mm</b>	Weight: <b>160 g</b>	Retail box: <b>4</b>	Old art. no. <b>111450</b>	




- Designed for multiple cutting tasks like cutting steel, plastics, tubes, ropes or hoses up to Ø 20 mm.
- The Fingerloop protects fingers and keeps the pruner in hand comfortably.

NOTE! Not for cutting branches in garden.

<b>Fingerloop Pruner Bypass P44</b>					Art. no. <b>1001534</b>	 EAN 6 4 1 1 5 0 1 9 6 4 4 0 3
Height: <b>24 mm</b>	Length: <b>201 mm</b>	Width: <b>76 mm</b>	Weight: <b>150 g</b>	Retail box: <b>4</b>	Old art. no. <b>111440</b>	



- For cutting fresh wood up to Ø 20 mm.
- The Fingerloop protects fingers and keeps the pruner in hand comfortably.
- Easier cutting and cleaning due to non-stick coating on the upper blade.

<b>Fingerloop Pruner Anvil P43</b>					Art. no. <b>1001535</b>	 EAN 6 4 1 1 5 0 1 9 6 4 3 0 4
Height: <b>24 mm</b>	Length: <b>188 mm</b>	Width: <b>76 mm</b>	Weight: <b>150 g</b>	Retail box: <b>4</b>	Old art. no. <b>111430</b>	



- For cutting dry and hard wood up to Ø 20 mm.
- The Fingerloop protects fingers and keeps the pruner in hand comfortably.
- Increased durability and stable cut due to anvil blade configuration.



# SingleStep™ & Solid™ pruners

<b>SingleStep™ Pruner Bypass P26</b>					Art. no. <b>1000567</b>	EAN 6 4 1 1 5 0 1 1 1 2 6 0 6
Height: <b>20 mm</b>	Length: <b>208 mm</b>	Width: <b>70 mm</b>	Weight: <b>200 g</b>	Retail box: <b>4</b>	Old art. no. <b>111260</b>	



- For cutting fresh wood up to Ø 20 mm.
- Easier cutting and cleaning due to non-stick coating on the upper blade.
- Carbon steel blades.

<b>SingleStep™ Pruner Anvil P25</b>					Art. no. <b>1000564</b>	EAN 6 4 1 1 5 0 1 1 1 2 5 0 7
Height: <b>20 mm</b>	Length: <b>198 mm</b>	Width: <b>75 mm</b>	Weight: <b>180 g</b>	Retail box: <b>4</b>	Old art. no. <b>111250</b>	



- For cutting dry and hard wood up to Ø 20 mm.
- Increased durability and stable cut due to anvil blade configuration.
- Easier cutting and cleaning due to non-stick coating on the upper blade.
- Carbon steel blades.

<b>SingleStep™ Universal Snip SP28</b>					Art. no. <b>1000571</b>	EAN 6 4 1 1 5 0 1 1 1 2 8 0 4
Height: <b>20 mm</b>	Length: <b>208 mm</b>	Width: <b>70 mm</b>	Weight: <b>200 g</b>	Retail box: <b>4</b>	Old art. no. <b>111280</b>	



- Designed for multiple cutting tasks like cutting steel, plastics, tubes, ropes or hoses up to Ø 20 mm.
- Carbon steel blades.
- Wide serrated blade to prevent slipping in robust tasks.

NOTE! Not recommended for pruning.

<b>SingleStep™ Snip SP27</b>					Art. no. <b>1000570</b>	EAN 6 4 1 1 5 0 1 1 1 2 7 0 5
Height: <b>20 mm</b>	Length: <b>210 mm</b>	Width: <b>76 mm</b>	Weight: <b>200 g</b>	Retail box: <b>4</b>	Old art. no. <b>111270</b>	



- Designed for multiple cutting tasks like cutting steel, plastics, tubes, ropes or hoses up to Ø 20 mm.
- Narrow blades for better reach and precise cutting


NOTE! Not recommended for pruning.

<b>Solid™ Snip Pruner Bypass P32</b>					Art. no. <b>1020191</b>	EAN 6 4 1 1 5 0 1 1 1 1 8 0 7
Height: <b>19 mm</b>	Length: <b>197 mm</b>	Width: <b>55 mm</b>	Weight: <b>182 g</b>	Retail box: <b>4</b>	Old art. no. <b>111180</b>	



- Optimised for quick snipping of plants and thinner branches.
- Ultra durable construction.
- Comfortable SoftGrip™ handles.

# Quantum™ pruner


<b>Quantum™ Pruner Bypass P100</b>					Art. no. <b>1001434</b>	 EAN 6 4 1 1 5 0 1 1 1 9 7 0 4
Height: <b>20 mm</b>	Length: <b>215 mm</b>	Width: <b>75 mm</b>	Weight: <b>280 g</b>	Retail box: <b>4</b>	Old art. no. <b>111970</b>	



- Optimised for cutting fresh twigs and branches up to Ø 26 mm.
- The blade adjustment mechanism prevents the blades from loosening thus lengthening the lifetime of the pruner.
- Natural cork handles for ultimate comfort.


# Inspiration™ pruners

**Note!**  
Inspiration soil care products on page 42-43

<b>Inspiration™ Pruner Bypass Ruby P26</b>					Art. no. <b>1003657</b>	 EAN 6 4 1 1 5 0 1 1 1 2 5 6 9
Height: <b>20 mm</b>	Length: <b>208 mm</b>	Width: <b>70 mm</b>	Weight: <b>200 g</b>	Retail box: <b>4</b>	Old art. no. <b>111256</b>	



- Ideal for cutting young, green wood up to Ø 22 mm.
- Carbon steel blades.

<b>Inspiration™ Pruner Bypass Lucy P26</b>					Art. no. <b>1003664</b>	 EAN 6 4 1 1 5 0 1 1 1 2 5 7 6
Height: <b>20 mm</b>	Length: <b>208 mm</b>	Width: <b>70 mm</b>	Weight: <b>200 g</b>	Retail box: <b>4</b>	Old art. no. <b>111257</b>	



- Ideal for cutting young, green wood up to Ø 22 mm.
- Carbon steel blades.

# New PowerGearX™



## POWER GEAR X RANGE

L

Anvil blade  
Hard wood



L

Bypass blade  
Fresh wood



M

Bypass blade  
Fresh wood



S


Bypass blade  
Fresh wood



## KEY BENEFITS


- ✓ Up to 3x more cutting power with patented gear mechanism
- ✓ Durable and light to handle with aluminium shafts
- ✓ Firm grip with comfortable SoftGrip™ handles

# PowerGear X™ loppers

<b>PowerGear X™ Lopper Bypass S LX92</b>					Art. no. <b>1020186</b>	EAN  6 4 1 1 5 0 1 1 2 2 6 0 5
Height: <b>250 mm</b>	Length: <b>570 mm</b>	Width: <b>230 mm</b>	Weight: <b>832 g</b>	Retail box: <b>4</b>	Old art. no. <b>112260</b>	




- For frequent cutting of fresh wood up to Ø 38 mm.
- Bypass blades for easy catching of branches and clean cuts.
- Durable and light to handle due to aluminium shafts and comfortable SoftGrip™ handle.

<b>PowerGear X™ Lopper Bypass M LX94</b>					Art. no. <b>1020187</b>	EAN  6 4 1 1 5 0 1 1 2 3 9 0 9
Height: <b>250 mm</b>	Length: <b>640 mm</b>	Width: <b>230 mm</b>	Weight: <b>1190 g</b>	Retail box: <b>4</b>	Old art. no. <b>112390</b>	




- For frequent cutting of fresh wood up to Ø 50 mm.
- Bypass blades for easy catching of branches and clean cuts.
- Durable and light to handle due to aluminium shafts and comfortable SoftGrip™ handle.

<b>PowerGear X™ Lopper Bypass L LX98</b>					Art. no. <b>1020188</b>	EAN  6 4 1 1 5 0 1 1 2 4 9 0 6
Height: <b>250 mm</b>	Length: <b>800 mm</b>	Width: <b>255 mm</b>	Weight: <b>1342 g</b>	Retail box: <b>4</b>	Old art. no. <b>112490</b>	




- For heavy cutting of fresh wood up to Ø 50 mm.
- Bypass blades for easy catching of branches and clean cuts.
- Durable and light to handle due to aluminium shafts and comfortable SoftGrip™ handle.

<b>PowerGear X™ Lopper Anvil L LX99</b>					Art. no. <b>1020189</b>	EAN  6 4 1 1 5 0 1 1 2 4 4 0 1
Height: <b>250 mm</b>	Length: <b>800 mm</b>	Width: <b>255 mm</b>	Weight: <b>1357 g</b>	Retail box: <b>4</b>	Old art. no. <b>112440</b>	



- For heavy cutting of hard and dry wood up to Ø 55 mm.
- Anvil blade configuration for added durability and effective cuts.
- Durable and light to handle due to aluminium shafts and comfortable SoftGrip™ handle.

<b>PowerGear™ Steel Lopper Anvil (M) L93</b>					Art. no. <b>1001550</b>	EAN  6 4 1 1 5 0 2 9 6 3 8 0 1
Height: <b>22 mm</b>	Length: <b>640 mm</b>	Width: <b>208 mm</b>	Weight: <b>1130 g</b>	Retail box: <b>4</b>	Old art. no. <b>112380</b>	



- For heavy cutting of hard, dry wood up to Ø 55 mm.
- Anvil blade configuration for added durability and effectiveness of cut.
- Durable and light to handle due to aluminium shafts.

# PowerGear™ Loppers

## PowerGear™ Lopper Bypass, Hook Head (L) L78

Height: 28 mm Length: 692 mm Width: 180 mm Weight: 1060 g Retail box: 4

Art. no. 1000584

Old art. no. 112590

EAN



- For heavy cutting of fresh wood up to Ø 50 mm.
- Very light weight due to FiberComp™ construction.
- Anvil blade configuration for added durability and effective cuts.

## PowerGear™ Lopper Anvil (L) L77

Height: 32 mm Length: 686 mm Width: 257 mm Weight: 1050 g Retail box: 4

Art. no. 1000583

Old art. no. 112580

EAN



- For heavy cutting of hard and dry wood up to Ø 50 mm.
- Very light weight due to FiberComp™ construction.
- Anvil blade configuration for added durability and effective cuts.

## PowerGear™ Lopper Bypass, Scissor Head (M) L76

Height: 25 mm Length: 557 mm Width: 184 mm Weight: 540 g Retail box: 4

Art. no. 1001553

Old art. no. 112300

EAN



- For cutting of fresh wood up to Ø 28 mm.
- Very light weight due to FiberComp™ construction.
- Scissor head blades optimised for precision cutting.

## PowerGear™ Lopper Bypass, Hook Head (M) L74

Height: 25 mm Length: 545 mm Width: 183 mm Weight: 550 g Retail box: 4

Art. no. 1000582

Old art. no. 112290

EAN



- For cutting of fresh wood up to Ø 38 mm.
- Very light weight due to FiberComp™ construction.
- Bypass blades for easy catching of branches and a clean cuts.

## PowerGear™ Lopper Bypass, Scissor Head (S) L72

Height: 25 mm Length: 460 mm Width: 152 mm Weight: 470 g Retail box: 4

Art. no. 1001555


Old art. no. 112200

EAN




- For frequent cutting of fresh wood up to Ø 28 mm.
- Very light weight due to FiberComp™ construction.
- Scissor head blades optimised for precision cutting.

# PowerGear™ Loppers

<b>PowerGear™ Lopper Anvil (S) L71</b>					Art. no. <b>1001556</b>	 EAN 6 4 1 1 5 0 1 1 2 1 8 0 6
Height: <b>25 mm</b>	Length: <b>450 mm</b>	Width: <b>162 mm</b>	Weight: <b>470 g</b>	Retail box: <b>4</b>	Old art. no. <b>112180</b>	




- For cutting of hard, dry wood up to Ø 35 mm.
- Very light weight due to FiberComp™ construction.

<b>PowerGear™ Lopper Bypass, Hook Head (S) L70</b>					Art. no. <b>1002104</b>	 EAN 6 4 1 1 5 0 1 1 2 1 9 0 5
Height: <b>25 mm</b>	Length: <b>460 mm</b>	Width: <b>152 mm</b>	Weight: <b>470 g</b>	Retail box: <b>4</b>	Old art. no. <b>112190</b>	



- For frequent cutting of fresh wood up to Ø 38 mm.
- Very light weight due to FiberComp™ construction.
- Hooked bypass blades for easy catching of branches and a clean cuts.

<b>PowerGear™ Lopper Anvil (S) L31</b>					Art. no. <b>1000581</b>	 EAN 6 4 1 1 5 0 3 9 6 1 7 0 7
Height: <b>25 mm</b>	Length: <b>387 mm</b>	Width: <b>180 mm</b>	Weight: <b>380 g</b>	Retail box: <b>4</b>	Old art. no. <b>112170</b>	



- For cutting of hard, dry wood up to Ø 35 mm.
- Very light weight due to FiberComp™ construction.



**Fiskars**  
**PowerGear™**

**UP TO**  
**3X**  
**MORE**  
**POWER**

# PowerStep™, SmartFit™ & SingleStep™ loppers

<b>PowerStep™ Lopper Anvil L85</b>					Art. no. <b>1000585</b>	EAN 6 4 1 1 5 0 1 1 2 8 5 0 8
Height: <b>38 mm</b>	Length: <b>570 mm</b>	Width: <b>185 mm</b>	Weight: <b>630 g</b>	Retail box: <b>4</b>	Old art. no. <b>112850</b>	



- For cutting both thinner and thicker branches up to Ø 24 mm, reduces peak efforts.
- Anvil blade both stabilises and facilitates cutting of hard, dry wood.

<b>SmartFit™ Lopper Bypass L86</b>					Art. no. <b>1013564</b>	EAN 6 4 1 1 5 0 1 1 2 5 0 0 2
Height: <b>35 mm</b>	Length: <b>665 mm</b>	Width: <b>249 mm</b>	Weight: <b>1280 g</b>	Retail box: <b>4</b>	Old art. no. <b>112500</b>	



- For cutting branches up to Ø 40 mm both far and near.
- Optimal working position due to adjustable shaft length between 665 - 915mm.
- Hooked bypass blades for easy catching of branches and a clean cuts.
- Increased comfort due to SoftGrip™ covered handles.

<b>SingleStep™ Lopper Bypass Hook head (S) L28</b>					Art. no. <b>1001432</b>	EAN 6 4 1 1 5 0 1 1 2 1 6 0 8
Height: -	Length: <b>495 mm</b>	Width: <b>185 mm</b>	Weight: <b>950 g</b>	Retail box: <b>4</b>	Old art. no. <b>112160</b>	



- For cutting fresh wood.
- Cutting capacity: Ø 35 mm.
- Blade material: hardened steel, non-stick coating.

<b>SingleStep™ Lopper Bypass Hook Head (L) L38</b>					Art. no. <b>1001426</b>	EAN 6 4 1 1 5 0 1 1 2 4 6 0 9
Height: -	Length: <b>816 mm</b>	Width: <b>346 mm</b>	Weight: <b>1170 g</b>	Retail box: <b>4</b>	Old art. no. <b>112460</b>	



- For heavy cutting of fresh wood.
- Cutting capacity: Ø 40 mm.
- Blade material: hardened steel, non-stick coating.


<b>SingleStep™ Lopper Anvil Hook Head (L) L39</b>					Art. no. <b>1001430</b>	EAN 6 4 1 1 5 0 1 1 2 4 5 0 0
Height: -	Length: <b>816 mm</b>	Width: <b>346 mm</b>	Weight: <b>1200 g</b>	Retail box: <b>4</b>	Old art. no. <b>112450</b>	



- For heavy cutting of dry and hard wood.
- Cutting capacity: Ø 40 mm.
- Blade material: upper blade of hardened steel with non-stick coating, anvil blade of aluminium.


# Quantum™ loppers

Fiskars Quantum™ exemplifies natural beauty and design. The red dot best of the best awarded range exhibits light but strong aluminium bodies, precision ground blades and unique cork padded handles for both comfort and style.

<b>Quantum™ Lopper Anvil (L) L109</b>					Art. no. <b>1001437</b>	EAN  6 4 1 1 5 0 1 1 2 6 1 0 8
Height: <b>22 mm</b>	Length: <b>800 mm</b>	Width: <b>255 mm</b>	Weight: <b>1360 g</b>	Retail box: <b>4</b>	Old art. no. <b>112610</b>	




- Optimised for cutting of hard, dry wood up to Ø 55 mm.
- Light weight yet durable with aluminium shaft.
- Ultimate usage comfort with natural cork handles.

<b>Quantum™ Lopper Bypass (L) L108</b>					Art. no. <b>1001435</b>	EAN  6 4 1 1 5 0 1 1 2 6 3 0 6
Height: <b>22 mm</b>	Length: <b>800 mm</b>	Width: <b>255 mm</b>	Weight: <b>1340 g</b>	Retail box: <b>4</b>	Old art. no. <b>112630</b>	




- Optimised for heavy cutting of fresh wood up to Ø 50 mm.
- Light weight yet durable with aluminium shaft.
- Ultimate usage comfort with natural cork handles.

<b>Quantum™ Lopper Bypass (M) L104</b>					Art. no. <b>1001438</b>	EAN  6 4 1 1 5 0 1 1 2 3 3 0 5
Height: <b>22 mm</b>	Length: <b>640 mm</b>	Width: <b>203 mm</b>	Weight: <b>1190 g</b>	Retail box: <b>4</b>	Old art. no. <b>112330</b>	



- Optimised for heavy cutting of fresh wood up to Ø 28 mm.
- Light weight yet durable with aluminium shaft.
- Ultimate usage comfort with natural cork handles.

<b>Quantum™ Lopper Bypass Scissor Head (S) L102</b>					Art. no. <b>1001436</b>	EAN  6 4 1 1 5 0 1 1 2 2 4 0 7
Height: <b>22 mm</b>	Length: <b>570 mm</b>	Width: <b>230 mm</b>	Weight: <b>830 g</b>	Retail box: <b>4</b>	Old art. no. <b>112240</b>	



- Optimised for precision cutting of fresh wood up to Ø 28 mm.
- Light weight yet durable with aluminium shaft.
- Ultimate usage comfort with natural cork handles.



# Hedge shears

Fiskars has a full range of shears whether your interest is topiary, annual growth control, or simply a nice straight line in your hedge. From robust SingleStep action hedge shears to adjustable telescopic shears. For the toughest jobs, we have shears featuring our unique PowerGear™ technology, which can triple your cutting power right up to the tip.



NEW

## PowerGearX™

Very durable and saving effort up to 3x with PowerGear™ cutting mechanism



## PowerLever™

Light weight and saving effort up to 2x with PowerLever™ cutting mechanism



## SmartFit™

Optimal working position due to adjustable shaft length



## SingleStep™

Sturdy and comfortable



## Quantum™

Ultimate usage comfort due to natural cork handles

# Hedge Shears

<b>PowerGear X Hedge Shear HSX92</b>					Art. no. <b>1023631</b>	EAN 6 4 1 1 5 0 1 1 4 0 0 6 7
Height: <b>30 mm</b>	Length: <b>630 mm</b>	Width: <b>165 mm</b>	Weight: <b>808 g</b>	Retail box: <b>4</b>	Old art. no. -	



- For effortless trimming of hedges and bushes.
- Unique PowerGear™ mechanism makes cutting up to 3 times easier vs standard mechanisms.
- Light-weight and durable with PTFE coated precision ground blades.
- Optimum comfort and balance with SoftGrip™ handle construction.

<b>PowerGear™ Hedge Shear HS72</b>					Art. no. <b>1000596</b>	EAN 6 4 1 1 5 0 1 1 4 7 9 0 5
Height: <b>45 mm</b>	Length: <b>570 mm</b>	Width: <b>165 mm</b>	Weight: <b>630 g</b>	Retail box: <b>4</b>	Old art. no. <b>114790</b>	



- For easy trimming of hedges and bushes.
- Saving effort up to 3x with PowerGear™ cutting mechanism.
- Very light weight due to FiberComp™ shaft.

<b>PowerLever™ Hedge Shear HS52</b>					Art. no. <b>1001564</b>	EAN 6 4 1 1 5 0 1 9 6 7 5 0 3
Height: <b>40 mm</b>	Length: <b>544 mm</b>	Width: <b>148 mm</b>	Weight: <b>610 g</b>	Retail box: <b>4</b>	Old art. no. <b>114750</b>	



- For easy trimming of hedges and bushes.
- Saving effort up to 2x with PowerLever™ cutting mechanism.
- Light weight due to FiberComp™ shaft.

<b>SmartFit™ Hedge Shear HS86</b>					Art. no. <b>1013565</b>	EAN 6 4 1 1 5 0 1 1 4 8 0 0 1
Height: <b>45 mm</b>	Length: <b>675 mm</b>	Width: <b>215 mm</b>	Weight: <b>1250 g</b>	Retail box: <b>4</b>	Old art. no. <b>114800</b>	



- For trimming of hedges and bushes both far and near.
- Optimal working position due to adjustable shaft length between 675 - 925 mm.
- Comfortable, non-slip SoftGrip™ handles.

**SingleStep™ Hedge Shear Wavy Blade HS22**Art. no. **1001433**Height: **45 mm** Length: **580 mm** Width: **190 mm** Weight: **840 g** Retail box: **4**Old art. no. **114730**

EAN



- For trimming hedges and bushes.
- Sturdy and comfortable handles of glassfibre reinforced polypropene (PPGF).
- Hardened steel blades with non-stick coating.

**Quantum™ Hedge Shear HS102**Art. no. **1001449**Height: **40 mm** Length: **631 mm** Width: **170 mm** Weight: **960 g** Retail box: **4**Old art. no. **114820**

EAN



- For easy trimming of hedges and bushes.
- Saving effort up to 3x with PowerGear™ cutting mechanism.
- Ultimate usage comfort with natural cork handles and padded stoppers.

# Tree Pruners


Fiskars Universal Garden Cutters are multi-use tools that allow accessibility to tree crowns and dense bushes, enabling the gardener to trim overhead without needing a ladder, or at ground level without bending or kneeling.

<b>Tree Pruner Bypass Telescopic UP86</b>					Art. no. <b>1000598</b>	EAN  6 4 1 1 5 0 2 9 6 5 6 3 8
Height: <b>70 mm</b>	Length: <b>2416 mm</b>	Width: <b>102 mm</b>	Weight: <b>1620 g</b>	Retail box: <b>2</b>	Old art. no. <b>115560</b>	



- Bypass cutting action for up to Ø 32 mm thick branches.
- Shaft length adjustable from 2400 - 4000 mm enabling a maximum reach of 6 meters.
- Adjustable cutting angle up to 230°.
- Can be used with branch saw (art. No. 1001561), and fruit picker (art. No. 1001562)




<b>Tree Pruner Bypass Long UP84</b>					Art. no. <b>1001557</b>	EAN  6 4 1 1 5 0 1 9 6 3 9 0 1
Height: <b>70 mm</b>	Length: <b>2322 mm</b>	Width: <b>118 mm</b>	Weight: <b>1050 g</b>	Retail box: <b>2</b>	Old art. no. <b>115390</b>	



- Bypass cutting action for up to Ø 32 mm thick branches.
- Cutting reach of approximately 4,5 meters.
- Adjustable cutting angle up to 230°.
- Can be used with extension pole (art. No 1001560), branch saw (art. No 1001561), and fruit picker (art. No 1001562).




<b>Tree Pruner Bypass UP82</b>					Art. no. <b>1001558</b>	EAN  6 4 1 1 5 0 1 9 6 3 6 3 5
Height: <b>70 mm</b>	Length: <b>1580 mm</b>	Width: <b>102 mm</b>	Weight: <b>770 g</b>	Retail box: <b>4</b>	Old art. no. <b>115360</b>	



- Bypass cutting action for up to Ø 32 mm thick branches.
- Cutting reach of approximately 3,5 meters.
- Adjustable cutting angle up to 230°.
- Can be used with extension pole (art. No 1001560), branch saw (art. No 1001561), and fruit picker (art. No 1001562).



<b>Tree Pruner Anvil UP53</b>					Art. no. <b>1000597</b>	EAN  6 4 1 1 5 0 1 9 6 3 5 0 5
Height: <b>70 mm</b>	Length: <b>1610 mm</b>	Width: <b>118 mm</b>	Weight: <b>740 g</b>	Retail box: <b>4</b>	Old art. no. <b>115350</b>	

- Anvil cutting action especially for dry and hard wood up to Ø 32 mm thickness.
- Cutting reach vertically about 3,5 meters.
- Adjustable cutting angle up to 26°.
- Can be used with branch saw (art. No 1001561), and fruit picker (art. No 1001562).



# Tree pruner accessories

<b>Extension Pole UP80 Plus Part</b>					Art. no. <b>1001560</b>	EAN 6 4 1 1 5 0 2 9 6 4 6 3 1
Height: <b>30 mm</b>	Length: <b>1453 mm</b>	Width: <b>60 mm</b>	Weight: <b>450 g</b>	Retail box: <b>4</b>	Old art. no. <b>110460</b>	



- Can be used with Tree pruner bypass UP82 (art. No 1001558) and UP84 (art. No 1001557).
- Can extend cutting heights with 1,5 meters.

<b>Branch Saw UP80 Plus Part</b>					Art. no. <b>1001561</b>	EAN 6 4 1 1 5 0 1 0 9 6 9 5 1
Height: <b>155 mm</b>	Length: <b>455 mm</b>	Width: <b>78 mm</b>	Weight: <b>220 g</b>	Retail box: <b>4</b>	Old art. no. <b>110950</b>	



- Can be used with article No. 1001558, 1001557, and 1000598.
- Adjustable sawing angle.
- Sawing area of 380 mm.

<b>Fruit Picker UP80 Plus Part</b>					Art. no. <b>1001562</b>	EAN 6 4 1 1 5 0 1 9 6 9 7 0 5
Height: <b>205 mm</b>	Length: <b>290 mm</b>	Width: <b>155 mm</b>	Weight: <b>210 g</b>	Retail box: <b>4</b>	Old art. no. <b>110970</b>	



- Can be used with article No. 1001558, 1001557 and 1000598.
- Bag of durable cotton fabric and frame of FiberComp™.



## CUTTING

Activate the great cutting power with a slide of the orange handle, or when used at maximum height, with a pull of the orange end knob.



## ADJUSTING

The adjustable head and the lightweight cutting mechanism helps to ensure fast, and safe pruning from afar.

# Fiskars QuikFit™





**Click & Reach p.81**

**Click & Clean p.83**

**Click & Grow p.86**

# Smart and safe solution

Fiskars QuikFit™ is a range of garden products with interchangeable heads and handles for a variety of garden tasks. In particular, Fiskars QuikFit™ offers safe and smart solutions for those high reach jobs, enables effective lawn and yard cleaning and offers neat and transportable solutions for cultivating work.



## Click & Reach

Within the Click&Reach range, QuikFit™ offers easy solutions for those hard-to-reach tasks, paying the due attention to safety. Forget the ladder when sawing high branches or cleaning gutters – let QuikFit™ do the job from the ground up.



## Click & Clean

Within the Click&Clean range QuikFit™ Fiskars offers easy solutions for cleaning your lawn and yard with special attention paid to functionality and storage efficiency. With their unique and smart design QuikFit™ rakes and brooms allow you to perform the garden tidy-up with minimum effort, while keeping your shed neat and free from clutter when not in use.



## Click & Grow

Within the Click&Grow range, QuikFit™ offers easy and mobile solutions for cultivating vegetable and flowers in your garden, summer cottage or city allotment. The unique space-saving system, where one shaft can be used with several tool heads, makes transportation and storage easy.



# QuikFit™ Click & Reach



reddot design award  
winner 2010

<b>QuikFit™ Tree Cutter</b>					Art. no. <b>1001410</b>	EAN 6 4 1 1 5 0 1 3 6 5 2 5 5
Height: <b>70 mm</b>	Length: <b>400 mm</b>	Width: <b>110 mm</b>	Weight: <b>480 g</b>	Retail box: <b>6</b>	Old art. no. <b>136525</b>	



- Enhanced cutting power (x12) with PowerReel™ mechanism.
  - No external ropes on the cutting head allows to easily reach any branch.
  - Anvil cutting action for dry and hard wood.
  - Cutting capacity: Ø 32 mm.
- Recommended Shaft: Telescopic Shaft L and Telescopic Shaft M.

<b>QuikFit™ Curved Saw</b>					Art. no. <b>1000691</b>	EAN 5 9 0 5 5 6 8 3 6 5 2 7 9
Height: <b>35 mm</b>	Length: <b>560 mm</b>	Width: <b>70 mm</b>	Weight: <b>390 g</b>	Retail box: <b>6</b>	Old art. no. <b>136527</b>	



- Pull saw with hardened steel blade with a length of 360 mm.
  - Top-hook ensures non-slip steadiness while pulling.
  - Bottom knife ensures a clean and precise finishing cut from below the branch.
- Recommended Shaft: Telescopic Shaft L and Telescopic Shaft M.

<b>QuikFit™ Fruit Picker</b>					Art. no. <b>1000693</b>	EAN 5 9 0 5 5 6 8 3 6 9 5 0 5
Height: <b>85 mm</b>	Length: <b>320 mm</b>	Width: <b>168 mm</b>	Weight: <b>250 g</b>	Retail box: <b>6</b>	Old art. no. <b>136950</b>	



- For easy pulling from the branch due to broad opening, optimal design which directs the fruit to the end of the tips.
  - Cotton bag, which can be removed for washing.
  - Added durability due to FiberComp™ lightweight design.
- Recommended Shaft: Telescopic Shaft L, Telescopic Shaft M and Shaft L.

<b>QuikFit™ Gutter Cleaner</b>					Art. no. <b>1001414</b>	EAN 5 9 0 5 5 6 8 3 5 5 4 2 3
Height: <b>150 mm</b>	Length: <b>310 mm</b>	Width: <b>45 mm</b>	Weight: <b>330 g</b>	Retail box: <b>6</b>	Old art. no. <b>135542</b>	



- Combination of brush and scraper offers full complement gutter cleaning capabilities.
  - Adjustable angle ensures optimal positioning of tool safely from the ground.
- Recommended Shaft: Telescopic Shaft L and Telescopic Shaft M.

<b>QuikFit™ Telescopic Shaft M</b>					Art. no. <b>1000666</b>	EAN 5 9 0 5 5 6 8 3 6 0 4 2 7
Height: <b>37 mm</b>	Length: <b>1400 mm</b>	Width: <b>65 mm</b>	Weight: <b>1000 g</b>	Retail box: <b>6</b>	Old art. no. <b>136042</b>	




- Especially designed for hard to reach tasks in the garden with a reach of up to 4 metres, it fits conveniently into most cars.
- Dual locking system for maximum safety.
- Lightweight aluminium.
- Adjustable shaft length from 1400 - 2400 mm.

# QuikFit™ Click & Reach



reddot design award  
winner 2010

<b>QuikFit™ Telescopic Shaft L</b>					Art. no. <b>1000665</b>	 EAN 5 905568 360328
Height: <b>40 mm</b>	Length: <b>2280 mm</b>	Width: <b>90 mm</b>	Weight: <b>1600 g</b>	Retail box: <b>4</b>	Old art. no. <b>136032</b>	

- Especially designed for hard to reach tasks in the garden with a reach of up to 6 meters.
- Dual locking system for maximum safety.
- Lightweight aluminium.
- Adjustable shaft length from 2280 - 4000 mm.



# QuikFit™ Click & Clean



reddot design award  
winner 2010

<b>QuikFit™ Leaf Rake L</b>					Art. no. <b>1000642</b>	EAN 6 4 1 1 5 0 1 3 5 0 1 3 8
Height: <b>53 mm</b>	Length: <b>320 mm</b>	Width: <b>520 mm</b>	Weight: <b>290 g</b>	Retail box: <b>6</b>	Old art. no. <b>135013</b>	



- Wide rake for gathering fallen leaves and grass cuttings.
  - More comfort with less effort due to tines working in a pulling direction.
  - 25 soft and flexible tines of high-quality PBT plastic that withstand bending.
- Recommended Shaft: Shaft L

<b>QuikFit™ Leaf Rake Metal</b>					Art. no. <b>1000644</b>	EAN 6 4 1 1 5 0 1 3 5 2 0 1 9
Height: <b>70 mm</b>	Length: <b>470 mm</b>	Width: <b>430 mm</b>	Weight: <b>445 g</b>	Retail box: <b>6</b>	Old art. no. <b>135201</b>	



- For removing loose moss and grass cuttings from the lawn.
  - 22 flexible steel prongs.
- Recommended Shaft: Shaft L

<b>QuikFit™ Gather Rake</b>					Art. no. <b>1000656</b>	EAN 5 9 0 5 5 6 8 5 4 0 3 3 1
Height: <b>125 mm</b>	Length: <b>175 mm</b>	Width: <b>580 mm</b>	Weight: <b>1017 g</b>	Retail box: <b>2</b>	Old art. no. <b>135514</b>	



- Wide rake for gathering leaves and cutting waste from lawn areas.
  - Hardened carbon steel head.
- Recommended Shaft: Shaft L

<b>QuikFit™ Aerator Rake</b>					Art. no. <b>1000655</b>	EAN 5 9 0 5 5 6 8 5 4 0 3 2 4
Height: <b>75 mm</b>	Length: <b>270 mm</b>	Width: <b>365 mm</b>	Weight: <b>961 g</b>	Retail box: <b>2</b>	Old art. no. <b>135513</b>	



- For removing moss and thatch from lawn areas.
  - Hardened carbon steel head.
- Recommended Shaft: Shaft L

<b>QuikFit™ Leaf Rake S</b>					Art. no. <b>1000659</b>	EAN 6 4 1 1 5 0 1 3 5 5 5 1 5
Height: <b>42 mm</b>	Length: <b>320 mm</b>	Width: <b>220 mm</b>	Weight: <b>170 g</b>	Retail box: <b>6</b>	Old art. no. <b>135551</b>	



- Convenient small leaf rake for clearing around narrow beds and borders.
  - More comfort with less effort due to tines working in a pulling direction.
  - 11 soft and flexible tines of high-quality PBT plastic that withstand bending.
- Recommended shaft: Shaft M and L

# QuikFit™ Click & Clean



reddot design award  
winner 2010

## QuikFit™ Flower Rake

Height: **41 mm** Length: **384 mm** Width: **124 mm** Weight: **210 g** Retail box: **6**

Art. no. **1001412**

Old art. no. **135552**

EAN



- Durable FiberComp™ frame and 7 steel tines construction.
  - 13 cm working width - ideal for nursery spaces and narrow plant beds.
- Recommended shaft: Handle S and Shaft M

## QuikFit™ Lawn Edger

Height: **28 mm** Length: **260 mm** Width: **195 mm** Weight: **398 g** Retail box: **6**

Art. no. **1000690**

Old art. no. **136526**

EAN



- For clearing the space between the lawn and hard surfaces by stepping on the blade and driving it deep into the lawn.
  - For edging the borders.
  - Hardened boron steel head with flat top.
- Recommended shaft: Shaft M and L

## QuikFit™ Yard Broom

Height: **195 mm** Length: **290 mm** Width: **70 mm** Weight: **340 g** Retail box: **6**

Art. no. **1001417**

Old art. no. **135532**

EAN



- All-purpose yard broom.
  - Featuring Fiskars PowerClean™ combing soft and hard bristles for efficient sweeping.
- Recommended shaft: Shaft M and L

## QuikFit™ Patio Broom

Height: **185 mm** Length: **380 mm** Width: **75 mm** Weight: **370 g** Retail box: **6**

Art. no. **1001416**

Old art. no. **135533**

EAN



- For sweeping smooth surfaces like patios, wooden decks and polished concrete floors.
  - Fast efficient sweeping due to the wide brush head and soft bristles.
- Recommended shaft: Shaft M and L

## QuikFit™ Sweeping Broom

Height: **290 mm** Length: **260 mm** Width: **70 mm** Weight: **375 g** Retail box: **6**

Art. no. **1001415**

Old art. no. **135534**

EAN



- A modern take on the traditional sweeping broom.
  - Robust construction and long bristles ideal for coarser debris, leaves etc..
- Recommended shaft: Shaft M and L

# QuikFit™ Click & Clean



reddot design award  
winner 2010

<b>QuikFit™ Paving Brush</b>					Art. no. <b>1000657</b>	EAN 5 905568 355225
Height: <b>37 mm</b>	Length: <b>185 mm</b>	Width: <b>152 mm</b>	Weight: <b>160 g</b>	Retail box: <b>6</b>	Old art. no. <b>135522</b>	



- For removing moss and weeds from between paving slabs.
  - Hardened steel front blade for stubborn moss and dirt.
  - Steel bristles to scrub paving and slabs.
  - More durable and resistant to moisture due to lightweight FiberComp™ construction.
- Recommended shaft: Shaft M and L

<b>QuikFit™ Patio Knife</b>					Art. no. <b>1000687</b>	EAN 5 905568 540393
Height: <b>28 mm</b>	Length: <b>250 mm</b>	Width: <b>70 mm</b>	Weight: <b>136 g</b>	Retail box: <b>6</b>	Old art. no. <b>136521</b>	



- Ideal tool for removing grass, moss and weeds from between slabs, block paving, wall corners and steps.
  - Blade of hardened boron steel.
- Recommended shaft: Shaft M and L

<b>QuikFit™ Snow Pusher</b>					Art. no. <b>1000743</b>	EAN 6 411501 432100
Height: <b>76 mm</b>	Length: <b>320 mm</b>	Width: <b>360 mm</b>	Weight: <b>470 g</b>	Retail box: <b>2</b>	Old art. no. <b>143210</b>	



- Ideal for clearing snow from steps and patios.
  - Scoop of PP plastic with aluminium edge.
- Recommended shaft: Shaft M and L

<b>QuikFit™ Straight Saw</b>					Art. no. <b>1000692</b>	EAN 5 905568 365286
Height: <b>50 mm</b>	Length: <b>620 mm</b>	Width: <b>50 mm</b>	Weight: <b>200 g</b>	Retail box: <b>6</b>	Old art. no. <b>136528</b>	



- For sawing tasks in the garden.
  - FiberComp™ slider and adaptor.
  - Hardened steel blade with a length of 345 mm.
- Recommended shaft: Shaft M and L

# QuikFit™ Click & Grow



reddot design award  
winner 2010

## QuikFit™ Soil Rake 14 prongs

Height: **70 mm** Length: **205 mm** Width: **360 mm** Weight: **428 g** Retail box: **6**

Art. no. **1000653**

Old art. no. **135511**

EAN



- For raking, levelling or smoothing seed beds that cover a wider area.
  - 14 spikes of hardened carbon steel.
- Recommended shaft: Shaft L

## QuikFit™ Soil Rake 16 prongs

Height: **70 mm** Length: **205 mm** Width: **400 mm** Weight: **493 g** Retail box: **6**

Art. no. **1000654**

Old art. no. **135512**

EAN



- For raking, levelling or smoothing seed beds that cover a wider area.
  - 16 tines of hardened carbon steel.
- Recommended shaft: Shaft L

## QuikFit™ Universal Rake

Height: **110 mm** Length: **152 mm** Width: **410 mm** Weight: **260 g** Retail box: **6**

Art. no. **1000643**

Old art. no. **135051**

EAN



- For raking and clearing long loose grass.
  - Also for making planting beds by levelling the ground and sand and packing down the soil.
  - 12 FiberComp™ tines designed at a specific angle to help with ergonomic posture.
  - Levelling function to even the soil bed.
- Recommended shaft: Shaft L

## QuikFit™ Rose Rake

Height: **45 mm** Length: **225 mm** Width: **245 mm** Weight: **233 g** Retail box: **6**

Art. no. **1000651**

Old art. no. **135501**

EAN



- Unique head shape allows the gardener to work between plants and stems without damaging the plants.
  - Ideal for narrow bed layouts.
  - 10 teeth of hardened boron steel.
- Recommended shaft: Shaft L and M

## QuikFit™ Cultivator

Height: **115 mm** Length: **305 mm** Width: **125 mm** Weight: **417 g** Retail box: **6**

Art. no. **1000680**

Old art. no. **136511**

EAN



- For cultivating, scarifying, aerating and breaking up soil.
  - Suitable for seed bed preparation and maintenance.
  - Blade of hardened carbon steel.
- Recommended shaft: Shaft L

# QuikFit™ Click & Grow



reddot design award  
winner 2010

<b>QuikFit™ Cultivator</b>					Art. no. <b>1000681</b>	EAN 5 905568 540416
Height: <b>175 mm</b>	Length: <b>305 mm</b>	Width: <b>125 mm</b>	Weight: <b>507 g</b>	Retail box: <b>6</b>	Old art. no. <b>136512</b>	



- For cultivating, scarifying, aerating and breaking up soil.
  - Suitable for seed bed preparation and maintenance.
  - Blade of hardened carbon steel.
- Recommended shaft: Shaft L

<b>QuikFit™ Grubber</b>					Art. no. <b>1000685</b>	EAN 5 905568 365170
Height: <b>90 mm</b>	Length: <b>330 mm</b>	Width: <b>100 mm</b>	Weight: <b>340 g</b>	Retail box: <b>6</b>	Old art. no. <b>136517</b>	



- For cultivating and aerating garden flower beds.
  - Blade of hardened carbon steel.
- Recommended shaft: Shaft M and L

<b>QuikFit™ Hoe</b>					Art. no. <b>1000677</b>	EAN 5 905568 540379
Height: <b>90 mm</b>	Length: <b>250 mm</b>	Width: <b>185 mm</b>	Weight: <b>254 g</b>	Retail box: <b>6</b>	Old art. no. <b>136503</b>	



- Efficient tool for removing weeds between rows of plants or breaking up the soil.
  - Blade of stainless steel.
- Recommended shaft: Shaft L

<b>QuikFit™ Push-Pull Weeder</b>					Art. no. <b>1000738</b>	EAN 5 905568 540409
Height: <b>35 mm</b>	Length: <b>250 mm</b>	Width: <b>155 mm</b>	Weight: <b>358 g</b>	Retail box: <b>6</b>	Old art. no. <b>139970</b>	



- Useful for weeding as it loosens the soil simply by pushing and pulling back and forth.
  - Hardened boron steel head.
- Recommended shaft: Shaft L

<b>QuikFit™ Hoe 3 functions</b>					Art. no. <b>1000682</b>	EAN 5 905568 540430
Height: <b>40 mm</b>	Length: <b>315 mm</b>	Width: <b>130 mm</b>	Weight: <b>241 g</b>	Retail box: <b>6</b>	Old art. no. <b>136513</b>	



- For working around stems and in narrow spaces.
  - Blade is sharpened on 3 sides to assist cultivating at different angles.
  - Blade of hardened boron steel.
- Recommended shaft: Shaft L

# QuikFit™ Click & Grow



reddot design award  
winner 2010

## QuikFit™ Dutch Hoe

Height: **28 mm** Length: **295 mm** Width: **125 mm** Weight: **241 g** Retail box: **6**

Art. no. **1000676**

Old art. no. **136502**

EAN



- Sharp, ground weeding blade for removing weeds, breaking up soil, creating seed rows or removing moss from patios.
  - Blade of hardened boron steel.
- Recommended shaft: Shaft L

## QuikFit™ Spiker

Height: **100 mm** Length: **305 mm** Width: **205 mm** Weight: **512 g** Retail box: **2**

Art. no. **1000689**

Old art. no. **136524**

EAN



- Used for aerating smaller, narrower plots.
  - Allows nutrients to penetrate the surface and helps seed, fertiliser, water, air and light to reach the roots.
  - Hardened steel blades.
- Recommended shaft: Shaft L

## QuikFit™ Cultivator Angled

Height: **70 mm** Length: **305 mm** Width: **90 mm** Weight: **235 g** Retail box: **6**

Art. no. **1000683**

Old art. no. **136515**

EAN



- For loosening and aerating plant beds to optimise nutrient distribution.
  - Tool design protects plants roots.
  - Carbon steel head.
- Recommended shaft: Handle S and Shaft M

## QuikFit™ Double Scraper Hoe

Height: **143 mm** Length: **187 mm** Width: **53 mm** Weight: **220 g** Retail box: **6**

Art. no. **1000734**

Old art. no. **137562**

EAN



- Versatile use on patios and for removing grass, moss and weeds from between tiles and slabs.
  - Can also be used to cultivate plant beds.
  - Boron steel blades with carbon steel thong.
- Recommended shaft: Handle S and Shaft M

## QuikFit™ Double Hoe

Height: **143 mm** Length: **187 mm** Width: **53 mm** Weight: **205 g** Retail box: **6**

Art. no. **1000735**

Old art. no. **137572**

EAN



- Versatile use with dual functionality.
  - For breaking up soil, cultivating plant beds and weeding.
  - Boron steel blades with carbon steel thong.
- Recommended shaft: Handle S and Shaft M




# QuikFit™ Click & Grow



reddot design award  
winner 2010

<b>QuikFit™ Weed Fork</b>					Art. no. <b>1000733</b>	EAN 5 905568 375520
Height: <b>35 mm</b>	Length: <b>273 mm</b>	Width: <b>77 mm</b>	Weight: <b>215 g</b>	Retail box: <b>6</b>	Old art. no. <b>137552</b>	



- For transplanting, cultivating and weeding.
  - Boron steel head.
- Recommended shaft: Handle S and Shaft M

<b>QuikFit™ Trowel</b>					Art. no. <b>1000730</b>	EAN 5 905568 375124
Height: <b>63 mm</b>	Length: <b>318 mm</b>	Width: <b>73 mm</b>	Weight: <b>260 g</b>	Retail box: <b>6</b>	Old art. no. <b>137512</b>	



- For planting and transplanting.
  - Boron steel head.
- Recommended shaft: Handle S and Shaft M

<b>QuikFit™ Weed Extractor</b>					Art. no. <b>1000731</b>	EAN 5 905568 375223
Height: <b>45 mm</b>	Length: <b>328 mm</b>	Width: <b>35 mm</b>	Weight: <b>225 g</b>	Retail box: <b>6</b>	Old art. no. <b>137522</b>	



- For planting and transplanting.
  - Boron steel head.
- Recommended shaft: Handle S and Shaft M

<b>QuikFit™ Shaft L</b>					Art. no. <b>1000661</b>	EAN 5 905568 540461
Height: <b>35 mm</b>	Length: <b>1560 mm</b>	Width: <b>75 mm</b>	Weight: <b>475 g</b>	Retail box: <b>6</b>	Old art. no. <b>136001</b>	



- Optimum comfort due to teardrop profile hardened aluminium shaft with SoftGrip™ handle.
- Hanging hole for easy storage.
- Shaft for allround use in garden.
- A unique automatic lock makes the tool ready for use in seconds.

<b>QuikFit™ Shaft M</b>					Art. no. <b>1000664</b>	EAN 5 905568 360229
Height: <b>35 mm</b>	Length: <b>845 mm</b>	Width: <b>30 mm</b>	Weight: <b>290 g</b>	Retail box: <b>6</b>	Old art. no. <b>136022</b>	



- Medium-length shaft which can be used with nursery tools, cultivators and hoes.
- Optimum comfort due to teardrop profile hardened aluminium shaft with SoftGrip™ handle.
- A unique automatic lock makes the tool ready for use in seconds.
- Hanging hole for easy storage.

# QuikFit™



reddot design award  
winner 2010

## QuikFit™ Handle S

Height: <b>35 mm</b>	Length: <b>234 mm</b>	Width: <b>32 mm</b>	Weight: <b>95 g</b>	Retail box: <b>6</b>
----------------------	-----------------------	---------------------	---------------------	----------------------

Art. no. **1000663**

Old art. no. **136012**

EAN



- Small handle ideal for use with nursery tools.
- Optimum comfort due to aluminium teardrop-shaped frame with FiberComp™ and a SoftGrip™ handle.
- Hanging hole for easy storage.

## QuikFit™ Universal Adapter

Height: <b>43 mm</b>	Length: <b>171 mm</b>	Width: <b>30 mm</b>	Weight: <b>71 g</b>	Retail box: <b>6</b>
----------------------	-----------------------	---------------------	---------------------	----------------------

Art. no. **1000617**


Old art. no. **130000**

EAN



- For connecting a variety of interchangeable heads produced by other manufacturers.
- Lightweight FiberComp™ construction.


## Easy compatibility



# Fiskars Car tools




# Car tools

<b>SnowXpert™ Car Shovel</b>					Art. no. <b>1019347</b>	 EAN 6 4 1 1 5 0 1 4 3 0 7 2 4
Height: <b>105 mm</b>	Length: <b>630 mm</b>	Width: <b>220 mm</b>	Weight: <b>520 g</b>	Retail box: <b>6</b>	Old art. no. <b>143072</b>	




- Stainless steel blade for increased durability.
- Durable composite structure.
- Lightweight and handy size.

<b>SnowXpert™ Brush &amp; Ice Scraper</b>					Art. no. <b>1019352</b>	 EAN 6 4 1 1 5 0 1 4 3 0 6 2 5
Height: <b>92 mm</b>	Length: <b>670 mm</b>	Width: <b>95 mm</b>	Weight: <b>221 g</b>	Retail box: <b>6</b>	Old art. no. <b>143062</b>	




- 2-sided non scratching elastic bristles.
- Double bladed scraper.
- Easy to store detachable structure.

<b>Solid™ Car Spade</b>					Art. no. <b>1014809</b>	 EAN 6 4 1 1 5 0 1 3 1 4 1 7 8
Height: -	Length: <b>800 mm</b>	Width: <b>195 mm</b>	Weight: <b>1350 g</b>	Retail box: <b>4</b>	Old art. no. <b>131417</b>	




- All-purpose digging spade for small tasks in all seasons.
- Pointed and sharpened cutting edge.
- Easy to transport and carry.

<b>Solid™ Car Shovel</b>					Art. no. <b>1019353</b>	 EAN 6 4 1 1 5 0 1 4 3 0 7 3 1
Height: <b>105 mm</b>	Length: <b>630 mm</b>	Width: <b>220 mm</b>	Weight: <b>500 g</b>	Retail box: <b>6</b>	Old art. no. <b>143073</b>	



- Functional tool for removing snow around the car.
- Compact size fit perfectly to any car.
- Durable structure.

<b>Solid™ Ice Scraper</b>					Art. no. <b>1019354</b>	 EAN 6 4 1 1 5 0 1 4 3 0 6 3 2
Height: <b>58 mm</b>	Length: <b>215 mm</b>	Width: <b>95 mm</b>	Weight: <b>70 g</b>	Retail box: <b>8</b>	Old art. no. <b>143063</b>	



- Functional tool for removing ice from the car windows.
- Sturdy and durable structure.

# Snow tools



# SnowXpert™ snow tools

<b>SnowXpert™ Shovel</b>					Art. no. <b>1003468</b>	EAN 6 4 1 1 5 0 1 4 1 0 0 1 6
Height: -	Length: <b>1310 mm</b>	Width: <b>350 mm</b>	Weight: <b>1400 g</b>	Retail box: <b>3</b>	Old art. no. <b>141001</b>	



- Reinforced polypropylene plastic scoop.
- For clearing snow from small areas e.g. porch and around the car.

<b>SnowXpert™ Pusher</b>					Art. no. <b>1003469</b>	EAN 6 4 1 1 5 0 1 4 3 0 0 1 4
Height: -	Length: <b>1520 mm</b>	Width: <b>533 mm</b>	Weight: <b>1600 g</b>	Retail box: <b>3</b>	Old art. no. <b>143001</b>	



- Reinforced polypropylene plastic scoop.
- For clearing snow from pathways and around the house entrance.

<b>SnowXpert™ Roller</b>					Art. no. <b>1003471</b>	EAN 6 4 1 1 5 0 1 4 3 0 1 1 3
Height: -	Length: <b>1759 mm</b>	Width: <b>533 mm</b>	Weight: <b>1700 g</b>	Retail box: <b>2</b>	Old art. no. <b>143011</b>	



- Especially suitable for a snow layer of approximately 5 cm.
- Reinforced scoop of polypropylene plastic rolls the snow in front of the pusher.

<b>SnowXpert™ Sledge</b>					Art. no. <b>1003470</b>	EAN 6 4 1 1 5 0 1 4 3 0 2 1 2
Height: -	Length: <b>1495 mm</b>	Width: <b>720 mm</b>	Weight: <b>4050 g</b>	Retail box: <b>6</b>	Old art. no. <b>143021</b>	



- Lightweight snow sledge for larger snow clearance, e.g. yard and parking area.
- Long sturdy tubular steel handle for easy use.
- Injection moulded scoop for high stability and lightness.

# Snow Light & other snow tools

<b>Professional Snow Sledge</b>					Art. no. <b>1001631</b>	EAN 6 4 1 1 5 0 3 2 3 7 9 5 6
Height: -	Length: <b>1480 mm</b>	Width: <b>830 mm</b>	Weight: <b>7000 g</b>	Retail box: <b>6</b>	Old art. no. <b>143040</b>	



- Tubular steel handle.
- Tough zinc coated steel edge.
- Safety reflectors on handles.

<b>Snow Light Snow Pusher - Aluminium</b>					Art. no. <b>1001636</b>	EAN 5 9 0 5 5 6 8 8 0 0 4 3 5
Height: -	Length: <b>1622 mm</b>	Width: <b>532 mm</b>	Weight: <b>1700 g</b>	Retail box: <b>3</b>	Old art. no. <b>143060</b>	



- Aluminium shaft with plastic coating.
- Ergonomically designed handle.
- Hardened aluminium blade.

<b>Snow and Grain Shovel</b>					Art. no. <b>1001637</b>	EAN 6 4 1 1 5 0 3 2 3 5 2 8 0
Height: -	Length: <b>1268 mm</b>	Width: <b>310 mm</b>	Weight: <b>1400 g</b>	Retail box: <b>6</b>	Old art. no. <b>142000</b>	




- Birchwood shaft.
- Polypropylene grip.
- High-quality aluminium blade.

<b>Snow and Grain Shovel - Tempered</b>					Art. no. <b>1001638</b>	EAN 6 4 1 1 5 0 3 2 3 5 5 0 1
Height: -	Length: <b>1161 mm</b>	Width: <b>310 mm</b>	Weight: <b>2000 g</b>	Retail box: <b>4</b>	Old art. no. <b>142010</b>	



- Birchwood shaft.
- Polypropylene grip.
- High-quality aluminium blade.

<b>Snow Light Car Shovel</b>					Art. no. <b>1000740</b>	EAN 7 3 1 7 7 9 4 3 1 0 0 0 4
Height: -	Length: <b>715 mm</b>	Width: <b>255 mm</b>	Weight: <b>750 g</b>	Retail box: <b>3</b>	Old art. no. <b>141020</b>	



- Aluminium shaft with ergonomic plastic coating.
- Ergonomically designed handle.
- Hardened aluminium blade.

## Safety Camping & Car Spade

Art. no. **1001574**

EAN



Height: - Length: **700 mm** Width: **207 mm** Weight: **479 g** Retail box: **6**

Old art. no. **131520**

6 4 1 1 5 0 3 2 7 0 0 0 7



- Lightweight spade which floats in water, for camping and gardening.
- Plastic (PP) handle is resistant to low temperatures.
- Durable aluminium scoop for rigidity and high tensile strength.
- Hexagonal shaft for extra grip.

## Foldable Spade

Art. no. **1000621**

EAN



Height: - Length: **249 mm** Width: **153 mm** Weight: **1016 g** Retail box: **4**

Old art. no. **131320**

6 4 1 1 5 0 3 2 7 5 0 1 9



- Easy foldable spade, which works as spade and hoe, is practical for camping, sports, etc..
- Canvas sheath for safe storage and protection.
- Durable spade of hardened boron steel, hardened aluminium and plastic.
- Unfolded the spade is 590 mm in length.

## Ice Iron

Art. no. **1001639**

EAN



Height: - Length: **1475 mm** Width: **175 mm** Weight: **1400 g** Retail box: **6**

Old art. no. **140000**

6 4 1 1 5 0 3 2 3 9 9 0 5



- Purpose-made tool for breaking, chipping and clearing ice.
- Solid painted blade of hardened boron steel.
- Wooden shaft.



# Kids tools



# MyFirst Fiskars children's tools

<b>MyFirst Fiskars Shovel</b>					Art. no. <b>1001421</b>	EAN 6 4 1 1 5 0 1 3 8 1 8 0 4
Height: <b>107 mm</b>	Length: <b>881 mm</b>	Width: <b>190 mm</b>	Weight: <b>400 g</b>	Retail box: <b>5</b>	Old art. no. <b>138180</b>	



- Fibre reinforced plastic scoop for maximum functionality and long-term durability.

<b>MyFirst Fiskars Spade</b>					Art. no. <b>1001420</b>	EAN 6 4 1 1 5 0 1 3 8 1 7 0 5
Height: <b>45 mm</b>	Length: <b>910 mm</b>	Width: <b>168 mm</b>	Weight: <b>300 g</b>	Retail box: <b>5</b>	Old art. no. <b>138170</b>	



- Fibre reinforced plastic scoop for maximum functionality and long-term durability.

<b>MyFirst Fiskars Rake</b>					Art. no. <b>1001419</b>	EAN 6 4 1 1 5 0 1 3 8 1 6 0 6
Height: <b>39 mm</b>	Length: <b>868 mm</b>	Width: <b>190 mm</b>	Weight: <b>200 g</b>	Retail box: <b>5</b>	Old art. no. <b>138160</b>	



- Flexible plastic tines for maximum functionality and long term durability.

<b>MyFirst Fiskars Broom</b>					Art. no. <b>1001418</b>	EAN 6 4 1 1 5 0 1 3 8 1 5 0 7
Height: <b>68 mm</b>	Length: <b>830 mm</b>	Width: <b>198 mm</b>	Weight: <b>400 g</b>	Retail box: <b>5</b>	Old art. no. <b>138150</b>	



- Thick but soft plastic bristles for maximum usage comfort, functionality and long term durability.

<b>MyFirst Fiskars Watering Can</b>					Art. no. <b>1001736</b>	EAN 6 4 1 1 5 0 1 3 8 2 2 0 7
Height: <b>210 mm</b>	Length: <b>170 mm</b>	Width: <b>120 mm</b>	Weight: <b>300 g</b>	Retail box: <b>8</b>	Old art. no. <b>138220</b>	



- Capacity of 2 litres.

# Accessories



# Accessories

<b>Work Gloves - SIZE 10</b>					Art. no. <b>1003477</b>	EAN 6 4 1 1 5 0 1 6 0 0 0 4 2
Height: -	Length: <b>325 mm</b>	Width: <b>120 mm</b>	Weight: <b>80 g</b>	Retail box: <b>10</b>	Old art. no. <b>160004</b>	



- Non-slip grip with axes and stick tools.
- Reinforced for rough manual work.

<b>Work Gloves - SIZE 8</b>					Art. no. <b>1003478</b>	EAN 6 4 1 1 5 0 1 6 0 0 0 5 9
Height: -	Length: <b>315 mm</b>	Width: <b>115 mm</b>	Weight: <b>75 g</b>	Retail box: <b>10</b>	Old art. no. <b>160005</b>	



- Non-slip grip with axes and stick tools.
- Reinforced for rough manual work.

<b>Solid™ PopUp Garden Bag 56 l</b>					Art. no. <b>1015646</b>	EAN 6 4 1 1 5 0 1 3 5 0 4 1 1
Height: -	Length: <b>Ø 400 mm</b>	Width: <b>Ø 400 mm</b>	Weight: <b>600 g</b>	Retail box: <b>6</b>	Old art. no. <b>135041</b>	



- Ideal for collecting wet yard and garden waste like damp leaves or grass clipping.
- Height closed: 80 mm, Height open: 460 mm.

<b>Solid™ PopUp Garden Bag 172 l</b>					Art. no. <b>1015647</b>	EAN 6 4 1 1 5 0 1 3 5 0 4 2 8
Height: -	Length: <b>Ø 560 mm</b>	Width: <b>Ø 560 mm</b>	Weight: <b>1250 g</b>	Retail box: <b>6</b>	Old art. no. <b>135042</b>	



- Ideal for collecting weeds, grass clippings, other types of yard waste or even toys or laundry off the clothesline.
- Folds to 10 cm for space-saving storage.
- Internal spring pops it up for use.
- Tear- and mildew-resistant construction provides durability and easy cleaning.
- Height closed: 100 mm, Height open: 700 mm.

<b>Xsharp™ Axe and Knife Sharpener</b>					Art. no. <b>1000601</b>	EAN 6 4 1 1 5 0 1 2 0 7 4 0 1
Height: -	Length: <b>165 mm</b>	Width: <b>35 mm</b>	Weight: <b>90 g</b>	Retail box: <b>4</b>	Old art. no. <b>120740</b>	



- For regular maintenance of your Fiskars axes and knives, 2 sharpeners in 1.
- Ceramic grind stone has clearly indicated cutting grooves for either axes or knives.
- Optimised sharpening angle for Fiskars blades with easy-to-use mechanism.
- Convenient portability.

# Maintenance

A man with light brown hair and a beard, wearing a dark green jacket, is looking upwards while using a pair of black Fiskars pruning shears to trim a tree branch. The shears have orange handles and the brand name 'FISKARS' is visible on the left handle. The background is a lush green tree with many leaves, and the scene is brightly lit, suggesting a sunny day.

Maintenance **p.102**

Spare parts **p.103**

# Maintenance

<b>Maintenance Kit</b>					Art. no. <b>1001640</b>	EAN 6 4 1 1 5 0 1 9 6 9 9 0 3
Height: -	Length: <b>104 mm</b>	Width: <b>197 mm</b>	Weight: <b>135 g</b>	Retail box: <b>4</b>	Old art. no. <b>110990</b>	



- For regular maintenance chores of our Fiskars garden tools.
- Includes a maintenance guidebook, diamond file and oil.
- Instructions on sharpening, oiling, washing, storage etc. is detailed in pictures and symbols.

<b>Spare Blade for Bow Saw SW30</b>					Art. no. <b>1001706</b>	EAN 0 0 4 6 5 6 1 1 0 0 6 7 4
Height: -	Length: -	Width: -	Weight: -	Retail box: <b>5</b>	Old art. no. <b>124807</b>	



- 21" Bow Saw SW30 (article No. 1001621)

<b>Spare Blade for Bow Saw SW31</b>					Art. no. <b>1001707</b>	EAN 0 0 4 6 5 6 1 1 0 0 6 8 1
Height: -	Length: -	Width: -	Weight: -	Retail box: <b>5</b>	Old art. no. <b>124817</b>	



- 24" Bow Saw SW31 (article No. 1000615)

<b>Cork Grips</b>					Art. no. <b>1001708</b>	EAN 6 4 1 1 5 0 1 1 1 9 7 6 6
Height: -	Length: -	Width: -	Weight: -	Retail box: <b>4</b>	Old art. no. <b>111976</b>	



For Quantum Pruner Bypass P100 (article No. 1001434)

<b>Upper blade</b>					Art. no. <b>1001709</b>	EAN 6 4 1 1 5 0 1 1 1 9 7 7 3
Height: -	Length: -	Width: -	Weight: -	Retail box: <b>4</b>	Old art. no. <b>111977</b>	



For Quantum Pruner Bypass P100 (article No. 1001434)

# Spare parts

<b>Springs for pruners</b>					Art. no. <b>1023642</b>	EAN 6 4 1 1 5 0 1 1 3 0 0 0 6
Height:	Length:	Width:	Weight:	Retail box:	Old art. no. -	



Spare spring for PowerGearX anvil and bypass pruners:

- PX92 (article No. 1023630)
- PX93 (article No. 1023629)
- PX94 (article No. 1023628)

<b>Springs for pruners</b>					Art. no. <b>1001710</b>	EAN 6 4 1 1 5 0 1 1 1 4 4 7 1
Height: -	Length: -	Width: -	Weight: -	Retail box: <b>4</b>	Old art. no. <b>111447</b>	



For

- Fingerloop Pruner Anvil P43 (article No. 1001535),
- Fingerloop Pruner Bypass P44 (article No. 1001534),
- Fingerloop Universal Snip SP45 (article No. 1001533),
- PowerGear Pruner Anvil (S-M) P91 (article No. 1000572),
- PowerGear Pruner Bypass (S-M) P92 (article No. 1000573)

<b>Springs for pruners</b>					Art. no. <b>1001711</b>	EAN 6 4 1 1 5 0 1 1 1 5 4 5 4
Height: -	Length: -	Width: -	Weight: -	Retail box: <b>4</b>	Old art. no. <b>111545</b>	



For PowerGear Pruner Bypass L P94 (article No. 1000574)

<b>Spare blade for pruner PX92</b>					Art. no. <b>1023639</b>	EAN 6 4 1 1 5 0 1 1 1 0 2 1 3
Height: <b>3,4 cm</b>	Length: <b>9 cm</b>	Width: <b>4 cm</b>	Weight: <b>4,8 g</b>	Retail box:	Old art. no. -	



Spare blade for PowerGearX Bypass pruner PX92 (article No. 1023630)

<b>Spare blade for pruner PX93</b>					Art. no. <b>1023640</b>	EAN 6 4 1 1 5 0 1 1 1 0 2 2 0
Height: <b>3,4 cm</b>	Length: <b>10,4 cm</b>	Width: <b>4 cm</b>	Weight: <b>5,5 g</b>	Retail box:	Old art. no. -	



Spare blade for PowerGearX Anvil pruner PX93 (article No. 1023629)

<b>Spare blade for pruner PX94</b>					Art. no. <b>1023641</b>	EAN 6 4 1 1 5 0 1 1 1 0 2 3 7
Height: <b>3,4 cm</b>	Length: <b>10,2 cm</b>	Width: <b>4 cm</b>	Weight: <b>5,1 g</b>	Retail box:	Old art. no. -	



Spare blade for PowerGearX Bypass pruner PX94 (article No. 1023628)

<b>Blade and pivot screw</b>					Art. no. <b>1001713</b>	EAN 6 4 1 1 5 0 1 1 1 5 1 6 4
Height: -	Length: -	Width: -	Weight: -	Retail box: <b>4</b>	Old art. no. <b>111516</b>	



For PowerGear Pruner Anvil (S-M) P91 (article No. 1000572)

<b>Blade and pivot screw</b>					Art. no. <b>1001714</b>	EAN 6 4 1 1 5 0 1 1 1 5 2 6 3
Height: -	Length: -	Width: -	Weight: -	Retail box: <b>4</b>	Old art. no. <b>111526</b>	



For PowerGear Pruner Bypass (S-M) P92 (article No. 1000573)

<b>Blade and pivot screw and adjustable screw</b>					Art. no. <b>1001712</b>	EAN 6 4 1 1 5 0 1 1 1 5 4 6 1
Height: -	Length: -	Width: -	Weight: -	Retail box: <b>4</b>	Old art. no. <b>111546</b>	



For PowerGear Pruner Bypass L P94 (article No. 1000574)

<b>Blade, spring and 3 rivets</b>					Art. no. <b>1001715</b>	EAN 6 4 1 1 5 0 1 1 1 3 3 8 2
Height: -	Length: -	Width: -	Weight: -	Retail box: <b>4</b>	Old art. no. <b>111338</b>	



For PowerLever Pruner Anvil P53 (article No. 1001532)



**Blade, spring and 3 rivets**Art. no. **1001716**

EAN



Height: -

Length: -

Width: -

Weight: -

Retail box: **4**Old art. no. **111348**

6 4 1 1 5 0 1 1 1 3 4 8 1



For PowerLever Pruner Bypass P54 (article No. 1001531)

**Blade, bolt, sheet, nut, screw and spring**Art. no. **1002103**

EAN



Height: -

Length: -

Width: -

Weight: -

Retail box: **4**Old art. no. **111965**

6 4 1 1 5 0 1 1 1 9 6 5 0



For Pro Pruner P90 (article No. 1001530)

**Blade for Quantum™ lopper**Art. no. **1001718**

EAN



Height: -

Length: -

Width: -

Weight: -

Retail box: **4**Old art. no. **112247**

6 4 1 1 5 0 1 1 2 2 4 7 6



For Quantum Lopper Bypass Scissor Head (S) L102 (article No. 1001436)

**Blade for Quantum™ & PowerGearX™ loppers**Art. no. **1001719**

EAN



Height: -

Length: -

Width: -

Weight: -

Retail box: **4**Old art. no. **112337**

6 4 1 1 5 0 1 1 2 3 3 7 4



For

- Quantum Lopper Bypass (L) L108 (article No. 1001435)
- Quantum Lopper Bypass (M) L104 (article No. 1001438)
- PowerGearX Lopper Bypass (M) LX94 (article No. 1020187)
- PowerGearX Lopper Bypass (L) LX98 (article No. 1020188)

**Blade for Quantum™ & PowerGear X™ loppers**Art. no. **1001720**

EAN



Height: -

Length: -

Width: -

Weight: -

Retail box: **4**Old art. no. **112617**

6 4 1 1 5 0 1 1 2 6 1 7 7



For

- Quantum Lopper Anvil (L) L109 (article No. 1001437)
- PowerGearX Lopper Anvil (L) LX99 (article No. 1020189)

**Blade for PowerGear™ loppers**Art. no. **1001721**

EAN



Height: -

Length: -

Width: -

Weight: -

Retail box: **4**Old art. no. **112277**

For PowerGear and PowerGear Steel Loppers

- Lopper Bypass, Hook Head (S) L70 (article No. 1002104)
- Lopper Bypass, Hook Head (M) L74 (article No. 1000582)
- Lopper Bypass (S) L90 (article No. 1001552)
- Lopper Bypass (S) L92 (article No. 1001551)
- Lopper Bypass (S) LX92 (article No. 1020186)

**Blade for PowerGear™ loppers**Art. no. **1001722**

EAN



Height: -

Length: -

Width: -

Weight: -

Retail box: **4**Old art. no. **112307**

For PowerGear Loppers:

- Bypass Scissor Head (S) L72 (article No. 1001555)
- Bypass, Scissor Head (M) L76 (article No. 1001553)

**Blade for PowerGear™ & PowerGearX™ loppers**Art. no. **1001723**

EAN



Height: -

Length: -

Width: -

Weight: -

Retail box: **4**Old art. no. **112477**

For PowerGear and PowerGear Steel Loppers

- Bypass, Hook Head (L) L78 (article No. 1000584)
- Bypass Lopper (M) L94 (article No. 1001549)
- Bypass Lopper (L) L98 (article No. 1001548)
- Bypass Lopper (M) LX94 (article No. 1020187)
- Bypass Lopper (L) LX98 (article No. 1020188)

**Blade and anvil for PowerGear™ loppers**Art. no. **1001724**

EAN



Height: -

Length: -

Width: -

Weight: -

Retail box: **4**Old art. no. **112287**

For PowerGear Lopper Anvil (S) L71 (article No. 1001556)

**Blade, anvil and screw for PowerGear™ loppers**Art. no. **1001725**

EAN



Height: -

Length: -

Width: -

Weight: -

Retail box: **4**Old art. no. **112487**

For PowerGear™ Steel and PowerGear™ X Loppers

- Lopper Anvil (M) L93 (article No. 1001550)
- Lopper Anvil (L) L99 (article No. 1001547)
- Lopper Anvil (L) LX99 (article No. 1020189)

**Blade and anvil for PowerGear™ loppers**Art. no. **1001726**

Height: -

Length: -

Width: -

Weight: -

Retail box: **4**Old art. no. **112587**

EAN



For PowerGear Lopper Anvil (L) L77 (article No. 1000583)

**Handle for hedge shears, loppers**Art. no. **1001727**

Height: -

Length: -

Width: -

Weight: -

Retail box: **4**Old art. no. **112488**

EAN



Handle for hedge shears and loppers, except for:

- PowerGear Anvil lopper (L) L77 (article No 1000583)
- PowerGear Bypass lopper (L) L78 (article No 1000584)
- Weedpuller (only Weedpuller W52 article No 1000736)

**SoftGrip™ handle and orange knob**Art. no. **1001728**

Height: -

Length: -

Width: -

Weight: -

Retail box: **4**Old art. no. **115364**

EAN



For Universal Cutters Tree Pruner Bypass UP82 (article No. 1001558)

**1 internal rope and roll cord**Art. no. **1001729**

Height: -

Length: -

Width: -

Weight: -

Retail box: **4**Old art. no. **115366**

EAN



For Universal Cutters Tree Pruner Bypass UP82 (article No. 1001558)

**Handle and orange knob**Art. no. **1001730**

Height: -

Length: -

Width: -

Weight: -

Retail box: **4**Old art. no. **115565**

EAN



For Universal Cutters Tree Pruner Bypass Telescopic UP86 (article No. 1000598)



**2 internal ropes and roll cord**Art. no. **1001731**

EAN



6 4 1 1 5 0 1 1 5 5 6 8 9

Height: -


Length: -

Width: -

Weight: -

Retail box: **4**Old art. no. **115568**

For Universal Cutters Tree Pruner Bypass Telescopic UP86  
(article No. 1000598)

**Blade, spring and chain link connector**Art. no. **1001732**

EAN



6 4 1 1 5 0 2 9 6 3 6 9 6

Height: -

Length: -

Width: -

Weight: -

Retail box: **4**Old art. no. **115367**

For Universal Cutters

- Tree Pruner Bypass Telescopic UP86 (article No. 1000598)
- Tree Pruner Bypass Long UP84 (article No. 1001557)
- Tree Pruner Bypass UP82 (article No. 1001558)



# Which tool for which task

## PRUNERS



**SingleStep™ pruners**  
1000567



**Fingerloop pruners**  
1001534



**PowerLever™ pruners**  
1001531



**PowerGearX™ Pruner Bypass** 1023630



**PowerLever™ Two hand pruner**  
1001537



**PowerGear™ II Lopper**  
1000581



**PowerGear™ II Lopper M**  
1000582



**PowerGear™ II Lopper L**  
1000584




**Xtract™ Garden Saw L**  
1000614



**Splitting Axe X25**  
1015643



**Universal cutter**  
1001558



Ø 16 mm

Ø 16 mm

Ø 20 mm

Ø 26 mm

Ø 32 mm

Ø 22 mm

Ø 35 mm

Ø 32 mm

Ø 50 mm

Ø 50 mm

Ø 220 mm

## UNIVERSAL CUTTERS

Universal cutters help you reach difficult spots.

## LOPPERS

Loppers are particularly suited for cutting thicker branches.

## AXES AND SAWS

The saw is particularly suited for removing thick (over Ø 5 cm) branches.

An axe is good for cutting the thickest branches and splitting firewood.







Fiskars has been a part of the evolution of tools since 1649. Our scissors have cut millions of meters of fabrics. Our axes have worked millions of trunks. Our knives have cut millions of slices of bread. Our pans have fried millions of carefully marinated steaks – all with a superior outcome.

**KITCHEN | GARDEN | CRAFTING | SEWING | SCHOOL & OFFICE | BEAUTY**